

AIR TRAILS

MAY 1951 • 25 CENTS



Starting this Issue!

Complete, behind-
the-curtain report:
**RUSSIA — Colossus
of the Air!**



S. CALHOUN SMITH


train for security!

answer this country's urgent need

*for more trained mechanics
on the home front!*



AIRCRAFT MECHANICS



ENGINE MECHANICS



ENGINEERING DRAFTING (AIRCRAFT)



JET ENGINE OVERHAUL

Thousands and thousands of young men, like yourself, have been trained and placed in good paying positions by California Flyers School of Aeronautics. Today your opportunities are brighter than ever before. The expanding aircraft industry needs men...men...and more men to fill good paying positions as qualified Aircraft & Engine Mechanics. For security...a bright future... and a good paying position, start your training at California Flyers today. For many years, California Flyers has trained men to qualify for their CAA Aircraft and Engine Mechanic's license. From there they have advanced to greater and more profitable positions in the aviation industry. You can be one of these men! Act today. Send for complete free information.



SCHOOL OF AERONAUTICS
ADJACENT LOS ANGELES AIRPORT • INGLEWOOD 1, CALIF.

CALIFORNIA FLYERS

School of Aeronautics, Dept. AT-5
1720 W. Florence Ave., Inglewood 1, Calif.

Please send me illustrated brochure containing full information about courses, tuition, etc. and application blank. I understand this will not obligate me in any way.

I AM INTERESTED IN THE FOLLOWING:

Master Aircraft and Engine Mechanic ☐ Aircraft Mechanic ☐
Engine Mechanic ☐ Jet Engine Maintenance & Overhaul ☐
Engineering Drafting (Aircraft) ☐ I am Veteran ☐ non-Veteran ☐

Name _____ Age _____

Address _____

City _____ Zone _____ State _____

THERE IS NO FLYING INVOLVED in AVIATION MECHANICS
COURSES at CALIFORNIA FLYERS SCHOOL of AERONAUTICS



TO THE *Young Men* WHO SEEK THE STARS!

AIR FORCE ROTC

Complete your schooling—without interruption—and receive a commission as a Second Lieutenant in the United States Air Force Reserve.

This message is for you — the young men of America whose hopes and ambitions lead you upward . . . to aviation.

Today — the aviation industry needs ambitious, well-schooled men who are looking up . . . men who are seeking to raise themselves to a position of leadership in the expansion of the Air Age.

YOU can be one of these men.

An education at Parks College equips you in the best way possible. You will be prepared for the decisions you must make and the planning and creative thinking you must do when you reach the position you are seeking in the aviation industry.

So begin your way toward the top in aviation as thousands of others have done by enrolling at Parks College. Next enrollment dates — April 20-21 — Spring Semester.

After concentrating in Aeronautical Engineering, Aviation Maintenance Engineering, or Air Transportation, for only **THREE YEARS**, you will receive a Bachelor of Science Degree in Aeronautics from Saint Louis University.

ATTENTION VETERANS! Your training under the G. I. Bill must be in progress by July, 1951.

Applicants must be graduates from a 4-year high school, of good moral character and demonstrated ability.

**PARKS COLLEGE
OF
ST. LOUIS UNIVERSITY**



2051 CAHOKIA ROAD EAST ST. LOUIS, ILL.

PARKS COLLEGE OF SAINT LOUIS UNIVERSITY
2051 Cahokia Road, East Saint Louis, Illinois

I am interested in:

☐ Air Transportation

☐ Aeronautical Engineering

☐ Aircraft Maintenance Engineering

Name..... Age.....

Address..... Zone.....

City..... State.....



Cover: Aerocar—S. C. Smith

- 8 Showcase
- 12 Air Notes
- 14 Airmen of Vision
- 16 Air Mobilization—Kendall K. Hoyt
- 19 Russia: Colossus of the Air—"Argus"
- 23 Main Soviet Aircraft Types
- 24 Pictorial: USSR Air Force vs. Atlantic Pact AF & USAF
- 26 Here Come the Turbo-Props—A. R. Boone
- 27 Allison's Bid for Jet Leadership
—T. S. McCrae
- 28 Air Progress: Superfort—Douglas Rolfe
- 30 Job: Instrument Technician
- 31 Big Dirigibles for the Airlift
—P. W. Litchfield
- 32 Aerial Half-Pint—Joseph Stocker
- 34 Air Adventurers Club
- 36 Fleet Trainer—Charles Hollinger
- 38 Four to Five—Wally Fromm
- 40 XF-92A—Lloyd A. Mosher
- 41 Dope Can—"Dopester"
- 44 Design Competition: Balsa Gliders
- 47 Clipper Chisai—Dallas B. Sherman
- 51 Caro Bayley's Pitts Special
- 51 Prof. Phugoid: II—W. F. McCombs
- 52 Motor of Month: Baby Mac
- 54 Sketchbook—Drawings by Thomas
- 58 Model of Month: Senior "19"

Editor: Albert L. Lewis. Art Director: W. F. Tyler. Technical Editor: Alexis Dawyoff. Editorial Production: Carl Happel. Editorial Assistants: Rose Borello and Rosalba Accardi.

CORRESPONDENTS: Washington: Kendall K. Hoyt. Women in Aviation: Nanie Horton. West Coast Modelling: Dick Everett.

STREET & SMITH PUBLICATIONS, INC.

President.....Gerald H. Smith
Vice President.....Ralph R. Whittaker, Jr.
Vice President and Secretary.....Arthur P. Lawler
Treasurer.....Thomas H. Kaiser

Walter J. McBride, Advertising Mgr., 575 Madison Ave., New York 22; Frank C. Smith, Mid-Western Adv. Mgr., 230 No. Michigan Ave., Chicago 1; West Coast Office, 903 Garfield Bldg., Los Angeles 14 California.

AIR TRAILS published monthly by Street & Smith Publications, Inc., at 575 Madison Ave., New York 22, N. Y. Entered as second class matter at the post office at New York, N. Y. Authorized as second class mail, Post Office Dept., Ottawa, Canada. Copyright, 1951, by Street & Smith Publications, Inc. 25c per copy—\$2.50 per year. \$7.50 per year in countries of the Pan-American Union; \$3.00 per year in Canada; \$10.00 per year elsewhere. This issue is Vol. XXXVI, No. 2. Please advise us if you move; allow four weeks for change of address. Give old and new address when notifying us. Subscription correspondence should be addressed to Subscription Dept., Street & Smith Publications, Inc., 304 E. 45th St., New York 17, N. Y. All characters used in fiction and semi-fiction stories in this magazine are fictitious. We cannot accept responsibility for unsolicited manuscripts or art work. Any material submitted must include return postage. Printed in the U.S.A.

THE READERS WRITE:

All Communications to the Air Trails editorial offices should be addressed to Air Trails, 304 E. 45th St., New York 17, N. Y.

Says "Air Force Fighter Is Best!" . . . I should like to comment on the article appearing in your March 1951 issue entitled "The Navy Fighter Is Best!" In the following letter I will try to show why I think "The Air Force Fighter Is Best!" I am not writing out of any partiality to the Air Force but merely to give the other side of a two-sided story.

The Deputy Chief of Naval Operations for Air, Vice Admiral Cassady, said recently that the Russian Mi-1 (MiG-15) was superior to every operational American fighter except the F-86 Sabre. This means the top-ranking Naval aviator considers the Air Force's Sabre better than anything the Navy has in service. To show why I think Admiral Cassady is correct I should like to question the author's statement that speed is not of primary importance in an interceptor.

To shoot down a bomber an interceptor must not only catch it but must have sufficient superiority in speed to make several gunnery runs. Most tactical experts hold that a fighter must have at least a twenty percent speed advantage over a bomber to make interception a reasonable probability. You will remember that World War II interceptors didn't have too easy a job of it even with speed advantages running over one hundred percent. This means that to successfully intercept a modern 650-mile-per-hour bomber, such as the Boeing B-47B, a fighter would have to be able to attain a speed of at least 780 miles per hour.

This fact alone renders all Navy and most Air Force fighters ineffective. The only fighters we have today that could make such an interception are the F-84F, the F-86D and E, the F-90, the F-91, the XF92A and the YF-93A. It is interesting to note that the fastest Navy fighter, the F7U, is rated "in the 650 mph class," while the fastest Air Force job, the F-91, is listed as "over 920 mph." This same Air Force F-91 has, contrary to the author's claims, the quickest take-off, the fastest climb, and the slowest landing speed of any known jet fighter. This performance is due to its variable incidence wing and the tremendous power (one General Electric J-47-A plus after-burner plus four Curtiss rocket units).

I also dispute the statement that Navy fighters are more maneuverable. The standard Navy interceptor, the F9F Panther, has somewhat less useful wing area than the standard Air Force F-86 Sabre, and it carries considerably more weight (17,000 pounds to 13,750). This, coupled with the Sabre's lower power loading, should give the Air Force fighter a definite edge in the powers of maneuver.

Convair and Republic claim that the delta wing on the XF-92A and the inverse taper wing on the F-91, respectively, make them more maneuverable than anything now flying. Which of these is the most maneuverable is problematical, even though the Convair test pilot on the XF-92A claims his ship will maneuver the pants off anything in the air.

The author's statements on armament are irrelevant as most fighters carry M-3 .50 caliber, .60 caliber, and 20-mm guns interchangeably. However, most fighter pilots, I believe, prefer the .50's to the higher caliber weapons for high altitude work. There are many reasons for this, among them: 50 percent higher fire rate, the ability to carry six instead of four guns, the fact that the explosive force of the 20-mm shell definitely leaves something to be desired, and the fact that in the rarified upper air the .50's effective range compares favorably with that of the heavier guns. However, the larger guns are, for the most part, preferred for low and medium altitude fighting.

In summing up I would like to say that there are few Naval fighters that could even catch a modern bomber, to say nothing of shooting it down, and that in the F-91 and the XF-92 the United States Air Force has the fastest, quickest climbing, and most maneuverable interceptors in the world. The Air Force Fighter is definitely better.

William R. Corliss, The W. R. Corliss Aeronautical Collection, Detroit, Mich.

To Contact Aerobatic Champ . . . Could you send me address of Rodney Jocelyn, National Aerobatic Champ? What color was his Great Lake trainer?

Lawrence Shaw, Orillis, Ont., Can.

● Rodney Jocelyn may be reached at the Old Star Airport, Langhorne, Pa. His airplane is painted red and cream.

Readin', Writin' & Air Trails . . . I am 11 years old, but I've been reading your book for a year and a half. When I take my new copy of Air Trails to school with me all the boys in the room want to read it.

David Moore, Memphis, Tenn.

Engine Conversion for Racing . . . Can you tell me of any aircraft engine book that illustrates the re-building of the small 4-cyl. opposed engines into hot-rod racing engines? We want to re-build an engine for our Knight Twister that was designed by V. W. Payne.

B. E. Ladd, Stockton, Calif.

● Sorry, there is no book on conversion of a four-cylinder plane engine for racing. However, the 190-cubic-inch Continental C-85 is being used successfully for midjet plane racing with racing McCauley or Sen-senick props. It puts out over 100 mph at 3,250 rpm. We suggest you write to Continental Aviation and Engineering Corporation, Muskegon, Mich., for information on conversion of the engine to obtain higher power.

Correction by Navy Man . . . Ordinarily I don't write editors about typographical errors, and more than likely many others will "sound off" at the same one I found.

In the February Dope Can, the little "barrel-bellied" fighter in the lower right-hand corner is an F2F-1, not an FSF-1 as printed. To my knowledge, Grumman never put out a plane with such a designation, for according to Navy classification, FSF would mean fighter-scout by Grumman. Right or wrong?

I'm not a model builder but a model railroader, but am a regular reader of your mag for possible construction hints that will be useful to me. It's a good mag.

Joe C. Rebik, ATC, USN

● You're right, we're wrong. That stubby Grumman biplane fighter is an F2F-1. However, you're wrong in stating that there never was an FSF-1. The FSF-1 was a two-place scout-fighter by Grumman.


Those Designation Circles . . . Reading your article called "The United Nations Air Force," I started going in circles. Labeled as a B-26 you have what I always thought to be a Douglas A-25 attack bomber. I checked up and found the Martin Marauder listed as the B-26 and the other plane as the Douglas A-25 Invader. This confused me too as I thought the Invader was the A-36 attack version of the F-51A. I found this to be true also. Could you please straighten me out on this?

I would also like to know if the Focke-Wulf FW 200's and the 198's were used much, and if they were successful. What was the armament of the FW 200? What happened to the Hawker Typhoon?

Kenneth Hands, Ellicott City, Md.



World War II B-26



Current USAF B-26

● You are completely mixed up in your designations. The Invader was formerly called the Douglas A-26. When the Martin Marauder went out of service after the war, the Invader was redesignated as B-26. The A-25 was the Curtiss SB2C used by the Air Force. The North American A-36 was used for a short time by the British. It was similar to the F-51A but equipped with spoiler type dive brakes.

There was no such airplane as the FW 198. The FW 200 was employed on Atlantic patrol to spot convoys and relay information to Nazi submarines. The Hawker Typhoon just became obsolete and was replaced by more modern fighters.

(Continued on page 9)

VETERANS

don't forget JULY 25, 1951

REMEMBER!...Your Training Under The G.I. Bill Must Be In Progress By July 25, 1951

...Don't miss the boat-GET YOUR TRAINING Now!

We are unable to meet the demand for CAL-AERO graduates. The Aircraft Industry needs thousands of properly trained men for essential positions.

CAL-AERO TECHNICAL INSTITUTE specializes in
AERONAUTICAL ENGINEERING
MASTER AVIATION MECHANICS
JET ENGINE Maintenance & Overhaul
with
MAXIMUM TRAINING IN MINIMUM TIME

Upon completion of any one of these essential courses you will be qualified and able to step right into a well paying job without further break-in. Cal-Aero graduates occupy good positions at all famous plants, including Douglas, Northrup, Convair, North American, Lockheed, Boeing and Grand Central Aircraft Company.



Cal-Aero graduates are in demand — more than 7,000 of them are on the job.

INVESTIGATE AND COMPARE—NOW

Established 1929, Cal-Aero is an independent subsidiary of Grand Central Aircraft Co., world's largest facility for maintenance and modification of private, Commercial and Military aircraft.

MILITARY SERVICE

Cal-Aero Graduates in **AERONAUTICAL ENGINEERING** are eligible for **NAVAL AVIATION** and **AIR FORCE CADET TRAINING** and **AIR FORCE OFFICER CANDIDATE SCHOOL**.

Write for information today.

During World War II Cal-Aero Trained 25,000 pilots and 7,500 technicians for the Military Air Forces.

TODAY—Cal-Aero is again training Military Personnel under contract to the U. S. Air Force in addition to its regular civilian program.

WHAT BETTER RECOMMENDATION WOULD A SCHOOL HAVE?

APPROVED FOR VETERANS

DON'T DELAY • MAIL TODAY

CAL-AERO TECHNICAL INSTITUTE, Grand Central Air Terminal, Glendale 1, Calif. • Send full information and free catalog, immediately.

☐ **AERONAUTICAL ENGINEERING**
☐ **MASTER AVIATION MECHANICS**
☐ **JET ENGINE—Maintenance and Overhaul**

HOME STUDY COURSES
☐ AERONAUTICAL DRAFTING ☐ AIRCRAFT BLUEPRINT READING
☐ STRESS ANALYSIS AND DESIGN

NAME _____ AGE _____
ADDRESS _____
CITY _____ STATE _____

HIGH SCHOOL ATTENDED _____ ZONE _____
Check one: ☐ Veteran ☐ Non-Veteran GRADUATED: YES ☐ NO ☐
AT-5

50 items with gas engines, incl.:

12 items with gas planes incl.:

Copyright 1951, America's Hobby Center, Inc.

Complete FLYING OUTFITS

WORTH TWICE OUR COMBINATION PRICE!

WE WILL SUPPLY
A complete flying outfit with your own choice of any advertised engine or plane—and save you money. Just order from us or write for price.
IF IT'S ADVERTISED, WE HAVE IT


IT ISN'T OFTEN that you get the chance to buy, at less than half price, a U-Control Plane, Engine and All-Accessory Outfit with your own choice of well-known **FACTORY ASSEMBLED** ignition or glo engine. Everything carries the famous America's Hobby Center as well as the manufacturer's guarantee.

Even if you are a beginner, you won't have trouble building and flying any of these flying outfits, full size plans of any easy to build and fly plane, every accessory you will need, complete instructions, etc., etc. If you are an old-timer at building and flying model outfits are really worth.

Thousands of these complete units have already been sold. They have met with enthusiastic reception because they represent a value unheard of before in the modeling field. The price is so low that we cannot sell to dealers. You really save from \$10 to \$12 by buying the complete, packaged unit everything is engineered by experts for a perfect flying combination.

YOUR OWN CHOICE OF ENGINE, PLANE, PLUS ALL ACCESSORIES, INCLUDING: Correct size finished propeller • 3-way plug wrench • Presto Engine starter with handle and card • Speed indicator tables • Log Book • Motor cover • Spark or glo plug with gasket • Complete engine instructions • 24 page Gas Engine Theory Manual • Engine adjustment chart • Metal fuel tank and gas line • Metal Battery box • Wilco Quality Coil • 12" Hi-tension lead wire and end clips • 18" insulated ignition wire • Ignition slide switch • Coil holder and mount • Everlast condenser • SAE #70 Oil • 4 ignition wiring lugs • Spark plug gauge set • 2 plane identification tags • 72 insignias • 72 page book on Control-liners, How to build and fly them • Cement • Sandpaper • "Pro" all-metal knife and blade • Metal bellcrank with bolt, nut and washer • Elevator horn • Elevator hinges • Lead-in wire • Push-rod wire • U-Control handle • 100 ft U-Control stainless steel wire reel • Membership in Modelcrafters of America • 64 pg 2-color catalog • Postage • Packing • Insurance. Ignition parts not needed with glo-engine not included.

YOU WON'T GET OTHER BARGAINS LIKE THESE!



\$8.50



YOUR CHOICE \$10.00



YOUR CHOICE \$12.50



YOUR CHOICE \$13.50



YOUR CHOICE \$15.00

PLUS YOUR CHOICE OF



TRAIL BLAZER

TRAIL BLAZER Model Plane with carved lower fuselage-half, fully formed aluminum upper half. Balsa sheet wing, no tissue used. Balsa tail surfaces, plywood engine mount. Schematic drawings with step-by-step plans. Rubber wheels, detail paint schemes. 24" wingspan.



MAVERICK

Maverick Completely prefabricated Stunt **TRAINER** Model, particularly good for beginners. Die cut and slotted fuselage, finished center spar, silkspan, decal, formed landing gear, step-by-step instructions, 24" wingspan.


PLUS ALL ACCESSORIES LISTED ABOVE

NEW .099 UNITS

Includes all 3 items

For ease of assembly, for trouble-less operation and for real effortless U-Control flying, these units are the answer to the modeler's dream. Even the beginner will have no trouble in assembling the outfit in one evening and be completely ready to fly the next morning.

1 You get your choice of



2 PLUS Your choice of 3 completely prefabricated kits




3 Plus all accessories

COST ONLY McCoy 9 Glo Outfit **\$10.95**
O.K. Cub .099 Outfit **\$ 9.95**

AA FLYING OUTFITS

These are the new pint-size glo engines that are so tiny .1 to 1 1/2 ounces! but develop plenty of power for free-flight or U-control flying.

Your own choice



Plus your choice of planes: All planes prefabricated, easy to build and fly



Plus all accessories

5 ACES OUTFIT

The biggest bargain we have ever offered. Over \$10.00 of merchandise for only \$5.55.

1 YOUR CHOICE OF



2 PLUS your choice of 4 prefabricated Scientific 22" span u-control planes.



3 PLUS ALL ACCESSORIES

COST ONLY With O.K. Cub **\$9.95**
With Spitzzy **\$5.55**

LARGEST BARGAIN OF THE YEAR

AEROMITE \$9.95

A really beautiful red plastic job. 17" wingspan with Baby Spitfire engine, prop spinner, tank, etc., already installed. Shock-absorbing spring-steel landing gear, Jim Walker U-control for precision and stunt flying, plastic control handle, nylon control cord.



A. J. FIREBABY \$7.50

Beautifully finished and painted, even fuel-proofed. 19" span. Includes new "slow-motion" propeller and engine.



READY-TO-FLY OUTFITS

All you do is take the plane out of the box, fill the tank, and FLY. You don't have the fun of building—all the fun's in the flying. Just nothing to build. And to fly, all you'll need extra fuel and battery. All U-control.

BUSTER \$7.95

Scale model of Whittman Special. 12 1/2" span. K & B Torp Jr. engine already installed.



DOUGLAS NAVY SKYRAIDER \$9.95

All plastic model including K & B Torp Jr. engine. Landing Gear with aluminum wheels, decal, tank, spinner, etc. Includes nuts and bolts for minor assembly.



YANK \$5.95

23" span championship model. Finished in two colors and fuel proofed. Equipped with O.K. .039 engine and all accessories.



SOLDIERS! SAILORS! MARINES!

Orders placed through us get special attention. We understand your problems and take special care of your orders. Or send for our **SPECIAL SERVICES DATA**



\$6.95

COMPLETE RACE CAR COMBINATION OUTFIT

NEW! Scientific's "HALF-pint" race car, complete with direct drive PLUS O.K. .049 engine PLUS all needed accessories. Five minutes after you open the package, you can race this car on any smooth surface, even your own backyard or cellar. Speeds over 40 miles per hour. COMPLETE except for fuel (.75¢) and starting battery (.80¢). Car alone \$2.95.

How To Order Send remittance in full (we prepay packing and insurance) or send \$1 and we ship collect C. O. D. same day for balance. Address your order to us at your nearest branch office.

- Dept. TC-51, 156 West 22nd St., New York 11, New York
- Dept. TC-51, 1544 Flatbush Ave., Brooklyn 10, New York
- Dept. TC-51, 55 E. Washington Street, Chicago 2, Illinois
- Dept. TC-51, Rm. 230, 742 Market St., San Francisco 2, California
- Dept. TC-51, Rm. 306, 427 Carondelet St., New Orleans, La.
- Dept. TC-51, Gas & Electric Bldg., Denver 2, Colorado

America's Hobby Center INC

A GENERATION OF FAIR DEALING GUARANTEES YOUR SATISFACTION

Did you know?



... that Howard G. McEntee, former editor of a model airplane magazine and famous Model designer agrees with us that TRIM-FILM PRODUCTS are the easiest method of trimming a model that has yet been devised.

You too can trim like these experts ... by switching to TRIM-FILM PRODUCTS today—send for free sample of "Tips" booklet and sample of TRIM-FILM NOW! Manufactured by

HOBBY DECAL SPECIALISTS

314-A Elm Street Perth Amboy, New Jersey



**Just Out
NEW 1951
O & R Catalog!**

New, beautifully illustrated in four colors . . . every part and accessory listed for your convenience in ordering. GET YOUR COPY TODAY!

HERE'S HOW

Mail 15c in stamps
or coins to

Ohlsson & Rice, Inc.

Emery at Grande Vista,
Los Angeles 23, Calif.

MARGO KRAFT®
DISTRIBUTORS, INC.

WHOLESALE ONLY

- COMPLETE STOCKS
- QUICK SERVICE • TOP QUALITY BRANDS

Chip-Carving	Model Railroad Kits—
Construction Toys	engines & accessories
Craft Books	Rubber Molding &
Craftstrip	Coloring Sets
Finger Painting	Scale Model Construc-
Glass Etching	tion Kits—planes,
Leathercraft	boats, etc.
Link Belts	Shellcraft
Metal Crafts	Textile Colors
Miniature Engines	Wooden Boxes & Plates
& Accessories	

DEALERS: write for 103-page 1951 Catalog.

MARGO KRAFT®
DISTRIBUTORS, INC.

419 South 6th St., Minneapolis 15, Minn.
(Formerly Modelcraft Distributors, Inc.)

Showcase

Contact your hobby shop for items shown. All information is checked carefully, but is subject to change.


A deluxe *Mustang* is Berkeley Model's P-51 kit which makes up into a 1 inch to the foot controliner for engines from .19 to .35 cu. in. disp.




Berkeley's
Mustang

Spanning 37 inches, the \$5.95 kit contains die-cut balsa and plywood parts, formed landing gear, celluloid bubble canopy, U.S. decals, wheels, complete hardware, covering material for the planked fuselage. Kit incorporates a landing gear which may be retracted or extended at will, including the tail wheel. Automatic flaps, engine throttle control as well as elevator and "Autotrol" rudder operation make this laminar-flow airfoiled fighter model something apart from the standard scale control line job. A specially machined

four-notched aluminum spinner is included As a departure from their usual line of aircraft models, Sterling Models have come up with two boat kits that are worthy of your attention. Boats make up into attractive mantel display pieces or can be powered by a small engine. All that's needed in addition to the kits are an engine, flywheel, cement and paint. Kit B-1 is the Richardson "27" Sedan Cruiser and sells for \$5.95; the Kit B-2 is the Higgins "17" Sport Speedster and is priced at \$4.95. The lower portion of each hull is carved and slotted for the necessary bulkhead; it is drilled out for the stuffing box. Mahogany parts are all die cut and faithfully duplicate the prototype American Telasco, Ltd. has introduced the *Jetex Javelin* for its Jetex #50 jet engine.




Sterling Boat



Jetex
Javelin

The price is a modest 75¢; stressed skin construction. One of the few models especially designed for Jetex power. (Continued on page 10)




9 beautiful power boat construction kits—25" to 33½" length. \$5.50 to \$9.50. Write for literature on boats, motors, fittings. At all hobby stores. Chris-Craft, Owens, Harbor, Vinyard, Colonial. Large boat construction from factory plans.

DUMAS PRODUCTS

2347 Aviation Highway, Tucson, Arizona
World's Largest Builder of Motor Boat Models

**.045 DIS.
COMBINATION
PACKAGE**
\$5.95



INCLUDES
ENGINE • PROP.
GLOW PLUG • FUEL
TANK • WRENCH
MOTOR MOUNT

AT DEALERS
EVERYWHERE

BABY Spitfire®
Engine Only **\$5.45**

MEL ANDERSON

Manufacturing Co.

1819 THIRD AVE., LOS ANGELES 6, CALIF.

9

SUPER GLOW

NOW ONLY

75¢

PINT

SUPER ATOMIC GLOW FUEL

Quart \$1.15 Pint 65c

SUPER GLO-GAS.....45c Pt.
SUPER DUPER.....60c Qt. 35c Pt.
SUPER DIESEL.....1.00 Qt. 55c Pt.
SUPER 70 OIL.....45c Pt.
CASTOR OIL LUBRICATOR....4 oz. 35c

AT YOUR DEALERS ONLY

SPORTCO PRODUCTS

4817 Frankford Ave. Phila. 24, Pa.

RADIO CONTROL

Complete Unit **\$37.50**
less Batteries

Consisting of Transmitter & Tube, Antenna, Escapement, and Receiver with Relay and Tube.

Or buy complete **BUILD-IT-YOURSELF KIT** for above unit **Only \$29.00**

Our new Instruction Manual will be available in May. Watch for further announcement.

\$3.00 for Complete set of

BUILD-IT-YOURSELF MANUALS

These manuals contain circuit diagrams and complete instructions. Send for Free Catalogue.

RADIO CONTROL HEADQUARTERS
Belmar, New Jersey

FUN OR TROPHIES

for only **\$12.95**

THE NEW **K & B TORPEDO**

.19

at your
dealer soon

-K & B MANUFACTURING CO.-
224 E. PALMER AVE.
COMPTON, CALIF.

Showcase

Try your favorite hobby shop for items presented here. Write the manufacturer if you can't find it.

One of the most significant models to enter the Jim Walker line (A-J Aircraft Co.) was his small *Firebaby* which comes ready to fly without a



Powered Firebaby


Half-A motor for \$2.50. Now Jim has the little *Firebaby* complete with motor for \$7.50 and that should be good news to lots of model enthusiasts. Jim reports you can now buy it ready to fly, complete with flying lines, "slow motion" prop and full instructions for flying and stunting. Wing span is 19 inches, weight with motor, 3 ounces. All parts are finished, painted, fuel-proofed. You just slip them to-

gether, bolt on wing and motor, "gas up" and you're ready to take off... Fador Mfg. Co. announces all its *Smallster* auto kits are now coming

through with realistically detailed, true-to-scale plastic parts; this speeds up construction and assures a first class job... Enterprise Model Aircraft & Supply Co. has introduced a new line of prefabricated solid models known as the *Combat Aces*. Series includes the F-51 Mustang, F-84 Thunderjet, F-80 Shooting Star, F-86 Sabre, F9F Panther and the Russian MiG-15 jet. Models average about 13 inches in wingspan and are of all-balsa construction. Each fuselage is fully carved ready for sanding; formed bubble canopies, die-cast propellers and wing bombs where called for; die-cast pilots and nose sections. Plastic fittings as well as complete authentic decals are included. Each is priced at \$2.50... Have you seen the 1910



EMA&S's Jet



1910 Curtiss

Curtiss Pusher by Model Plastic Products? This one is really cute. Span is 8½ inches and the model is to ¼" scale. Complete, prefabbed. \$1.25.

New MAIRCRAFT JUNIORS PROFILE SHAPED SOLIDS

✓ FUSELAGE AND WINGS CUT TO SHAPE

✓ REALISTIC BALLOON WHEELS AND PROPS



✓ FULL 1/6 SCALE STEP-BY-STEP PLANS

ORDER FROM YOUR Dealer NOW

MAIRCRAFT
ROSELLE, ILLINOIS **EACH 15¢**

FREE PROPELLERS!

ACT NOW, BEFORE TOO LATE!!

Buy your new motor from All American Model Motor Exchange and get 12 (YES, TWELVE!) genuine matched Flo-Torque propellers absolutely **FREE!**

We stock all available new motors at regular advertised prices.

Any British motor or R/C set supplied to special order.

NEW MOTORS FOR OLD!

Our famous "25% Allowance" trade-in plan is still operating, but shortages may soon force us to discontinue this offer. Send us your used motor and deduct ¼ from the list price of any new motor up to 20.00. One trade-in accepted on each new motor ordered, but free propellers not included with this offer.

We pay postage on prepaid orders. Please enclose 1.00 for C.O.D. handling.

Remember, Fellows! For the Best Deal write to

All American Model Motor Exchange
Dept. A, Box 885, Santa Monica, California


Famous A-J Products



A-J FIREBALL

Original U-Control plane. High maneuverability. Kit includes control handle, flying lines, and wheels.

\$695



U-REELY CONTROL

Keeps flying lines off ground ready for instant use. Take-off unassisted, reel in to land.

\$750

With cable flying lines. \$8.50



FUEL REGULATOR

Supplies fuel under pressure in any position until tank is dry! Complete with Pressure Fuel Tank.

\$250


Ready to Fly!



"74" FIGHTER

Does 19 stunts with ease. Smooth finish, cambered wing.

10¢



A-J INTERCEPTOR

Cambered wings fold for launching, automatically open to soar. . .

50¢



A-J HORNET

Will R.O.G. and fly 500 ft. 1 Unbreakable prop, 18" cambered wing.

50¢



CEILING WALKER

Helicopter . . . flies straight up, does aerobatics coming down.

25¢

Flying Two IS TWICE THE FUN!

This is the stunt that always wows the spectators, and it's really easy to do...especially with two A-J Firebabies! They are so maneuverable...so easy to control...that most anyone can learn to fly two of them together. Just remember to fly the leading plane low, the second plane high. Position is easily maintained by moving the arms in and out. For a real flying thrill, try it!

Jim Walker FIREBABY

Buy it ready to fly, complete with flying lines and full instructions for flying and stunting. Wing span is 19", weight with motor, 3 oz. All parts are finished, painted, fuelproofed. Just slip them together, bolt on wing and motor, "gas up" and you're ready to take off! Without motor . . .

\$250



\$750

with motor



1166 N. E. 31st Ave. Portland 12, Oregon



HARLEY-DAVIDSON 125

WITH ROAD-CUSHIONING

Tele-Glide Fork



Ride the fun-way and save! Go anywhere quickly and dependably... to work, school, sports events, outings. Amazing economy: 90 miles and more per gallon... pennies for upkeep... no parking worries. Real comfort: road-cushioning Tele-Glide fork, "easy chair" saddle, big tires. Easy and safe to ride: 3-speed transmission, 2-wheel brakes, brilliant lighting. Now is when you need it. See your dealer today for a FREE RIDE.



HARLEY-DAVIDSON MOTOR CO.
Dept. AT, Milwaukee 1, Wisconsin
Send colorful folder and full information about the low-cost, economical-to-operate Harley-Davidson 125.

Name.....

Address.....

City.....State.....

DEALERS WANTED: A few franchises available for the full line of famous Big Twins and the 125 Model. Write today.

air notes

AVIATION TODAY
AND TOMORROW

Herculean Effort. It takes a lot of power to start a jet engine. The electric starter which spins the jet into life develops 16 hp and weighs 61 lbs. Compare this to the 5 hp starter that is needed to fire up the largest reciprocating engine, the Pratt & Whitney 28 cylinder Wasp Major of 3500 hp. In addition, the generator cart which supplies juice to the jet starter weighs over 1000 lbs. For self-contained starting system, a 150-lb. battery must be carried in the airplane, which when fully charged provides sufficient energy to crank the starter for three minutes. Lighter starting devices using air turbine and explosive cartridge are now under development, all of which will save considerable weight and offer dependable self-contained power source.

More Power for C-119. 1952 production models of Fairchild C-119 Packets will be powered by the Wright 18 cylinder R-3350 compound engines developed from basic R-3350 2,200 hp powerplant by the Wright Aeronautical Corp. These will provide 3,250 hp by feeding exhaust gases into three turbines. Energy developed by the turbines is then transmitted to the crankshaft by means of fluid coupling. With water injection, the take-off rating of engine is raised to 3500 hp. The new powerplant, while developing same power as the Pratt & Whitney R-4360 Wasp Major, now used in the C-119, consumes less fuel and, therefore, gives more range with the same gas load.

Air Conditioning the Jet Pilot. At 600 mph the cockpit temperature of a jet fighter can rise to 190° F. If the airplane is not equipped with air conditioning, 50% of the heat is generated by the friction of the airplane's skin with the air, 40% by radiation of the sun, 5% by the electrical equipment and 5% by the body heat of the pilot. To keep the pilot cool and comfortable all present day jet planes are equipped with an air conditioning system. How small and efficient this device is was recently disclosed by the Hamilton Standard Propeller Co. which manufactures such units for the Lockheed F-94C all-weather two-place fighter. The little device weighs only 26 lbs., and could make 22,500 lbs. of ice cubes a day or air condition two seven-room ranch houses. But, warns Hamilton Standard, don't rush to buy one for the new home. You will need a jet engine (cost \$50,000 to \$100,000) to run it.

Turbo-Prop Globemasters. The U. S. Air Force has awarded a contract to Douglas Aircraft Co. for a turbo-prop version of the giant C-124 Globemaster cargo transport. Designated as the YC-124B, the new plane will be powered by four Pratt & Whitney YT-34-P-1 turbo-prop engines each developing 5,500 hp. First flight for the airplane is scheduled for the spring of 1952.

Long Flight. A Convair RB-36D reconnaissance bomber flew for 51 hours, 20 minutes without landing during a recent test flight conducted at Fort Worth, Texas.

Para-Container. An entire infantry squad may be dropped, one of these days, in a container developed by the Air Materiel Command at Wright Patterson AFB. The Universal Container, as the device is called, weighs 6000 lbs. and can be dropped from a Fairchild C-119 Packet. A single 100 foot chute is used for loads up to 3500 lbs., two 100 foot chutes for loads up to 6000 lbs. Four large air bags shaped like a barrel cushion the landing impact. Besides infantry, the container can be used to drop a complete weather station, airplane equipment, rescue station and survival hut for Arctic use.

Navigation Trainers. A fleet of 16 Convair T-29 (Convair-Liners in civilian life) are being used to train navigators at Ellington AFB, near Houston, Texas.

Flying Test Beds. In order to speed up the development of advanced type jet and turbo-prop engines, Pratt & Whitney Aircraft is using three war-weary Boeing bombers, each powered by four piston engines and fitted with a fifth experimental jet. These flying test beds are: a B-17, equipped with a T-34 turbo-prop, a B-29 on loan from the Navy which carries the 6250 lb. thrust P & W J-48 jet engine in its bomb-bay, and a B-50 which presently is being modified to carry an even more powerful jet in a pod nacelle suspended under its belly. The B-50 is on loan from the U. S. Air Force. The main function of these test beds is to get a new engine into the air at an early development stage in order to discover and correct any operational weaknesses before production begins.

Protective Clothing. Working with liquid rocket fuels is a risky job. Some of them, such as red fuming nitric acid and aniline are highly toxic. Aniline is often odorless and colorless, and is readily absorbed through the skin. It is deadly if enough of it enters the blood stream. In order to protect the men who work with these liquids, Air Materiel Command, Wright Patterson AFB has developed special clothing consisting of coveralls and hood fabricated from vinyl impregnated fiberglass; butyl rubber boots and vinyl coated cotton gloves. A plastic visor in the hood gives wearer ample front and side visibility.

Baby Turbine. The Boeing lightweight gas turbine, developing around 175 hp, has been undergoing for several months operational tests as a powerplant of a large trailer truck. Another one powers a Navy personnel boat. So satisfactory were the results of these tests that the Navy's Bureau of Ships has given Boeing a contract for a number of them.


Look, No Hands. An automatic pilot which permits "hands off" flying of helicopters has been recently developed by the Aeronautical Instrument Lab of the Naval Experimental Station at the Philadelphia Naval Base. With this device, the flying windmill can hover or go in almost any desired direction just by the twist of a knob.

Learn A & E MECHANICS

Train for a career that offers unlimited opportunities! Train for a career as an AIRCRAFT & ENGINE MECHANIC...one of the most interesting fields of specialization in the fast-growing aviation industry.

DALLAS AVIATION SCHOOL...recognized and approved by the U. S. Civil Aeronautics Administration and, since 1926, one of the nation's leading technical training institutions...offers complete courses of instruction in every phase of aircraft maintenance and repair. Graduates of the DAS Aircraft and Engine Mechanics Course are qualified for the CAA "A & E Certificate."

If you're interested in a career in aviation, investigate NOW the valuable training offered by DALLAS AVIATION SCHOOL. Here is your opportunity to gain the skills that will fit you for one of the good-paying jobs now available to qualified Aircraft and Engine Mechanics. Simply fill in and mail the coupon below, and complete details...including a booklet packed with facts and photographs...will be sent to you without obligation.



Send TODAY for this interesting, illustrated booklet...



Registrar, Dallas Aviation School
Love Field, Dallas, Texas Dept. AT 551


PLEASE SEND ME COMPLETE INFORMATION ON THE A & E MECHANICS COURSE

NAME.....AGE.....

ADDRESS.....☐ VETERAN ☐ NON-VETERAN

CITY.....STATE.....

(PLEASE PRINT ALL INFORMATION)



DALLAS AVIATION SCHOOL

AN AFFILIATE OF AVIATION ACTIVITIES COMPANY





LOVE FIELD • DALLAS, TEXAS

1926 ★ TWENTY-FIFTH ANNIVERSARY YEAR ★ 1951


Airmen of Vision

DESIGN COMPETITION


Here's a first-class idea by Warren Pollington of Inglewood, Calif.—a jet-powered tanker for air-to-air refueling. Fuel is carried in hollow box spars of wings, with additional tanks in fuselage. Refueling equipment housed in wingtips. Plane is designed to refuel two jet fighters at same time. Another hose in tail supplies gas for a bomber. Refueling operations are controlled from tail.



Dick Sutton of Lawrence, Kans., submits a design for an unusual pusher lightplane in which engine is located in fuselage, below the wing, driving an overhead propeller through extension shaft. Lack of large obstruction, such as an engine, greatly increases prop efficiency. Plane has crosswind landing gear. Spoilers supply rolling action.



The Rattler, a high-speed twin jet interceptor by Robert R. Bruton of Fort Worth, Tex. Forward location of cockpit gives pilot excellent visibility. The two turbo-jet powerplants supply 5,200 lbs. of thrust each. Plane is capable of speeds between 750 and 800 mph. Landing gear is bicycle with auxiliary wheels carried in engine nacelles. Wing span 48 ft., length 36 ft. Armament consists of four 20-mm cannon.



Air Trails has opened its columns to those who are interested in presenting plans for "aircraft of the future." Rules governing the competition are as follows: Three-view sketches of the proposed aircraft will be required. These should be not less than 8 1/2 x 11 inches for the entire three-views. Give sketches of the complete airplane in three-quarter front and rear positions. Photos of a model of proposed design may be included. Information on power plant(s), estimated performance, dimensions, and explanations of any unusual features are required. Data as to age, occupation or schooling of the entrant will be welcomed by the editors and

judges. The designs may be of any type: commercial aircraft, military planes (fighters, bombers, troop transports), planes for the private flyer and single-engine sporting or racing craft. The entry each month judged the most practical or of the greatest significance will receive an award of \$25. Payments of \$5 will go to the runners-up. Entries will not be returned and for that reason those participating should keep copies of all material submitted. Mail entries to Airmen of Vision, c/o Air Trails, 304 E. 45th St., New York 17, N. Y. Editors regret that because of large number of entries they cannot enter into correspondence on A. of V.

A TRUE I. C. S. STORY taken from an actual letter




I was a World War II pilot . . .



A prisoner of war in Germany . . .




Back home, I was hired by National . . .



Studied with I. C. S. in my spare time . . .



I. C. S. sent reports to my employer . . .



I am now Washington District Manager.

How have you done since the war? Start now to get the training that leads to advancement. Mail coupon today!

Parke Wright
PARKE WRIGHT

INTERNATIONAL CORRESPONDENCE SCHOOLS

BOX 4936-E, SCRANTON 9, PENNA.

APPROVED
under the
G.I. BILL

Without cost or obligation, please send me full particulars about the course *before* which I have marked X:

Air Conditioning and Plumbing Courses

- ☐ Air Conditioning
- ☐ Heating ☐ Plumbing
- ☐ Refrigeration
- ☐ Steam Fitting

Chemical Courses

- ☐ Chemical Engineering
- ☐ Chemistry, Analytical
- ☐ Chemistry, Industrial
- ☐ Chemistry, Mfg. Iron and Steel
- ☐ Petroleum Refining
- ☐ Plastics
- ☐ Pulp and Paper Making

Civil Engineering, Architectural and Mining Courses

- ☐ Architectural Drafting
- ☐ Architecture
- ☐ Building Estimating
- ☐ Civil Engineering
- ☐ Coal Mining

Contracting and Building Courses

- ☐ Highway Engineering
- ☐ Lumber Dealer
- ☐ Reading Structural Blueprints
- ☐ Sanitary Engineering
- ☐ Structural Drafting
- ☐ Structural Engineering
- ☐ Surveying and Mapping

Communications Courses

- ☐ Electronics ☐ Television
- ☐ Practical Telephony
- ☐ Radio, General
- ☐ Radio Operating
- ☐ Radio Servicing
- ☐ Telegraph Engineering

Electrical Courses

- ☐ Electrical Drafting
- ☐ Electrical Engineering
- ☐ Electric Light and Power
- ☐ Lighting Technician
- ☐ Power House Electric
- ☐ Practical Electrician
- ☐ Ship Electrician

Internal Combustion Engines Courses

- ☐ Auto Technician
- ☐ Aviation
- ☐ Diesel-Electric
- ☐ Diesel Engines
- ☐ Gas Engines

Mechanical Courses

- ☐ Aeronautical Eng'r's, Jr.
- ☐ Aircraft Drafting
- ☐ Flight Engineer
- ☐ Forging ☐ Foundry Work
- ☐ Heat Treatment of Metals
- ☐ Industrial Engineering
- ☐ Industrial Instrumentation
- ☐ Industrial Metallurgy
- ☐ Machine Shop
- ☐ Machine Shop Insp.
- ☐ Mechanical Engineering
- ☐ Mold-Loft Work
- ☐ Patternmaking—Wood, Metal
- ☐ Reading Shop Blueprints
- ☐ Sheet-Metal Drafting
- ☐ Sheet-Metal Worker
- ☐ Ship Drafting
- ☐ Ship Fitting

Tool Designing Courses

- ☐ Tool Designing
- ☐ Toolmaking
- ☐ Welding—Gas and Elec.
- ☐ Railroad Courses
- ☐ Air Brake
- ☐ Car Inspector
- ☐ Diesel Locomotive
- ☐ Locomotive Engineer
- ☐ Locomotive Fireman
- ☐ Locomotive Machinist
- ☐ Railroad Section Foreman
- ☐ Steam-Diesel Loco. Eng.

Stationary Engineering Courses

- ☐ Boilermaking
- ☐ Combustion Engineering
- ☐ Engine Running
- ☐ Marine Engineering
- ☐ Power Plant Engr.
- ☐ Steam Engineering

Textile Courses

- ☐ Cotton Manufacturing
- ☐ Fancy Cotton Weaving
- ☐ Loom Fixing
- ☐ Rayon Weaving
- ☐ Textile Designing
- ☐ Woolen Manufacturing

Business and Academic Courses

- ☐ Accounting ☐ Advertis'g
- ☐ Bookkeeping
- ☐ Business Administration
- ☐ Business Correspondence
- ☐ Business Law
- ☐ Cert. Pub. Accounting
- ☐ Commercial
- ☐ Commercial Art
- ☐ Cost Accounting
- ☐ Federal Tax
- ☐ First Year College
- ☐ Foremanship ☐ French
- ☐ Good English
- ☐ High School
- ☐ Higher Mathematics
- ☐ Illustration
- ☐ Industrial Supervision
- ☐ Motor Traffic
- ☐ Postal Civil Service
- ☐ Retailing
- ☐ Retail Bus. Mgmt.
- ☐ Salesmanship
- ☐ Secretarial
- ☐ Sign Lettering
- ☐ Spanish ☐ Stenography
- ☐ Traffic Management
- ☐ Typing

Name _____ Home Address _____ City _____ State _____
Age _____ Present Position _____ Employed by _____ Working Hours _____ A.M. to _____ P.M.
Length of Service in World War II _____

Enrollment under G.I. Bill approved for World War II Veterans. Special tuition rates to members of the Armed Forces. Canadian residents send coupon to International Correspondence Schools Canadian, Ltd., Montreal, Canada.

- New Beauty
- Lower Cost
- Immediate Shipment!

RUSSELL TROPHIES



Brand-new Favorites for
Model Aircraft Champions

No. 900
U-Control
Speed.
(Optional Figures:
Free Flight and
Model Airplane)
6½" High.
Only \$3.75



No. 908
"Male Victory"
(Optional Figures:
"Achievement,"
U-Control Plane,
Scale Plane)
11" High.
Only \$5.50

No. 912
Free Flight
Hand Launch.
13½" High.
Only \$11.50



No. 915
Jet Plane
(Optional Figures:
Free Flight and
Model Airplane)
13½" tall.
Only \$13.25

EXPERTLY ENGRAVED

If desired. Curved
plates hand en-
graved 9c a let-
ter. Flat plates
machine engraved
7c a letter.

• Dozens of other styles, covering entire field of events. • Introduced in 1950, now an even better buy for '51. • Top favorites of Plymouth and other meets. • Beautiful Sun-Ray figures, rich gold color.

ORDER TODAY
to insure prompt deliv-
ery. Send 10% deposit.
Balance C.O.D.

Or WRITE
for
FREE
CATALOG

RUSSELL BROTHERS
PRODUCTS

312 K.P. Bldg.

Des Moines, Ia.

Air Mobilization

By KENDALL K. HOYT

■ These are the months in which the strain of war manpower mobilization will be no longer just talk and reading matter but will be felt more and more in every area.

How many must go and for how long a period? These are unanswered questions as the services count their needs and their present resources.

Air Force Reservists are being called to a few days of active duty so they can be examined physically and screened as to essential workers and hardship cases to be deferred. Most of the enlisted men and many of the officers will be recalled to active duty.

The opportunities for others who wish to join the air services remain as reported in last month's series of reports.

For those who decide not to volunteer at this time, the Generals and Admirals tell you to *stay in school*. Learn as much as you can.

There is much to be learned and service to be rendered also in the fast developing program of civil defense.

Air spotters are being organized. Officials realize that a great weakness thus far is in *aircraft recognition* which airplane model builders in every area can well remedy. But first about the set-up. . . .

Bear in mind that the purpose is to protect against sneak attack by enemies who might find holes in the radar fence. The main areas to be guarded are the industrial North-east, the Pacific Northwest, and

California to the Southwest, where aircraft plants are so heavily concentrated.


Other areas, such as the Oak Ridge atomic energy plant, require special precautions not for volunteers but for full-time federal employes on constant ground patrol by horse, jeep, and on foot.

Elsewhere, the system must rely on thousands of unpaid civilians, patiently watching from towers or hills in the danger periods. The job is for the Air Force.

Formerly under the Continental Air Command, the Air Defense Command is now on its own, operating through the Eastern and Western Air Defense Forces and the newly organized Central Air Defense Force. These Forces tell the States where spotter nests should be located. The State and local civil defense organizations will work with the Air Force in recruiting enough volunteers.

Present plans call for organizing spotters in 36 States. In 25, heads of most of the spotter stations have been chosen. The program has begun more recently in the other 11. The watch will be kept around the coasts and the northern border, to guard the approaches from Red territory, and not (as now planned) the central area. (See map.)

Spotters are now on a standby basis, at their posts only when called for a practice alert. But would they know an enemy plane if they saw it? (Cont'd on page 78)



Here are the thirty-six states, or sections of states in which air spotters are already organized or in the process of getting ready for "business." Contact your CD office for info.



Precision Built for better performance

The accuracy and craftsmanship that go into every Scientific model pays off in performance. The use of quality materials — and even more important — the skilled workmanship of men who take pride in the work they turn out, account for the ever increasing popularity of Scientific kits. This plus the most rigid inspection of all finished parts is your assurance of satisfying performance. Put any Scientific model "through its paces" and see what we mean.

on land...on sea...in the air

SCIENTIFIC MODELS ARE *Tops* IN ANY COMPETITION!

ALL KITS COMPLETELY PREFABRICATED




HALF-PINT RACER
.020 to .074 Engines
\$2.95




CO₂ SQUIRT
CO₂ or "1/2A" Engines
\$1.50



BUCKEYE JR. SPEEDBOAT
.020 to .099 Engines
\$3.95



BUCKEYE SPEEDBOAT
.099 to .29 Engines
\$4.95



LITTLE MUSTANG
18" Wing - "1/2A" U-Control
\$1.95



LITTLE DEVIL
18" Wing - "1/2A" U-Control
\$1.50



LITTLE BIPE
16" Wings - "1/2A" U-Control
\$1.50



PIPER CUB Special
22" Wing - "1/2A" U-Control
\$1.95



AERONCA SEDAN
22" Wing - "1/2A" U-Control
\$1.95



CESSNA "170"
22" Wing - "1/2A" U-Control
\$1.95



STINSON VOYAGER
22" Wing - "1/2A" U-Control
\$1.95



BABY ACE
18" Wing - "1/2A" U-Control
\$3.50



KINGPIN
28" Wing - "B" U-Control
\$3.95



DYNAMIC
26" Wing - "B" U-Control
\$3.50

Buy from your dealer & save 15c mail charge

SCIENTIFIC

SCIENTIFIC MODEL AIRPLANE COMPANY
113 A5 MONROE STREET
NEWARK 5, N. J.

SEE THESE AND OTHER SCIENTIFIC MODELS AT YOUR FAVORITE HOBBY SHOP

BEST BE READY TO ¹SERVE YOUR COUNTRY AND YOURSELF! **LAST CHANCE**

to plan your own career in Aviation

HIGH SCHOOL STUDENTS & GRADUATES NOW may be your last opportunity to prepare for a profitable civilian career in Aviation. You learn fast and well at Embry-Riddle. Even if military service intervenes, you're still way out front with Embry-Riddle training! The Aviation Industry demands thousands of properly trained engineers, mechanics and supervisors -- NOW. Embry-Riddle offers maximum training in minimum time for top essential civil aviation positions.

VETERANS Aviation's most gigantic boom is on the way. Use your last chance for G.I. training benefits to insure your success in this fastest growing career field. Enroll at Embry-Riddle before the July 25th G.I. deadline. Do it TODAY.

4 Keys to Success!



1 AIRCRAFT & ENGINE MECHANICS

Vast numbers of properly trained A&E Mechanics are urgently needed. Our C.A.A.-approved school with a quarter-century experience assures your quickest advancement. Embry-Riddle students learn fast with modern equipment, including jet . . . live aircraft, airline-size hangars.



3 A&E COMBINED WITH COMMERCIAL

Airmen with dual pilot-engineering ability are needed by aviation companies and operators. Embry-Riddle combination training offers you the most in your aviation career.



2 AERONAUTICAL ENGINEERING

Embry-Riddle's accelerated 26-mo. Aeronautical Engineering College Course provides finest training available. Engineers with management responsibility enjoy highest salaries!



4 COMMERCIAL PILOT

Embry-Riddle trained pilots benefit from our years of experience with 30,000 students . . . the best instructors, up-to-date aircraft, superb year-'round flying weather. Also Instrument and Instructor's ratings.

CLASSES BEGINNING NOW -- SEND COUPON TODAY!

Dean of Enrollments -- Dept. 97
Embry-Riddle School of Aviation
MIAMI 30, FLORIDA
Please Print

NAME _____

ADDRESS _____

City _____

State _____ Age _____

I am interested in...


- ☐ A.&E. Mechanic
- ☐ Commercial Pilot
- ☐ Aeronautical Engineering
- ☐ A.&E. Combined with Commercial Pilot
- ☐ Flying Mechanic

Check ☐ Veteran
One ☐ Non-Veteran




Embry Riddle
International
SCHOOL OF AVIATION
RIDDLE-McKAY AERO COLLEGE

TRAIN IN MIAMI -- AIR CAPITAL OF THE WORLD



AIR TRAILS

MAY, 1951



The first Russian fighter to be designed for jet power, the MIG-9. Engines are two underslung M-003 axial flow. Top speed 595 mph.

Russia—Colossus of the Air PART 1

Most comprehensive, startling report yet: training, jet progress, operation, naval arm and all phases

■ The paralyzing uncertainty that is dominating the Western World is a fire fed by concern over the awe-inspiring air potential of the Soviet Union. Russia looms as a greater menace to their security than the countries participating in the North Atlantic Alliance have ever had to face. Few Western Europeans or North Americans now ignore this fact, and most realize that some drastic action must be taken to counteract the threat of barbaric invasion and slavery. The whole Soviet empire is organizing as a single entity to maintain the greatest military forces ever assembled by one government, and of these, the Soviet Air Force is perhaps the most vital part.


Every indication is that the majority of Russian air formations are still tied to the Red Army and are, in fact, an integral part of the steamroller ground forces. If the West can blunt Soviet air power, it also slows the advance of the Red armored divisions and, incidentally, lessens the risk of Russian domination of the seas. Great importance therefore attaches to a correct appreciation of the strength, role and final effectiveness of Russia's air arm, so that the Western World may forge an air weapon which will neutralize

By "ARGUS" and later destroy completely the last vestiges of the Red air armada.

During the years of World War II, main Russian productive effort was concentrated on vast manufacture of strictly orthodox aviation equipment. Aircraft types were functional and accent was placed on rapid availability; in some cases production simplicity taking precedence over fullest fighting efficiency. Combat machines were reduced to a few simple types which proved highly efficient for their particular roles but, as the war drew to a close and increasing quantities of the latest Luftwaffe equipment fell into their hands, the Russians had brought home to them with great force how very far behind they were in almost every branch of military aviation science.

In 1945, the Soviet Air Force was a very fourth-rate organization indeed. It has taken the Russians over five years of accelerated research, with a very great deal of German assistance, to make up the leeway.

At the present time the whole equipment position is in a transitional stage. Several excellent jet-propelled types have appeared and been placed in large-scale production after a period of immense



Latest version of YAK-15 is equipped with tricycle gear. Fin and rudder were redesigned. Engine is axial flow M-004, top speed 505 mph.


difficulties with the new jet powerplants, with high-speed aerodynamics, electronics, new tactics and strategic conceptions, and all the other techniques and apparatus developed by other powers during the fertile war years. Latest Red swept-wing fighters and jet bombers in production should acquit themselves well against the best service machines of other nations. On the other hand, a large percentage of air regiments are still equipped with piston-engined types serving at the end of the war, or built since 1945; which matters little to the Russians at the moment as the air forces of the Atlantic Pact countries have nothing to oppose these while engaging the newer types.

Combat strength of the Soviet Air Force, estimated officially as between 15,000 and 20,000 first-line aircraft, is only the centerpiece of a vast structure started long before the last war whereby the whole Soviet sphere of influence is being made air-minded to an unprecedented degree. The foundations of this giant edifice of air power lie in the mass training of aviation industry apprentices, conscripted in their early teens to man the numerous aviation colleges and technical schools. This fund of industrial engineers and minor technicians is drawn from the still larger pool of members of the aviation branch of the DOSAV organization, which gives elementary training in airplane modeling, gliding, powered flying, parachuting, and instruction in the rudiments of aviation science. Thus, personnel are in the process of being bred al-

most from childhood to man a vast aviation industry.

From DOSAV is also drawn the main stream of recruits for the Soviet Air Force and the Army airborne forces. Lack of suitable manpower is the *last* thing that should worry the Soviet Union in a large-scale clash between East and West. A factor that is more likely to limit the size of the Soviet Air Force is manufacturing capacity for aircraft and allied equipment. Soviet wartime production was far outdistanced by the phenomenal British and American output, but whereas the democratic countries have reduced production to a tiny proportion of wartime capacity, the Soviet Union has increased not only her potential but her *actual* aircraft output compared with wartime figures. Nevertheless, Russia is unlikely to embark upon any war that they think will last long enough to allow Anglo-American productive capacity to attain a wartime footing. The danger is that our numerically inferior forces will be swamped in the first onslaught.

The quality, as distinct from the size, of the Soviet Air Forces is of great, but not overwhelming, significance. Examination of various modern Russian civil aircraft, which occasionally fly out from behind the Iron Curtain, leaves little doubt that the quality of workmanship in Russian airframe factories is not markedly inferior to the average standard set in the West. The main qualitative differences are to be found in engines and miscellaneous aviation equipment.



Believed to be designated TU-10, this twin-jet is tactical bomber. Notable here is the straight, square cut-wing and swept-back tail unit.

Russian designers have both big advantages and grave disadvantages compared with their counterparts elsewhere. In the first place, where they enjoy the confidence of their political and industrial superiors they can call on every possible assistance with their work, including the use of numerous fine government experimental establishments with full wind tunnel equipment. On the other hand, if they are unlucky enough to initiate any new equipment, theory, or technique which is unsuccessful or is not in accord with official views, they risk a damaged reputation and even loss of liberty. The result is bound to be the constant throttling of originality which, after the war, caused a major crisis in Soviet aviation affairs. Then, German research material and technicians, British and German turbo-jets, had to be acquired with frantic haste in an effort to match the technical superiority held by the other great powers.


Unfortunately, although this tendency toward orthodoxy may continue and, in time, do irreparable damage to Soviet aviation, at the moment the Russians are easy leaders in the intensifying race for air superiority by virtue of their vast numerical strength.

Apart from the top-line designers, the lower ranks of technicians are still sub-standard and under strength; first fruits of the giant government training scheme mentioned earlier being enjoyed, however, as the flow of students from the aviation institutes into the Air Force and industry increases.

Important among the numerous technical institutes and colleges is the *Zhukovski Air Engineering Academy*, the ace Soviet research institution and training ground for picked aircraft designers, radio, radar, engine, armament and other specialists. Technicians trained here eventually find their way into top positions in the Soviet Air Force and aviation industry. Other important academies producing key personnel for aviation and allied industries are: the *Moscow Aviation Institute*, the *Aviation and Technological Institute* and the *Kharkov Aviation Institute*, and numerous smaller civil research and training schools.

The Soviet Air Force itself runs both officer training institutes, such as the *Air Force Academy*, near Moscow, from which come many of the Air Force commanders and which has a large hand in the evolution of new air tactics and strategy, and engineering and research institutes, such as the *Riga Air Force Engineering College* and the *Kuibyshev Military Engineering Academy*, which specialize in the training of maintenance and auxiliary equipment experts and building and constructional engineers.

Russian designers are aided by a number of German technicians who have settled in Russia. The status of these Germans is not clear. Many are receiving excellent pay and certain privileges to keep them in Russian employ; others less willing to go to, or stay in, the Soviet Union are doubtless forcibly held there under close supervision. It may be that the ideology and principles of the German aircraft



MIG-15 flown on Korean front by Chinese Reds is also in service in Eastern Germany. Wing sweep is 35°. Note dive brakes below tail.

technicians were diametrically opposed to Communism, but ideologies have a habit of going by the board when it comes to a choice between their retention in acute discomfort and their refutation in comparative ease and luxury, and there is much evidence to show that most of the latest Soviet aviation developments are the result of combined Russo-German brains.

Turbojets, Weapons, Radar/Radio

A dangerous bottleneck in the supply of jet combat airplanes for the SAF is the small output of reliable gas turbines. There is as yet no intimation that the Reds have succeeded in producing a turbo-jet of original design; all production engines being based on German axial-flow designs by Junkers, B.M.W. and Heinkel-Hirth and, reportedly, the Rolls-Royce centrifugal-type Nene unit, a quantity of which were supplied to Russia by the British Government at a time when international relations were still officially cordial.

The first effects in the jet engine field of the influx of German knowledge and technical assistance, both theoretical and practical, were the production of Russian versions of the Junkers Jumo 004B and B.M.W.-003 axial-flow gas turbines which were, at that time, giving 1,990 lbs. s.t. at 9,500 rpm, and 1,890 lbs. s.t. at 8,700 rpm, respectively. Simplified, from the production standpoint, and prepared for Soviet manufacture by Engineers Svetzov and Chelomey, the units were redesignated M-003 and M-004 and installed in Russia's first jet fighters, the single-jet Yak-15 and the twin-jet MIG-9, to be described later.

In both of these airplanes the turbo-jets are slung under the fuselage nose in order to simplify their removal for maintenance. This layout was found to be necessary as, in the case of the Jumo 004B, the whole power unit had to be stripped for cleaning and overhauling of the compressor and for detailed inspection of the turbine wheel and combustion chambers after only 30 hours' running. However, this work was remarkably simple and could be undertaken by relatively unskilled women.

Neither the M-003 or M-004 is a suitable unit for development to give much above 2,500-3,000 pounds' thrust, and concentrated development is being given to the more powerful units by the same designers, the Jumo 012 and B.M.W.018, which were in more transitory stages when taken over by the Russians. However, very great difficulties—also encountered in other countries—regarding the metallurgical aspects, methods and standards in the mass production of such axial-flow units have been, and still are being, encountered.

The B.M.W.018 was designed to give a thrust of 7,520 lbs. at 6,000 rpm, and the Jumo 012 was to have a thrust of over 6,000 pounds. Nothing is known of the stage reached in the development of the M-018 (as the B.M.W.018 is now known) but reports indicate that the Russians have at last placed the Jumo 012 in quantity production. Redesignated M-012H, this unit is at present giving a static thrust of about 4,000 lbs. at 9,000 rpm, but the unit is exceptionally long (177 inches) and bulky, and, owing to the extensive use of steel, the dry weight is some 4,750 pounds—nearly twice that (*Continued on page 55*)

MAIN AIRCRAFT TYPES IN SERVICE WITH SOVIET AIR FORCE

FIGHTERS

Designation	Engines	HP	Max. MPH	Cruis. MPH	Span	Length	Armament
Yak-9P	VK-107A	1600	370	195	32'0"	27'10"	1 x 20mm 2 x 12.7
Yak-3	VK-107	1310	402		31'0"	29'0"	1 x 20mm 2 x 12.7
La-9	ASH-82 FNV	1850	410	340	30'0"	35'3"	1 x 20mm 2 x 12.7
La-11	ASH-82 FNV	1850	400	340	28'0"	32'0"	3 x 20mm
		Lbs. S. T.					
Yak-15	M-004B	2000 plus	505	370	30'0"	28'0"	1 x 20mm 2 x 12.7
Yak-15B*	M-004	2000 plus	505	370	30'0"	28'0"	2 x 20mm or 30mm
Mig-9	Two M-003	2000 plus	595	450	34'0"	32'9"	3 x 20mm 1 x 43mm
Yak-17*	M-003 or M-004	2000 plus	Approx. 550				
Yak-19							
Yak-21*	HWK 509-C	4500	Approx. 670		30'0"	19'0"	
MiG-15			640		33'0"	33'0"	1/2 x 20mm 1/2 x 30mm
La-17			620		39'6"	37'0"	1 x 20mm 1 x 30mm

BOMBERS AND ATTACK AIRCRAFT

Tu-2	Two ASH-82	1850	345		62'0"	46'0"	2 x 20mm 3 x 12.7
Tu-4	Four M-90	2000 plus			141'0"	99'0"	
Tu-6	Two ASH-82	1850			72'0"	46'0"	
Pe-2	Two VK-105R	1100	322	195	56'3"	41'6"	4 x 7.62 2 x 12.7
IL-10	Alternative VK-107 AM-42	1800 2000	333		45'0"	38'0"	2 x 30mm 1 x 20mm 2 x 7.6mm
Tu-10*	Two M-012H*	4500*	Approx. 540	Approx. 450	65'0"	60'0"	

TRANSPORT AIRCRAFT

Li-2	Two M-62R	1000			95'0"	64'6"	
IL-12	Two ASH-82 FN	1775	252	208	104'0"	70'0"	
IL-18	Four ASH-82	1775	265	230	131'0"	99'9"	
Tu-70	Four M-90	2000 plus		207	141'0"	119'0"	
Yak-16	Two ASH-21	690	230	195	65'3"	51'0"	
Shche-2	Two M-11D	145			72'0"	52'0"	

TRAINING AIRCRAFT

Yak-15**	M-004	2000 plus	500	370	30'0"	28'0"	
UT-2	M-11	110	120				
Yak-18	M-11RF	160		133			


* Reported but unconfirmed designation **Two-seat version

RUSSIA VS. USAF & ATLANTIC PACT PLANES

On the following two pages is a graphic representation of what Russia could throw in against the anti-communist European air forces which would oppose her in an outright war. Backing up the Atlantic Pact nations is the United States Air Force (shown at far right on page 25). Similar types are shown pitted against one another. Practically all the planes illustrated are operational except for one or two which are expected to be in the air and ready for battle by mid-summer.



USSR AIR FORCES vs. ATLANTIC




MIG-15




LA-17



LA NIGHT
FIGHTER




YAK-17



YAK-15



TU-8




D.H. VENOM




HAWKER
P.1081


DASSAULT
OURAGAN




TU-2



PE-2




LA-11




WESTLAND
WYVERN 2




TU-4



IL-16



IL-24 (1)



ENGLISH ELECTRIC
CANBERRA



IL-18



IL-12

YAK-16




AVRO
LINCOLN



SUKHOI

YAK-14

BRATUKHIN




VICKERS VALETTA


SUPERMARINE
SEA OTTER

PACT AIR FORCE & USAF


D.H. VAMPIRE



F-86 SABRE



F-88 VOODOO




F-89 SCORPION


GLOSTER METEOR 8



F-84 THUNDERJET



FTU CUTLASS




SUPERMARINE
SEA ATTACKER




B-26 INVADER


F-80
SHOOTING STAR



F4U-5
CORSAIR




FAIREY G.R.17




D.H. MOSQUITO

B-51




B-50

B-36




B-47
STRATOJET

BRISTOL BRIGAND




BREQUET 76

C-119 PACKET



C-124
GLOBEMASTER




C-97
STRATOFREIGHTER




H.P. HASTINGS



WESTLAND-
SIKORSKY



RB-45



CESSNA LC-126A



HUP-1



here come the **TURBO-PROPS**

By **ANDREW R. BOONE**

Offering a number of advantages over piston engines, the turbo-prop is rapidly being developed to power a great variety of aircraft types



Forerunner of future passenger plane, the turbo-prop-powered Convairliner.

■ News note: First all-turbo-prop airplane in the world to take wing, the sensational Convair XP-5Y1 flying boat now has been airborne over the Pacific several times. Second came the Douglas A2D Skyshark, a fighter-bomber that can outfly some fighters, out-hit some bombers. Third, the twin-engine Convair Turbo-Liner, a bid by Allison and Convair to prove turbo-props are ready—and economical—for commercial service. Fourth—classified types not yet ready to be disclosed.

Why bother about developing a combination turbine and propeller engine? Why not stick to reciprocating engines and jets? "It became evident during the last war that we were running out of horsepower in piston engines," says Rear Admiral Alfred M. Pride, chief of the Navy's Bureau of Aeronautics. "We knew future requirements would demand far more power than the piston engine ever could provide. Yet these aircraft would have to carry loads over ranges that the fuel consumption of pure jets made impossible. We felt the turbo-prop could solve this problem by providing the horsepower for aircraft in the 450-600 mph class with a fuel consumption low enough to give them

the load-carrying capacity and ranges of piston-powered types."


Adm. Pride poses the problem, suggests the solution. Now the Navy's turbo-prop program has produced two of the new type of power plants—one by Allison, the other by Pratt and Whitney. Already, turbo-props produce greater power than any conventional piston engine. Too, they're headed for heights beyond the dreams of fancy only a few years back. Ever hear of an aircraft engine developing 20,000 horsepower? It's coming!

Even now, you can have either a single or a double engine. The double is a novelty, especially with reference to the relationship between engine and propeller. More of that later. Unlike a pure turbo-jet, which drives by expelling hot gases rearward, the turbo-prop converts most of its thrust into horsepower by harnessing that thrust to a shaft which turns the propeller. Air is drawn into the intake at the front and compressed. Its temperature is raised by the addition of fuel and blown into a turbine which turns both the compressor and propeller shaft. Some of the gas is propelled through the tailpipe to provide jet thrust, as in a pure jet engine.

Under the watchful eyes of a pair of engineering teams at San Diego, both the single and double Allison are getting a flying workout that should prove their merits. The single unit, powering the Turbo-Liner (a converted Convairliner), is designated Model 501. The double, powering XP-5Y1, is called the T40. The single is an exact duplicate of half the T40 and develops half the horsepower. Weight of the 5,500-horsepower T40 is 2,500 pounds—slightly better than two horsepower for each pound of weight.

Model 501 turns a single propeller. T40 turns contra-rotating props. Thereby hangs a tale of power and flexibility. With the twin, economical cruise power is obtained by cutting out one power section and permitting the operating section to run at its most efficient point. Of considerable importance, through the gear box that operating power unit continues to drive both props. There's no feathering to set up a hindering drag. By this means more economical cruise is attained than with a single unit operating at half its maximum cruise rating.

"To obtain maximum range for an airplane powered with a single-unit turbo-prop engine," explains



This powerplant, because of its low weight for power, offers excellent range and payload, and for passenger comfort, vibrationless ride.

John Kline, Allison engineer, "it is necessary to go to extreme altitude. At lower altitudes, the airplane requires less power, but, conversely, turbine engines consume fuel at a much higher rate. Here is where a twin unit maintains an advantage in flexibility, and permits the pilot to select the best flying altitude. In such an airplane as the 5Y1, with four double engines, the pilot has eight power sections under separate control. With this number of independent power units, he can select any of five different power settings by cutting out from one to five sections. Aircraft with double engines will have as much as 20 percent greater range than its opposite number with single-unit engines."

With the Turbo-Liner, Convair hopes to provide for the Air Force an advanced navigational trainer. XP-5Y1 not only is a much-advanced seaplane; it is the forerunner of an entirely new class of flying boat whose hulls should make history in years to come. Already the Turbo-Liner modification shows clearly that no airframe problems will interfere with modifications of other transports to TP. Actually, a saving of 1,400 pounds was effected under the conventional (Continued on page 66)

Allison's Bid for Jet Leadership

By T. S. McCRAE

Assistant Director of Engineering,
Allison Division, General Motors Corporation

■ A mass flight of 10,000 airplanes circling the world at the Equator, flying 500 miles an hour—

Any such single achievement would stretch the imagination to the bursting point. Yet, if all the flight experience with turbo-jet engines built by Allison Division of General Motors in the last five years could be lumped together in one tremendous project, that could be the result.

Instead, however, experience comes in small pieces and the nearly 500,000 hours of flight time with Allison engines have been built up by many flights over many spots of the world and under widely differing conditions.

It's that kind of experience which makes progress possible and which has resulted in improved dependability and increased power ratings for J33 and J35 turbo-jet engines which Allison now is delivering to the military services.







Allison entered the jet engine field in 1945, near the end of World War II, when jet engines were so new there weren't blueprints of models available to use in pricing or preparation of a production schedule. Yet, when it was agreed this country needed both development and production programs in jet engines, Allison applied the experience gained in the production of over 70,000 liquid-cooled reciprocating aircraft engines and proceeded to turn out jet engines on (Continued on page 68)

AIR PROGRESS

By DOUGLAS ROLFE

EVOLUTION OF THE SUPERFORT


Design growth of B-50D long-range bomber began in '37



All top-views same scale

First approach to the Superfort was the XB-15, sadly underpowered—the engines intended not being available. Model 316, which followed, was high-wing version of XB-15 and designed to use four 2,000 hp radials. Next project, Model 322, was modified version of B-17 with pressurized fuselage

and tricycle landing gear. Models 333 and 334 were designed around the 1,150 hp Allison in-line engine—the former with four engines in tandem pairs, two pushers, two tractors; the latter with four engines partially buried in wings. Boeing's first use of such powerplants resulted in failure.



PRESSURIZED SECTIONS OF THE B-50

Model 334A (not shown) laid out in '39 was initial approach to present Superfort configuration and was gradually developed into XB-29—prototype model of famed B-29. Last production model of B-29A was delivered in spring of '46. Consequently developed B-29D was prototype of present

B-50. (Note: Main cutaway drawing does not pretend to be technically accurate structurally, but does portray with as much accuracy as security regulations allow the main features of the design including disposition of fire-power, etc. Silhouettes show widely different design approaches made.)



Your Job in Aviation

Instrument Technician

Everyone who flies, be he pilot or passenger, is dependent upon the skill of this unsung but very important fellow back in the shop

■ Jerry Smith peered intently at the gyrosyn. The intricate instrument had been laid gently on his bench only a few minutes earlier. Now it awaited the magic touch of his talented fingers.

Jerry is an instrument technician. In some quarters he's called a shop mechanic. Actually, Jerry—and many others like him—is an amazing sort of fellow. He it is who assures captains of the airline planes they can believe their eyes when they scan the instruments dotting their panels. Jerry makes certain all those nine flight, 10 engine, 19 electrical and 11 warning light gismos are on the button. Those are types. Individually, a four-engine transport carries many more devices, all of which reveal how something, somewhere on the airplane, is working.

Jerry knew how the gyrosyn functions. A signal from the earth's magnetic field is transmitted via a compass pick-up element out on one wing to the gyrosyn, and the gyrosyn holds the plane on the desired heading. All Jerry had to do was make sure four small electric motors and one precession coil, five transformers and an assortment of resistors, condensers and magnetos were clean, smooth running, synchronized and equal-

ized. How he achieved this minor bit of legerdemain is no part of this account. That takes training, the sort Jerry got in a CAA approved school. Plus experience, the kind he got during three years working in the instrument shop of his airline.

Jerry considers himself lucky for having graduated from a CAA-approved school. He landed a job with his airline as an apprentice. But management, appreciating the knowledge and experience he had gained earlier, credited him with a two-year salary advance. He started 60 cents an hour higher than would a rank beginner. He won other advances more rapidly, too, a benefit that will follow him throughout his career.

"A fellow like Jerry," you learn from Louis Kasperek, Western Airline's instrument chief (shown in the lead photo), "knows his way about. He knows that a manual accompanies every type of instrument. He can find detailed repair procedures in black and white. If he has attended an accredited school, he already has torn down and re-assembled a bunch of gyros. Of course, he still has a lot to learn in the shop where he works. Experience will continue to be his teacher. But he works swiftly, and he can find the de-

tailed helps without running to his chief every few minutes."

Few jobs in aviation offer a man a wider range of activities. Instruments break down into four categories: pressure, gyroscopic, electrical and optical. This gives you an idea:

Pressure—rate of climb, altimeter, such gauges as oil, fuel, hydraulic and air.

Gyroscopic—this is the most intricate of all, and can be learned only in schools. The airlines and other employers do not have time to teach beginners. It embraces the gyro horizon, the directional gyro, and the auto pilot (which combines the bank and climb instrument with the directional gyro).

Electrical—many are represented here. A few include indicators for fuel quantity in the tanks, air temperature gauges, carburetor temperature, cylinder temperature, flashers (position light indicators) and oil pressure.

Optical—drift meters and sextants. These are needed in trans-ocean flying only.


Jerry, being of what he calls average talents, started on pressure instruments—they're the most simple. It was nearly a year before his department chief permitted (Continued on page 76)

BIG DIRIGIBLES for the Airlift

A commercial airship line would give helium-rich U. S. a fast-moving merchant marine of the air

■ With our experience in Korea giving us a second reminder (the Berlin Airlift being the first) of how important the speedy and economical movement of supplies and war material overseas is in emergency, it is my considered judgment that America should take steps immediately toward developing the advantages of rigid airships.


I am not talking about blimps. The smaller airships were useful members of the



blimp program, using greatly improved ships, is in the making. What I have in mind is the big Zeppelin-type airships to supplement America's airlift as large-capacity, long range and relatively high-speed cargo carriers.

Our national interest in events beyond the Pacific seems certain to continue. The distances are great. Korea proved that huge quantities of military supplies are needed to make our power effective and that delays in delivery are costly in men's lives.

And yet, in the big airships, we have at our disposal, and are not using, a vehicle which can transport large quantities of gasoline and fuel oil for planes and tanks, or vital parts and replacement equipment for our fighting machines overseas, carry much greater loads than the largest cargo planes three or four times as fast as our surface ships, which can land to a portable mooring mast erected wherever there is air cover, and not worry about submarine attack.



By P. W. LITCHFIELD

**Chairman of the Board, The
Goodyear Tire & Rubber Co., Inc.**

Navy's "hunter-killer" team in the battle against submarines in World War II, became accepted units of our military forces. I am happy to say that a strong

high-speed, long-range, snorkel-type of submarine. The shipbuilding bases in the Baltic where these were built, fell into Russian hands after the war, along with German experience and technique. It is no secret that Russia has taken full advantage of this situation, has a head start in snorkel procurement over any other country, including America.


Had the snorkels been available to the enemy in 1941 instead of 1945, we would have found it very difficult (and here I quote a high ranking Naval authority) "to justify transporting an army overseas when we were very uncertain that we would be able to supply our overseas forces."


Supply is vital in modern warfare. Yet we saw vast quantities of war materiel pouring into ports along both seaboards in World War II, of which only a small part could be sent out by transport planes, no matter how badly needed. The rest had to go by slow surface vessels, and at times through sub-infested waters.

Another advantage which the airship has, and one not generally realized, is its great fuel economy. It does not depend

on its engines to keep it in the air, any more than a surface ship does to keep afloat. The airship climbs into the air, and stays there through the buoyance of its lifting gas, helium. *The airship uses its engines only to drive it ahead.* Consequently it uses only a fraction of the fuel in crossing the Pacific that a fleet of airplanes with equivalent carrying capacity would require. On missions over water where refueling points are far apart, the airplanes might use five times as much fuel to get to their destination and back as the airships.

I do not need to point out the necessity of making the most efficient use possible (*Continued on page 71*)





Miniature airplane or overgrown model? Bob Starr flies the craft with his thumb and index finger. She takes enough gas for one hour's flying.

Aerial Half-Pint

By JOSEPH STOCKER

Amid jeers of his friends aviation mech Ray Stits designed and built the smallest airplane in world

■ Raymond Stits is a young aviation mechanic and self-taught aeronautical designer who loves to confound the skeptics. And he's been doing just that for the past couple of years or more.

When he let it be known at Kellogg Field in Battle Creek, Mich., that he was going to build the world's smallest airplane, the skeptics called it "Ray Stits' folly." But the plane got built. Then the wise guys said it would never fly. It flew. Well, O.K., said the know-it-alls, but it won't fly very high. Whereupon Ray's pilot wriggled into the cockpit and took the mite up to 3,300 feet.

Life has been full of such delights and satisfactions since Ray and his pilot, Bob Starr, began to carve a thin swath across the country—from air show to air

show—with the Liliputian aircraft which Ray calls the "Stits Jr."

There seems to be no doubt at all that it is indeed the world's smallest plane. Ray has checked every possible source and found none other even to compare with it. Just to give you an idea of its minuteness, here are some of the dimensions of the Stits Jr.:

Wingspread—8' 10" (just a little over the span of a man's outstretched arms). Overall length—11' 4". Weight—398 pounds. Height—4' 4" (about as high as a man's ribs).

If statistics still don't quite convey the idea, consider the fact that the pilot of the Stits Jr. can reach out to either side from his cockpit and touch the ailerons. Or he can reach backward and touch the

tail surfaces. Given extra-long arms, he might even be able to reach down from the cockpit and touch the ground.

But the performance of the Stits Jr. wholly belies its half-pint dimensions. As Ray puts it, as though he himself must marvel a little at what he has wrought, "It isn't supposed to fly but it does." And, more than merely flying, the Stits Jr.—powered with an 85-horsepower Continental engine—clips off a top speed of 170 miles per hour. It cruises at 150, lands and takes off at about 60. "That's what astounds people the most," says Ray. "It stalls out at 58 instead of 120. It comes in like a rock."

The plane takes off in 500 feet, lands in 800 and has an 850-feet-a-minute rate of climb. Ray claims a service ceiling of 12,000 feet for his pygmy, but the ship has never tried for the ceiling because it carries only 4½ gallons of fuel—enough for no more than an hour of flying time.

Although the plane is sturdily built (two men can stand on each tiny wing to demonstrate its stress), the factors of weight and balance are exceedingly delicate. The pilot carries no chute. A chute weighs 25 pounds, and that's just 25 pounds too much. When the ship is parked in the hangar, Ray keeps a bag of rocks in the cockpit. This is because she has a tendency to be nose-heavy on the ground and someone leaning thoughtlessly on the prop could cause her to kneel over and kiss the cement.

The elfin wings have no tips. They're chopped off square. With wing tips, says Ray, "there would be extra drag and no extra lift, and with this thing you need all the lift you can get." To provide more lift, Ray attached tip plates to the wing-ends. They prevent the flow of air off the wing-ends and the effect has been to cut landing speed by 5 mph.

The radio is an Airboy Jr., for receiving only. It's half the size of a cigar box and is clamped near the floor board, between the rudder pedals. The instrument panel is simplicity itself—nothing more than a

temperature gauge, airspeed indicator, oil pressure, altimeter and tachometer.


Why was the midget built in the first place? No particular reason, except that Ray Stits, besides being the kind of guy who loves to confound the skeptics, is also the kind of guy who loves to take a dare.

"Everybody was claiming to have built the world's smallest airplane," he says. "So I decided I'd really build the smallest. I decided I'd show 'em how small a plane could be and still fly."

In 1948, while he was working at Kellogg Field, Ray started building the Stits Jr. in his spare time. He used old cast-off fuselage material. For the landing gear, he got two BT-13 tailwheels, 10 inches in diameter. He converted a bicycle brake into a tail brake, controlled from a lever on the stick.

The prop was a problem. It had to be just so. Ray asked the Hartzell Propeller Co. of Piqua, Ohio, to design one specially for the Stits Jr. The Hartzell people weren't quite sure (*Continued on page 68*)

Bonanza pilot: "Egad, man, but those radio-controlled models sure do look realistic! Looka that figure in the cockpit, looks almost real."





START YOUR CAREER IN AVIATION

WITH THE AIR ADVENTURERS

■ We're happy to report good progress on the series of manuals for Air Adventurers club members which will take the individual AA'er up through the ranks from Apprentice Class Airman to Command Airman. These manuals are being prepared with the assistance of aviation leaders and advisors from the Government in Washington, D. C. They are designed to help you prepare for passing the various ratings as well as give you information on the establishment of Flights and Squadrons.

When all the booklets are available you'll find about all your organizational questions answered. In the meantime, here is data of interest to all Air Adventurers; the following information is in answer to queries from members.

Let's start with Leo Kozial of Pittsfield, Mass. Leo says, "I intend to form a Flight among my friends. I would like to know how we could have official recognition since each member will be writing

in to you separately. I would also like to know what number, if any, we would receive when we are organized." A couple of good questions. First, membership files will be maintained according to state and city. When a sufficient number of members have signed up in a given area, all the names with their proper addresses will be sent to the individual organizing a group there. Each Flight or Squadron will receive a charter certificate to indicate official recognition of its establishment.

James Herschel, Orange, N. J., is really on the ball. He writes, "Your Air Adventurers club is music to my ears. In a short time you'll have 100% backing from my neck of the woods—already I have enough boys interested to make a Flight, but will wait patiently for my official instructions."

Concerning those extra membership application blanks so many of you have written about . . . additional membership forms will be

included in all credentials when they are mailed from Headquarters.

From Ottawa, Ontario, David Applegate writes, "Congatulations on your far-sighted policy. As an aircraft mechanic for 14 years I have been trying to push your policy of preparedness in the air. There is a need for a similar policy here. I can only hope that living in Canada will not bar me from furthering your aim." Not a bit of it, Mr. Applegate. We need air-minded friends to the north of us. We'll be expecting an Ottawa Squadron to check in one of these days soon.

There's lots more information we want to pass on to you but space is limited here. It will all be found in the bulletins which will go out to each new member and to active AA'ers when they apply for upgrading in membership.

All we want to say before we get into Air Adventurers power model #2 (Continued on page 56)

AGE LIMITS: There are no minimum or maximum age limitations on Air Adventurers Club membership.



MAIL TO: Air Adventurers, c/o Air Trails, 304 East 45th Street, New York 17, N. Y. Print all information required on the application; sign where indicated. *At same time*, print your name and address on both labels and mail with coupon.

I hereby apply for membership in the Air Adventurers Club and promise to do everything in my power to uphold the principles of the organization and work for the advancement of American aviation. I enclose 25¢ in well wrapped coins for my credentials ☐; 50¢ for credentials and pin ☐—(indicate which).

(Name—print)

(Street address—print)

(City—print)

(Zone)

(State)

(Age)

(Sign here)

(AT551)

(Name—print)

(Address—print)

(City, Zone, State—Print)

↑ Print your name & address on both these forms and mail inside the envelope with your application form; they will be used as labels for mailing ↓


(Name—print)

(Address—print)


(City, Zone, State—print)

AIR ADVENTURERS POWER MODEL #2


A more advanced design for the more advanced Air Adventurer. This semi-cabin scale-type rubber-powered flyer will give excellent flights.



NOTCH OUTLINE FOR RIBS



STEP 3



AFTER SHAPING BLOCK
CUT OFF 1/16" WIDE RIBS.


STEP 1




STEP 2



TAB




NOTE: MAKE STABILIZER IN ONE
PIECE FROM CUT OUT
SECTION OF ONE WING HALF




REAR HOOK DETAIL

CUT 1/32" SLOT HALF
WAY THROUGH 1/2" SHEET.
APPLY CEMENT AND LET DRY. INSERT
HOOK AND CEMENT AGAIN.

FUSELAGE TOP VIEW






Fleet Trainer

One of the "most requested" old-timers, this not-too-tough biplane makes a beautiful flyer for stunt or sport

By CHARLES HOLLINGER



■ In the not too distant past Army and Navy flyers first took to the air in the Fleet "Bi-pe." A number of various models and power installations were used, and still are in service as primary trainers by foreign governments. This particular version, the PT-6, was powered by a Kinner K-5 engine of 100 hp. Just as the prototype was a flying fool, our model follows directly in its footsteps, leaving nothing to be desired as an out-and-out stunt ship plus the fact that its lines make for simplicity of construction.

Even before the dummy cylinders were added, it won first place at the largest meet of the year in the Northwest. While competing at the 1949 Nationals it earned more than double the flight points of any other flying scale entry; this included the complete AMA flight pattern with the exception of consecutive vertical eights, wherein it received credit for one.


Let's start with the fuselage by selecting four strips of $3/16$ " sq. of equal strength and straightness. Make the two sides and join with crosspieces of the same stock. Cut out all formers of $3/32$ " sheet and the firewall from $1/8$ " plywood. Drill mounting holes in F-1 for your particular motor. Now temporarily mount motor by running bolts through firewall. Make a nut plate of thin sheet brass, slip over the

bolts, cinch up on nuts and then solder these nuts to plate. Apply cement around the edges of nut plate so that it will stay in place on firewall when motor is removed.

The cabane struts are bent from $1/16$ " wire, soldered together and then cemented to top of fuselage. For extra strength wrap these struts to fuselage crosspieces. In bending the landing gear note that it is formed from two separate pieces, then wrapped with wire and soldered. Two brackets hold the gear to a strip of $1/8$ " plywood. This in turn is cemented into fuselage. A bellcrank support of $1/8$ " plywood may now be securely cemented in place, then bellcrank and pushrod can be installed.

Be sure to put in pushrod guide as shown in plans. Use hard balsa strips for stringers so that paper covering will not bow them in between the crosspieces. A sheet of $1/16$ " stock is used as a fill-in at tail where pushrod extends through fuselage and also where the lower wing panels butt against fuselage sides.

If you intend stunting the Fleet be sure to install the tank with its center line directly in line with needle valve jet when model is sitting level. Pick out some soft $3/32$ " sheet balsa for covering top of fuselage. Two separate sheets are needed. Cut sheets to approximate size and shape, then apply two (Continued on page 62)





Four to Five

By WALLY FROMM

Internationally famous designer gives Wakefield model design tips

■ So you claim to be an avid modeler, hm? You're a sportsman who flies for the sake of competition. You get a big charge out of meeting other modelers and swapping ideas with them. If you beat them, you love it. If they beat you, you go home, re-design, and try again next time you meet.

O.K., if that's the case, you're a Wakefield flyer—or should be. And if you can make the American Wakefield team you get a crack at the most bitterly fought-for trophy in the sphere of international modeling.

Wakefield rules have been changed for 1951. However, most models designed under the old rules will still be eligible, though possibly at a disadvantage. Major changes are as follows:

Wing plus stabilizer area, projected, must fall between 263.5 and 294.5 square inches, with no allowances made for the area covered by the fuselage. Percentage of stab area is not limited.


Fuselage cross-section must be more than ten square inches. Length of fuselage is entirely disregarded in reaching this figure.

Model must weight not less than 8.113 ounces—230 grams.


Model must R.O.G., but wheels are not necessary. Props and/or motors may be changed during the flying period. In cases of a three-flight tie a second model may be used for the fly-off fourth flight, but only in the event that the original model has been irreparably damaged or lost. And lastly, five seconds constitutes a delayed flight, with nine delays allowed. (Three delays equal an official.)

Aarne Ellila, of Finland, Wakefield winner in '49 and '50, flies a model reportedly capable of *better* than the allowed five-minute maximum flight. This, mind you, is *dead* air. No slight rising currents, no warm spots. Just dead, soggy air of the type in which the 1950 Finals were flown off in Finland. This is what you have to beat to bring the trophy back to the United States of America—and believe us, it's not going to be a cinch.


Getting on the team requires *almost* as capable a model. *Almost*, we say, because absolutely dead air conditions are rare in the States. Here, with a ship capable of four to four and a half minutes, we can chance snagging a thermal (Continued on page 63)






"50 WAKE" BY
SCHMITT




"AIRWICK II" BY
LIDGARD




"FOUR TO FIVE"




GENERAL LAYOUT OF A 1951 WAKEFIELD
TAKING THE BEST (OR SIMPLEST) POINTS OF MODELS SHOWN WE GET
SOMETHING LIKE THE ABOVE. THE LENGTHENED FUSELAGE TAKES A LONGER
MOTOR, IS WELL-BRACED & SIMPLE TO BUILD. WING IS SIMPLE & RIGID, BUT
MUST BE MADE CAREFULLY TO BE LIGHTWEIGHT. TAIL UNIT IS TYPICAL, WITH
36% EFFECTIVE STAB AREA. WING+STAB AREAS=293 SQ. IN.



"FLAMINGO" BY
EHRLICH




"NEUROSIS II" BY
FROMM



DRAWING BY FROMM

XF-92A



Rocket engine powers jet model for some spectacular flights

By LLOYD A. MOSHER

■ The original XF-92A was made as a simple whip-controlled model for a young friend of mine. Somebody suggested putting something in it to leave a smoke trail for a more realistic flight. Turning this thought over in my mind brought forth the idea of using the small Jetex engines—and *voilà!*—eighteen models later, we have an aeroplane so realistic in flight that it has to be seen to be believed!

Its convenient size, lack of fuel odor or engine noise makes it an ideal "city" project as it can be flown anywhere without the numerous objections usually prevalent where the buzz of a gas engine can be heard. As it is not subject to hot fuels and is almost impossi-

ble to crash, you can spend all the time you wish on your doping job and know it will stay like that. After flying you can put it right back on your living room table for all to admire.


The actual construction is really elementary. The model shown took two hours to build and cost me about a dollar for everything but the dopes. Of course, a Jetex 100 or 200 motor is an additional investment, but you won't fly it out of sight.

Starting with the wings and tail, glue together two pieces of one-quarter-inch by three-inch soft or medium-hard balsa planks in the length desired in order to be able to cut out the triangles economi-

cally. Be sure to have the grain running away from the fuselage. When the glue is thoroughly dry, cut to size and proceed to shape the leading and trailing edges from a high point close to the fuselage. Use a sanding block for this operation in order to keep the knife edge straight. Run a pencil line down the middle of the edges of the blocks first to avoid a wavy leading or trailing edge.

These three units can now be given two coats of clear dope, sanding between coats, and then put aside until the fuselage is finished.

Spot-glue together the two $\frac{3}{4}$ " x $1\frac{1}{2}$ " x $10\frac{1}{2}$ " soft balsa blocks for the body. (Continued on page 73)



■ A surprising feature of postwar modeling is the great change prefabrication has produced. Prior to the '40's there were a lot fewer modelers, but for the most part they were more skilled than today's crop. It's pretty evident that more engines and more kits were sold last year than ever before, but startling design advances were limited.

Some of the old-timers in the activity will deplore this change. But we don't. Granted that you no longer have to be a genius to build and fly the average model. The fact that more models are completed and get into the air we find significant. According to National Meet attendance statistics, there are as many "experts" today as ever before, so activity is not dropping off in that department. But where it does show up apparently is in the formal club programs. With prefabrication and glow plug engines the newcomer can glue a model together in an evening, hook up the lines or set the dethermalizer the next morning and be in business.

This means fewer modelers are dependent upon clubs for assistance and guidance. There is a lot more "solo" flying along the model airways than ever before. Less organized flying has an effect on club programs and memberships. We can give you an example.


Down at Aliquippa, Pa., the *Knucklebusters* club has everything that you figure a successful club needs—a meeting place (every Wednesday evening in the basement of the Sheffield Junior High School), a sponsor (the local

Exchange Club), even power tools available. Yet, like many another model aero club, the group faces a big problem in hanging onto members during the winter months. The *Knucklebusters* got underway in May '50 with about 23 members. Everything went fine until September when school started. By February the active membership was down to 10. What's to do? Stanley Lake, the club's veep, puts the question to us.

Stan, running any type of club and keep- (Continued on page 79)

Air Trails pays \$5. per for photos used in Dope Can

Hard to believe this from a 50c kit! Comet made kit, Al Cassell of Phila. built model. Planked with 1/16" balsa; sold for \$11.



New-rule Wakefield by R. J. Dunham, Tulsa, Okla. Elevator: 82 sq. in.; wing: 212 sq. in. Plates on stab ends to eliminate tip loss.



With white blotter for concrete and picture for background, Stuart Bartlett produced this shot of Charles Bedolla's Thunderbolt.


Winner of flying scale contest in England was J. Bridgewood's steady flying Dornier 24. E.D. Bee mounted in center cowl.



Dope Can

News, Views, Comments and Photos from Model Clubs and Enthusiasts in America and Overseas

Jose Manuel Tellez, captain of Mexican team, checks his entry in Tangerine International meet at Orlando, Fla. His plane, Mambo, flew o.o.s. day before meet, unseen since.



TOP "POWER *forman* FOR YOUR ENGINE

RECOMMENDED

BY McCOY

FOR McCOY AND ALL

OTHER GLO

OR IGNITION TYPE

ENGINES . . .

"Testor's '39' Model Engine Fuel has been tested by the makers of McCoy Engines for easy starting, all weather performance, power output, quality and quantity of lubrication. We have found Testor's '39' to be an excellent all-purpose fuel for both Glo and Ignition types of McCoy and all other standard Model Engines. We at Duro-Matic recommend Testor's '39' without reservation as a fuel that will assure the model builder high performance and extended engine life."

DURO-MATIC PRODUCTS CO.

T E S T O R C H E M I C A L C O M P A N Y

2 DIFFERENT CEMENT

...AND YOU NEED *Both.*

SPECIALLY
FORMULATED TO
MEET THE
REQUIREMENTS
OF DIFFERENT
TYPES OF
CEMENTING WORK

- Formula A . . . extra-fast drying for quick, easy construction of light weight models; also for on-the-spot repairs.
- Formula B . . . strongest for balsa or hardwood, for metal to wood, for metal to metal; fast drying.
- Ask for Testor's Model Airplane Cements . . . by name! At dealers everywhere . . .

nce"



HALF PINT: 39c



PINT: 75c



QUART: \$1.40




● R O C K F O R D , I L L I N O I S

NTS

h!



NEW
LARGER
15c
TUBE



Air-Model Design Competition:

AT's "A-M-D" Contest

You are not required to build a model in this contest! All you do is submit detailed 3-view drawings of your favorite "brain-child." These should be not less than 8 by 10 inches and must contain information on wing areas, spans, fuselage length, center of gravity, weights, power used and the like. AT will select 8 outstanding designs to be presented in 3-view form. Payment of \$5 will be made for each one published. The top design in each special category will be built and test-flown by AT's design research team; upon completion of the tests the model will be given to the winner. The category until May 1, is .19-.35 stunt models; until June 1, Half-A Speed.

■ Be you a newcomer or an old-timer, balsa gliders will give you most fun for your time and money. About a half hour of work, and you can be out there, hunting for thermals.

Some might say that power ships get up much higher than gliders. Have you ever tried a true catapult glider? Using 20 strands of 1/4" wide and 60" long rubber, you will need some sort of smoke indicator to show the glider's path

and its position when it gets up there. It just about disappears from sight. There are many ways in which you can duplicate power model performance with gliders.




And a field which has not even been touched by the model builders is the building of scale gliders of proposed models. As long as the C.G. on the scale glider is in a similar location as the C.G. on the finished power model, the flight characteristics will be similar. The angular setting of the wing and stabilizer will thus be automatically determined on the scale glider, although the airfoil may not be similar. This may work out for glide conditions, you may say. How about power? Very simple; just launch it at a higher speed. And to duplicate the torque, place clay weight on left wing tip.

Shown here are nine glider variations representing practically every known configuration for balanced flight. By trying them, you may get an idea what to expect from each type. You will find that you can launch the standard 0-0 design (wing set at zero, stab set at zero) and it will take all the power you can concentrate on your fingertips. But try the same thing

on the flying wing model, and you'll quickly see the difference. While 0-0 will climb like a rocket, the flying wing will shed wings or loop several times. Right here sense the lesson: if you are planning a flying wing, do not use as much power on it as you would on an 0-0 design.

The history of the contest of hand-launched gliders goes back to around 1927; a 17-second flight was practically a record, and many contests were won with time even lower than this. As the model building and flying movement became geared to the general aviation upheaval after Lindbergh's flight, the glider event was one of the most popular features of the day. And so, by sheer number, the design of the hand-launched glider gradually began to change until now we have the long moment arm and the 0-0 setting.

What really gave the hand-launched glider a major boost was the development of the basic launching procedure. The pre-1927 system was to hurl the glider into the air somehow and hope for the best. The New York Aero-nuts did probably more than any other group to develop the basic



Balsa Gliders

Here's most unique contest in aeromodeling; you don't have to build a model to enter—amazing, no?

launching technique. The idea was to have left turn adjustments on the glider, and then launch it into a right turn. This allowed a powerful side arm throw. By holding the model almost vertically, the initial high speed was dissipated in a climbing right turn instead of a loop. The left turn adjustment tended to open up the right turn, and so produced a safe climbing condition instead of spiral dive. Once the model reached the peak of the momentum, the left turn setting took over.

In the early days thermal flights were rare because we did not get the gliders high enough. So, any kind of a system that would get the models higher, helped in raising the records. The "sidearm" launching system helped us attain altitude, and it is still used, in a modified form.

In the early days we tried all sorts of wing and stabilizer layouts, looking for something that would work better than what we had. Any time a certain design showed a promise, it was thoroughly explored. Some tried the canard type. This type of model had a very flat glide when launched gently, but it could not be thrown

high without rolling into a spiral. It had too much looping action. Thus, the initial inertia was not converted efficiently into height. Any model having angular difference between wing and stabilizer will differ under power and in a glide. The glide may be smooth, but power may produce looping.

At one time the tandem glider was seen more often than now. But that was when contest times were not so high. Two wings seem to offer more lifting area. But the model itself does not lend itself to high power. Perhaps too much total drag, or some other aerodynamical condition. Also, it required fairly large circles. It would tend to spiral-in on small-circle adjustments. Therefore, a tandem may give you fairly decent time in a calm weather. But for thermal flying, a tight circle glider is needed.

The first real thermal hunter was the sweepback glider developed by the New York Aeronauts. Using the side launch, this glider gained about 30 feet. But it was capable of very tight turns, and thus picked up whatever ground thermals may have been around. Now that we know more about

model aerodynamics, we can more or less analyze this design.


At that time we gave the sweepback the credit for this tight circling characteristic. Why we had the impression, we do not know. What the sweepback actually did was to make the model very short coupled. This short coupling, and using angular difference between wing and the stabilizer, are a perfect set-up for tight turning. The glider retains a certain amount of stability in the circle, and it is not sensitive to upsets. But this design is not recommended for modern contest flying. What can you do with 30 feet?


Flying wing gliders always intrigued the model builder. If you have a slope in the back yard, try a flying wing while a gentle breeze is blowing. The trick is to find a wing which will just rise on the slope wind. The flying wing definitely cannot take any kind of accelerated launching. That is, unless we can somehow fold its wing.

It is surprising that so many model builders by-pass Jim Walker's folding wing mechanism without giving it a try on their own design. A flying wing version is shown. (Continued on page 74)

AIR-MODEL DESIGN COMPETITION: BALSA GLIDERS


The ultimate in all-balsa glider design is represented by these three models. Top design is for a high-performance catapult glider; center glider is for towline or "high-start" operation (75 feet of kite string attached to 25 feet of two-strand $\frac{1}{8}$ " wide rubber); bottom 3-view is the latest version of the old and faithful hand-launched glider. For sport flying nothing provides greater pleasure than the high-start glider which swoops gracefully into the air giving you an opportunity to observe its flight and calculate what further flight adjustments may be necessary. Why not try "hi-start"?





The first *Clipper Chisai* built by the Iwata Brothers in Tokyo; *Chisai* is the English pronunciation of the Japanese characters meaning "tiny."

Clipper Chisai



By DALLAS B. SHERMAN

From far-off Tokyo comes a new contender for PAA-LOAD honors designed by the man who originated Pan American World Airways' model event

■ When word filtered through from Tokyo that Dallas B. Sherman, the poppa of Pan American World Airway's PAA-Load event, had designed a model for the '51 payload competitions, great interest was evidenced over what "ole DB" had produced.

Here is the outstanding PAA-Load design by the man who dreamed up the event. It has been successfully flown by various Japanese modelers and comes in time to make the U.S. meet this summer. Mr. Sherman's own comments on the model follow:

"Wing, stabilizer, and rudder are entirely conventional and need no explanation beyond the drawings. They may be covered by materials at the builder's option. We used silk because it is cheap and plentiful in Japan, and adds strength. The frame structure is strong enough to take it. Test flights have indicated no changes at all that should be made in these surfaces.


"The fuselage is a little different from the run-of-the-mill. In design, it is an attempt to get the rectangular section required for the PAA-Load 'occupant' and at the same time 'fade' the remainder fuselage into a shape more streamline at the high angles of attack at which the model actually flies. It is assumed that a

free-flight model in competition never actually flies 'level' and therefore 'straight line' streamlining is of little or no real merit. More effective 'climb and glide' streamlining of the fuselage is theoretically possible, but here we compromised for structural simplicity and lightness plus a deepened belly to assist in anti-spiral characteristics.

"In building, construct the crutch first. Leave the crutch on the working surface and build on the *bottom* of the fuselage inverted. The top of the cabin may be built separately and glued on as a unit. Then fill in the top fuselage structure from cabin back to front of stabilizer position. Note that the landing gear is installed while fuselage is being built in order that the lower center nose brace may be attached to the landing gear plywood mount.

"A desirable refinement is to trim all of the intermediate triangular bulkheads to concave shape; this gives a more pleasing cover appearance by preventing the cover from sticking to the bulkheads and also cuts some structural weight. Silk covering is recommended for the fuselage because (Continued on next page)

CLIPPER CHISAI



of the curved-to-flat transitions involved and also for strengthening purposes.

"The 'paper or thin wood' covered sections at front of fuselage were actually covered on the test model with 1/20" balsa sheet, which has proved satisfactory. Other fuselage details and procedures are routine practice. As expected, the crutch is sufficiently wide at the rear so that no stabilizer rest as such is required.

"Decoration as shown on the drawings and photos is quite attractive and, together with the overall lines of the model, gives a most realistic appearance both at rest and in flight. It is pleasing to note spectators referring to the



Clipper Chisai as 'that little airplane' instead of 'that model'. Generous hot fuel proofing is recommended.

"The test model uses standard OK Cub .049 glowplug engine. No timer was employed, the engine run being determined by clocking full tank and releasing for flight with the desired number of seconds yet to go. (For tests in the small fields of Japan, we use 15 seconds R.O.G.; a larger tank would be required for the U.S. standard 20-second run). Propeller is a 7-inch-diameter, 3-inch-pitch broad blade type, with tips trimmed down about 3/8 inch each.

"Testing should be in four phases: (1) glide without payload;

(2) glide with payload; (3) power without payload; (4) power with payload. Being a little prejudiced in favor of payload, I skipped phase (3).

"(1) *Glide without payload.* This is to determine proper C.G. location for best glide possible without any stalling tendencies and to check for proper alignment of all surfaces. The test model was slightly nose heavy for best glide without payload, so weight was strapped to top of fuselage at front of stabilizer. Individual models will vary slightly in best C.G. location; on the test model it falls a bit in front of the rear spar. The built-in wing incidence (4 degrees) and stabilizer-incidence (zero degrees)



were O.K. on the test model, but these settings also may vary in other individual models.

"(2) *Glide with payload.* This is a little tricky and should not be rushed. The payload occupant should be placed temporarily (but firmly!) in position that will hold C.G. at position previously determined. A satisfactory method is to use two pinpoints projecting about $\frac{3}{8}$ inch from bottom of occupant so that he can be firmly pinned to the floor, then wedge him in about the shoulders with scrap balsa and



secure the whole works in place with a rubber band. Remember, if he slips some damage is almost sure to result. Remember also that wing loading has gone up with the occupant aboard and this calls for higher gliding speed, so the old heave-ho must have more zip.

"Be sure the nose is pointed level or slightly below when you turn loose. The landing will be faster with payload aboard. It's pitiful how many props are busted (and even engines knocked out!) in glide testing when the propeller


rotates to vertical position and is therefore the first thing to hit. A simple solution is to loop a rubber band around each prop blade and back of the cylinder to hold the prop in a horizontal position. Glide-test with payload until the best glide possible is obtained (this may call for incidence adjustments in wing or stabilizer on individual models) with just the least indications of a steady left turn.

"(3) *Power without payload.* Sorry, no tests have been run in this category. (Continued on page 76)


CLIPPER CHISAI



CARO BAYLEY'S Pitts Special



SPECIFICATIONS
UPPER SPAN 17' - 6"
LOWER SPAN 15' - 4"
LENGTH 15' - 1"
POWER 125 H.P. LYCOMING



This is the little Pitts with which Caro Bayley took third place in the 1951 aerobatic contest at Miami, Fla. For those who want to build a control liner of the wee beauty, it is basically the same plane as the Pitts-Skelton Biplane (AT Sept. 1950) with these changes: span increased by 6 in., length by 11.5 in. due to the bigger engine. It has larger spinner, square-cut pants.

Prof. Phugoid and His Contribution to Modeling PART II

By WM. F. McCOMBS

In the first section of this report, we covered the adjustment of rubber-powered models by a method developed by the author (an aeronautical engineer at McDonnell Aircraft) working with fellow members of the Kirkwood, Mo., Thermaleers club. Now we go on to adjustment of gas engine powered model planes.

■ On most gas models, particularly the pylon type, the wing cannot be easily shifted, and therefore the correction is made by adding weight to the nose or tail depending on which is necessary. It is very easy to erase any tendency of a "hot" gas job to loop under power simply by adding just enough weight to the tail and retrimming for a good glide. Of course, this should be done carefully, adding just enough weight each time to shift the center of gravity about a quarter of an inch to the rear.

When the engine cannot be run slowly for test flights, it is best to use short motor runs of five seconds or so, since this is quite long enough to notice any bad effects and lessens the chance of the model "winding in" under power. When the flights appear to be all right the motor run can be lengthened.

When the proper wing position has been located, the modeler can proceed to put whatever turn he


thinks best into the model for circling flights. Circle in the glide is achieved by using a trim tab on the vertical fin or by offsetting the entire empennage (fin and stabilizer), if this unit can be adjusted easily. More consistent and less troublesome results can usually be secured by offsetting the empennage rather than by using a tab which some spectator can twist so easily and unnoticeably.

When one is putting turn into a model he should proceed carefully using very small adjustments; otherwise there is great chance of getting spiral dives. It should be pointed out that a model which glides nicely in a straight line or very large circle will most certainly spiral-dive into the ground if a considerably sharper turn or circle is put into the adjustments. This is easily prevented simply by decreasing the angle of incidence of the stabilizer slightly, that is, by raising the trailing edge or by lowering the leading edge.

Sometimes the amount of turn put in for the glide will be sufficient for the flight under power, but most often it will not. Turn adjustments under power are made by offsetting the thrust line of the model, or the shaft of the engine, to the right or left. Suppose a model on which the wing or center of gravity has been properly located appears to have a very pretty right turn in the glide but tends to spiral in to the right under power. This trouble is corrected by offsetting the thrust line slightly to the left.

Some modelers prefer to have their ships climb and glide in opposite directions. This is largely a matter of personal preference, the important thing being to use the vertical fin setting for regulating turn in the glide and the thrust line offset for regulating turn under power. For most high-wing ships it is usually easiest and safest to circle to the right under power.

Now it is true that the nose-up effect under power can be decreased by the use of excessive downthrust —by offsetting the thrust (Continued on page 70)



Baby Mac

Much interest will be focused on this latest Duro-Matic powerplant

■ Duro-Matic Products has added a new member to their family of engines, the *Baby Mac*. Like other McCoy's this new Half-A has a red cylinder head and the characteristic square crankcase.

One of the many interesting features is a combination built-in fuel tank and radial engine mount. The front section of the tank fits into the back of the engine and is notched top and bottom so the tank can be installed in an upright position whether the engine is mounted inverted or upright. Most small engines on the market have 360° exhaust slots that blow oil and exhaust gas in all directions, but this condition is overcome on the *Baby Mac* by an exhaust stack similar to those on larger engines. This is a very desirable feature for models with a complete engine cowling. The *Baby Mac* is sold in packaged form with a propeller, fuel tank, cylinder head wrench, mounting bolts, and fuel line.

The engine tests show that performance is best in the medium and high speed range and this points to control line sport, stunt, and speed applications. Continuous operation at 14,000 rpm showed no ill effects on the main bearing or any other part in the engine. When using this engine in free flight ships, don't select too large a propeller. Changing from a 6/3 to a 6/4 propeller during tests showed some loss of power. Best results should be obtained with a 6/3 propeller that will allow the engine to run at 11,000 rpm or more on the ground. During the engine tests the tank was timed at 1 1/4 minutes with a *Baby Mac* propeller. This is adequate for

starting and adjusting the engine before you make that all-important launch.


Engine break-in was started with a *Baby Mac* propeller. The engine immediately hit 11,000 rpm and went up to 12,200 rpm within five minutes. In getting engine started for the first run the compression ratio was rather high and, with a tight-fitting piston, the engine tended to fire too far ahead of top dead center and kick back or oscillate, so a light prime of fuel was used in the exhaust. After five minutes' running, the piston became loose enough to make starting easier. The engine would kick

off quickly when it was quite wet.

After five minutes of running on a *Baby Mac* propeller, the engine appeared to be fully broken, but it was allowed to run for half an hour before starting rpm checks. A 6/3 propeller produced excellent results in starting. Speeds between 12,000 and 13,500 rpm delivered best power and resulted in smooth operation. The engine ran very steady at 14,300 rpm.


Changing from a cold fuel mixture to the hotter Half-A blends produced only a slight increase in rpm, but the fuel level test increased from five inches to seven inches.


(Continued on page 62)



FULL SIZE 3-VUES

Stroke .390 in.
Bore .4059 in.
Disp. .049 cu. in.





FLY A CHAMPION!

...CHOOSE **TRIXTER** — ONE OF THE
LEADERS IN CONTROL LINE STUNT FLYING

PILOT'S CHOICE

designed by


Low Andrew's

1950 NATIONAL OPEN STUNT CHAMPION

1948 INTERNATIONAL OPEN STUNT CHAMPION

ITS PERFORMANCE THAT REALLY COUNTS


1950 NATIONAL STUNT CHAMPION



Trixter BARNSTORMER \$5.95

1st in Senior Stunt Event - 1st in Open Stunt Event - 47" wing span - 470 sq. in. wing area - .23 to .35 cu. in. disp. Kit contains full size plans, illustrated step-by-step instructions and complete pre-fabricated parts for quick assembly.

'48 INTERNATIONAL STUNT CHAMPION




Trixter INVERT JR. \$3.95

'48 Plymouth Stunt Champion - 40" wing span - 300 sq. in. wing area - .23 to .49 cu. in. disp. Pre-fabricated kit, full size plans with plenty of detail; picture type flying instructions showing everything from take-off to 4-leaf clover.

2

NEW ANDREWS DESIGNED STUNT JOBS — THEY'RE TERRIFIC!




CLASS
1/2A

BABY BARNSTORMER

Half-size version of champion Barnstormer for 1/2A engines - 23 1/2" wing span - 118 sq. in. wing area. Flies like a dream on 25's to 35's lines. A stunt job that does everything in the book. **\$2.95**

Available
at your
favorite
dealers
soon — ask
about them!



.19-.29 CU.
IN. DISP.

PROFILE TRAINER

Our Profile basic trainer with readi-shaped all balsa wing, shaped balsa fuselage and die-cut tail surfaces. Ideal for beginners - no difficult construction. 32" wing span - Class A-B **\$4.50**

TOPS IN VALUE — TOPS IN QUALITY — TOPS IN PRE-FABRICATION — TOPS IN FLYING

Sensational **DIE-CUT BALSA**
FLYING SCALE AND SOLID SCALE MODELS




SERIES
10DC

EASY TO ASSEMBLE


12 SCALE SHELF MODEL KITS: 7 military: F-86 Sabre, F-84 Thunderjet, P-51 Mustang, P-47 Thunderbolt, P-40 Warhawk, Fokker D-7, & SE-5. Sport airplanes: Monocoupe, Cessna, Piper Cub, Aerocraft & Stinson. **10¢ each**

PLASTIC CANOPY



SERIES
25SDC

12 SCALE SHELF MODEL KITS: 11 military: Banshee, Corsair, Skyraider, Thunderbolt, Shooting Star, Mustang, B-29, Warhawk, Thunderjet, Sabre & Lightning. 1 transport: Constellation. **25¢ each**




SERIES 25DC

PLASTIC
PROP

EASY TO FLY


9 ALL BALSA FLYING MODEL KITS (DIE-CUT). Your choice of high and mid wing monoplanes and of two biplanes. Simple construction - plastic propeller for better flying. Cambered wings. **25¢ each**



TISSUE-COVERED SCALE FLYING MODEL KITS. The formers, ribs and tip outlines are die-cut from sheet balsa. Most of the parts are printed for easy identification. Save hours. **50¢ — \$1.00 each**

TRIXTER

PROFILES



Universally acclaimed "Tops" among control line stunt flyers. Easily assembled from pre-fabricated parts. Rugged construction for many hours of flying.

CLASS A-B

32" wing span - 250 sq. in. wing area - .19-.45 engines **\$2.50**

CLASS B-C

38" wing span - 350 sq. in. wing area - .29-.51 engines **\$3.50**

OTHER GUILLOW ITEMS AVAILABLE.

BALSA GLIDERS: P-84 Thunderjet 5¢, Air Ace 10¢

GLIDER FLEET: (3 gliders per box) 10¢

READY-TO-FLY MOTORPLANES: 12" Skystreak 25¢

PROFILE MOTORPLANE CONSTRUCTION SETS:

Series 11 F-6 models - sheet balsa - 10¢ per kit.

ALSO - 10¢ Solid Model Kits (Series 10S), 25¢ Solid

Model Kits with profile-cut fuselages (Series 25S),

TISSUE-COVERED FLYING MODEL KITS: Series 10F - 10¢

and Series 25F - 25¢. 1/2A GAS MODEL KITS, both

JOINT and SCALE, as well as 1/2A FREE FLIGHT KITS


MAILING & HANDLING CHARGE EXTRA.

SEND FOR CATALOGUE AND PRICE LIST.


PAUL K. GUILLOW, WAKEFIELD, MASS.

sketchbook


Have you developed something new in construction, control, or flying that might interest other modelers? Send a rough sketch—we'll redraw it and pay \$5 for each one accepted. Due to their large number, we're sorry that we cannot acknowledge or return submissions.




- Self-releasing fitting prevents "loop-offs" in launching towliners, says Bob Buragas, E. Orange, N.J.





- Ordinary receptacle plug with prongs bent apart, makes quick booster battery connection — Larry Johnson, Manchester, Ct.




- Cabinet spring catch is ideal means of joining model parts —





Alignment pegs assure accurate assembly — Submitted by L. A. Bly, Jr., Orangeburg, S.C.



- Counterweight of unique folding prop moves ahead as blade folds back to keep C.G. unchanged — by M. Usman Beg., Karachi, India



- Shock-absorbing engine mount for half-A's by Poythress & Forehand, Hampton, Va.



- Quick-attachable gear by Wm. Kupka, Chelsea, Iowa

Russia

(Continued from page 22)

of comparable U. S. or British axials.

The problems of reducing engine weights and fuel consumptions of their axial units, and of increasing reliability and operational life, are giving Soviet technicians considerable headaches, despite the assistance they are receiving from German technicians, and this fact lends credence to the numerous reports that Russia is producing a centrifugal unit based on the Rolls-Royce Nene. Such a unit would be exceptionally attractive to the Russians due to its greater inherent simplicity and less complex production problems as compared with the erstwhile German axials, and the examples of this unit acquired by the Russians have no doubt given Soviet technicians a wonderful start in the centrifugal field.

Logically, therefore, the Russians are presumably developing centrifugal units alongside their more long-term axials, and although not officially confirmed, such centrifugal units may be used by several of the latest Soviet jet fighters. The question of the type of turbo-jet installed in the much-publicized MiG-15 fighter is still unresolved. Many reports indicate that a centrifugal compressor type unit is employed, whereas some claim that the use of a nose intake is indicative of an axial unit. The latter school of thought bases its argument on the fact that centrifugal units such as the Nene with double-sided impeller, require a plenum chamber to supply sufficient air to both sides of the impeller, and nose entries afford many problems when applied to this type of engine, unless the intake is close to the turbo-jet. Consequently, side intakes are almost universal for Nene-powered fighters.

However, it should be borne in mind that among notable exceptions to this general rule are, of course, the successful French Dassault MD 450 Ouragan and Kurt Tank's Pulqui II, currently under test in Argentina, both of which combine a nose intake and a Nene centrifugal unit.

In the field of rocket powerplants, the Russians had several experts of their own whose efforts before the war were largely ignored. These are now being given greater freedom of action, aided by German engineers and a mass of German research data acquired after 1945. A good deal of experimental work on rockets, pulse-jets and ram-jets is going on, although the only application which appears to be approaching practical form is that of the rocket-powered "target-defense" interceptor. It is known that the Junkers Ju 8-248 (or Me 8-263—an improved version of the Me 163 Schwalbe) is being developed in the Soviet Union, and it is ironic that the plant producing the Walter HWK 509C rocket unit to power this machine, at one time at Kiel, was moved to Prague (now well inside the Iron Curtain) to avoid Anglo-American bombing.

Experimental rocket research centers have been established at Irkutsk, Kuibishev, and other places, where the German missiles that were still in an unfinished state at the end of the war are now being brought to operational status. How far the Reds have been able to develop guided missiles in the last five years is problematical. Under the guidance of TsAGI, the Russians have produced their own versions of the Hs 298 and V 3 anti-aircraft and Hs 293 anti-shiping missiles, and we can rest assured that the Soviet will persevere in finding the solutions to the many problems associated with such weapons.

In the aircraft armament sphere, as with jet engines, the Russians inherited some very advanced work from the Germans, especially in the branch of research dealing with weapons for defense against attacking bombers. Russian tanks, artillery and small arms are acknowledged to be among the

"COMBAT ACES"

Six GIANT SOLID SCALES!

MIG-15 "RUSSIAN-JET"
F-86 "SABRE-JET"
F-9-F "PANTHER"
F-80 "SHOOTING STAR"
F-51 "MUSTANG"
F-84 "THUNDERJET"

See the

- Klean-Karved Fuselages
- Klean-Kast Metal Fittings
- Decals, Canopies, Accessories

Each Only
\$2.50
plus 20c by mail


On January 23rd, 1951, "Thunderjets" and Russian "MIG-15's" engaged in the greatest jet fighter battle in air history. When the smoke had cleared over the Yalu River on the Korean-Manchurian border five "MIGS" had been shot down by our F-84 "Thunderjets."

Enterprise's



FREE - FLIGHT

CONTROLINE



.045 to .09 Displ.



.045 to .09 Displ.

"SHADOW"

32" Wingspan, 150 sq. in.
For .030 to .099 Engines

\$1.95* plus 15c by mail

"CHAMPION 36"

36" Wingspan, 202 sq. in.
For .045 to .099 Engines

\$2.50 plus 20c by mail

"KNOCK-OUT" **\$2.50***

18" Span — Pre-Fabricated
.030 to .09 Displacement

plus 20c by mail

PICTURED ABOVE!

"NEW ERA" **\$4.95*** plus 25c by mail

"BABY ERA" **\$2.50** plus 20c by mail

"BABY ERA BIPE" **\$2.50** plus 20c by mail

*Denotes price changes due to increased production and material costs

CONTROLINE

THE "KNOCKOUT" HAS RECEIVED MORE CONGRATULATIONS AND COMMENT, THAN ANY OTHER MODEL ENTERPRISE HAS EVER INTRO-

DUCE. IT HAS BEEN ACCLAIMED FOR ITS COMPLETENESS, EASE OF ASSEMBLY AND WONDERFUL FLYING ABILITY. THANKS TO THE "WONDER-WING".

ENTERPRISE
5107 AVENUE D

MODEL AIRCRAFT AND SUPPLY CO. INC.
DEPT. AT-51
BROOKLYN 3, N. Y.



Northrop Aviation Training

**Aeronautical Engineering
Aircraft & Engine Mechanics**

The "Inside Track" to Your Aviation Career Begins at this Famous School

You show good judgment in choosing Aviation as YOUR career. To assure a permanent, satisfying career in this vast, expanding industry—take the "inside track" to the top—take Northrop training. Wherever Northrop graduates go in the aircraft industry, they are backed by the prestige of this famous name. They are on the "inside track"!

Unexcelled Training Facilities

You learn thoroughly in minimum time under able, experienced Northrop instructors. You work with the Institute's own live jet engines and wind tunnel, its complete training equipment including giant multi-engine aircraft.

MILITARY PREFERENCES

In civilian or military life, Northrop training counts. For example, NAI engineering graduates are qualified educationally to become Air Force or Naval Aviation Cadets, or Officer Candidates. Regardless of your present status, write today for complete information.

Northrop

Aeronautical Institute

1533 E. Broadway, Hawthorne
Los Angeles County, Calif.

Approved for Veterans

SEND COUPON FOR FREE CATALOG
34-page, fully illustrated booklet FREE

NORTHROP AERONAUTICAL INSTITUTE
1533 E. Broadway, Hawthorne, Los Angeles County, Cal.

Please send me immediately the Northrop catalog, special military information and employment data, and schedule of starting dates of classes. I am interested in:

☐ Aeronautical Engineering ☐ Aircraft & Engine Mechanics

Name _____ Age _____

Address _____

City _____ Zone _____ State _____

Check one: ☐ Veteran ☐ Non-Veteran 5

most efficient in the world, and Russian aircraft armament reflects the same high standard in detail, but there are unfilled gaps in the Soviet air arsenal.

Russian fighters have for some time past used larger caliber cannon than the standard weapons of the USAF and RAF; there are signs that 30-mm is the smallest caliber gun now considered by the Reds to be suitable for main fighter armament. Newer Russian aircraft guns owe much to German wartime experience, and the Mauser MG.213/C/30 of 30-mm caliber, which represented the peak achievement in German aircraft gun design, has been adapted for Russian production. This gun has, as yet, no equal in the world—the German version had the remarkable rate of fire of 1,100 30-mm shells per minute. Another gun in which the Russians evinced much interest was the 50-mm MK.214A, but, irrespective of whether the guns installed in the latest Russian fighters are of purely national design or of German origin, the fact remains that such machines as the MiG-15 and the La-17 definitely carry heavier and longer-ranging armament than USAF fighters of comparable type.

For more than a decade the Russians have been noted for the general high standard of their armaments, and this high standard apparently holds good with regard to new weapons. As an instance of their unprejudiced approach to new aircraft armament we have only to cite their adaptation of army artillery rockets for aircraft use, evolving the "rocket bomb" quite early in the war. They have thus taken kindly to the air-to-air rockets of the German R.4/M type—as many as 48 of which were carried by the Nazis' Me 262 Sturmvolgel fighter and used with startling success against Allied bomber formations in the closing stages of the war. Weight of fire seems to be emphasized just as much in a Soviet air regiment as it is in a Red Army infantry division.

We have little reason to suppose that Soviet scientists are hopelessly behind their U. S. contemporaries in theoretical and experimental work on the newer radio developments such as VHF and UHF, or indeed in the various applications of radar. But even if their wartime knowledge of these subjects was behind ours, the very sharp lesson taught by their brief and unspectacular efforts at strategic bombing underlined their need for intensive development of radio and radar navigational aids.

It has been estimated that of the 100 to 150 Soviet night bombers which comprised a normal major assault on Berlin, Warsaw, Bucharest or Konigsberg in the 1943-45 period, less than 50% normally reached the target area and very often no more than 20 to 30 percent. This is not a reflection on the training or quality of Russian night bomber crews, but merely a statement of the inevitable limitations of a radarless bomber command operating at night. However, the Russians have obtained a wealth of radio and radar equipment from their erstwhile enemies and allies alike.

Firstly, during the war many types of British and American ground and airborne radio equipment were supplied as part of the aid to Russia program, while Soviet crews were trained in Britain in the use and maintenance of this equipment. A particularly valuable contribution was the supply of fifteen squadrons of Catalina flying-boats complete with the then latest anti-submarine and search radar. Later, full access was gained to the very considerable German advances in radar technique with its particular emphasis on radar interception and control of night fighter fleets. Russia's booty included most of the technicians, workers and equipment of the Telefunken and Siemens-Askania radio-radar plants, now working full out east of the Iron Curtain.

Perhaps surprisingly, this wealth of radar experience has not yet resulted in the extensive use of airborne equipment by the Soviet Air Force and com-

mercial airlines as compared with their Western contemporaries. The aircraft of the State airline, AEROFLOT, still map-read their way about the Soviet Union and their crews receive no assistance from radar approach systems in bad visibility. Thus, both the Air Force and the commercial airlines are very much controlled by weather. The SAF is not an all-weather force as, say, the USAF understands the term. But in wartime, the threat of heavy casualties is hardly likely to deter the Russians from undertaking a vital air mission in bad weather and, to this extent, the present Russian lack of all-weather equipment is somewhat countered.

Although Soviet radar is claimed as an achievement by Russian scientists, the whole theoretical and practical field is dominated by German technique. In particular night fighting tactics are modeled on the German pattern and on German equipment. It is known that an extensive radar air defense network does exist, and radar bombing techniques are believed to have been developed up to an operationally effective standard—though, in times of peace, the perfection of such equipment must needs take longer than during the accelerated development brought about by a full-scale war, and the value of Russian radar must, to a certain extent, remain an enigma until tested.

High performance aircraft have been flying in Russia for more than four years, during which time a host of new equipment problems have been encountered. Ejector seats, G-suits, heating, cooling and oxygen systems are items which Russia has had to develop almost from scratch, for at the end of the war, the Soviet fighter pilot's personal equipment was reduced to the essentials, as indeed was the plane he flew. This matter of personal gear raises the important side issue of pilot morale, and there is some evidence that equipment is improving. The ejector seat is now standard for latest high-speed single-seaters, but G-suits and other "luxuries" are likely to be ignored until they become an absolute necessity for the efficient operation of the plane. Soviet pilots are tough, and expendable to an extent greater than elsewhere.

In a subsequent article we shall examine the basic organization and functions of the Soviet Air Force and Russian Naval aviation.

Air Adventurers

(Continued from page 34)

is a note of caution to those applying for membership. Fill out the application form *carefully*. Print neatly. Cut the coupon out along the dash-ed lines. You are not required to obtain a membership pin (we must admit, though, that they're very nice gold-plated affairs about 7/8" wide with safety pin back and the letters "AA" in blue enamel). You may obtain extra pins if you desire for 25c each.

—ALBERT J. CARLSON

A SEMI-CABIN MODEL

Now that followers of this series have built several types of gliders, and a very elementary powered model, we feel it is time to tackle a model that begins to resemble the real thing. Our design this month is what might be called a modified profile-cabin monoplane. The fuselage is a copy of that used on small private planes, if you view it from the side—it has a similar profile, in other words. For simplicity of construction, the fuselage is only wide enough to accommodate the rubber motor; however, the little ship is very realistic in appearance from most any angle, and is the logical step between the ultra-simple stick design of last month, and the full

(Continued on page 59)

22 All-Time Favorite

MONOGRAM MODELS

Famous for Fun.. Extra Value
.. Easy Construction



Here is a selection of 22 of the famous Monogram Models... SPEEDEE-BILT AIRPLANES... FIGHTING SHIPS... JET POWER RACERS. No matter what your dish is when it comes to model building Monogram gives it to you. Here is BIG VARIETY... BIG VALUE... and a swell time, with the most fun, making the finest models you ever saw. Monogram Models are also famous for EASY CONSTRUCTION. Even if you have never built a model before you can do a good job the first time with a Monogram Kit. Get Monogram Models at your favorite store.



SPEEDEE-BILT FLYING MODELS • VARIETY GALORE • EXTRA BIG VALUE • ONLY 85c



FEATURING SPEEDEE-BILT PLASTIC PARTS • MONOFOIL WINGS • PREFABRICATED FUSELAGE • DECALS



HISTORICAL U. S. FIGHTING SHIPS • CARVED 16 INCH HULLS • SUPER DETAILING • ONLY \$1.25




FAMOUS JET RACERS • FULLY SHAPED BODIES • RUBBER WHEELS • METAL AXLES • 60c to \$1.00

If no dealer in your neighborhood order from address below, enclosing 25c extra for shipment from nearby dealers stock.

MONOGRAM MODELS, INC. • 225 N. RACINE AVENUE • CHICAGO, 7 ILL.

Model of the Month



Senior "19"

Testor-McCoy achievement level program reaches fulfillment


■ The Testor-McCoy program of modelplanes designed upon an ascending scale of complexity and performance reached a fitting climax with recent introduction of the Senior group. It may be recalled that the Freshman, introduced a little over a year ago, is a simple profile fuselage job with solid balsa wings. Next came the Sophomore which has a similar fuselage but a hollow balsa wing. Junior really gets out of the kindergarten class, for it's a very attractive model with built-up fuselage and wing. And now, *Senior*—a streamlined stunt job with beautifully shaped fuselage, paper or fabric covered wing and capable of flying the whole AMA stunt pattern.

The broad scope of this program can be judged from the fact that each grade of model is also available in three classes, .09, .19, and .29. A builder who takes the whole Testor-McCoy "course" will end up not only as a good flyer, but as an experienced builder, too.

Since a top motor manufacturer is tied in with Testor on this deal, the planes are designed especially for one engine—the McCoy. It goes without saying that equivalent engines of other reputable makes can

be fitted into the various ships and will also give good performance. However, the inexperienced builder (and hobby shop salesman, too) need never be in doubt as to what engine will be best fitted for any of the twelve individual models of this series, for every one of the twelve was designed around a specific make and size of powerplant.

Not only is the *Senior* the top number of the series; Testor designer



Nat Bast felt that in winding up this particular development project something really special was required for the *Senior*. That the manufacturer was successful will be seen in the incorporation of the molded fuselage and the key-lock assembly system. The latter has worked out so well that it will probably be featured in future Testor kits.

It is interesting to note that every

item needed to put *Senior* in the air—with the possible exception of control wire and handle—is available from the two co-operating manufacturers. Testor markets kit, dope and cement, "39" fuel and prop, to match the McCoy engine and gas tank. The only ingredients neither can supply are building and flying savvy, but if you work through the series from Freshman to *Senior*, you can furnish these.

The *Senior* kit, upon which we base this month's survey, comes, like all the others of the series, in an impressive big box. Boxes of all the kits are the same size to facilitate convenient handling and dealer stocking.

All balsa sheet parts are die-cut, of course, and so well done that most of them required little or no edge sanding. As an experiment we tried separating all the die-cut pieces from the various sheets without using any tools whatever. Every part was separated without difficulty.

Let us say right here that there is no need for us to go through a detailed assembly discussion. As befits a carefully worked out educational series, these instructions are *really* complete. In fact, they cover a sheet 22" x (Continued on page 79)

(Continued from page 56)
cabin design that will come in the next issue.

The entire plane follows the principle of cutting an element out of balsa sheet, then cutting out the inner outline to reduce weight. Sound complicated? Well, it really isn't—just look at the plans and you'll get the idea.

Let's start on the wing to see how this easy system of construction works. Draw out the full-size outline of the wing on your sheet of 3" x 1/8" thick soft balsa. You can do this best by preparing an enlarged full-size drawing. Cut a cardboard pattern to shape and trace the shape onto your 1/8" balsa for both wing halves.

Cut the wing to outside shape with a sharp, pointed model knife. Don't try to cut all the way through on one pass, but go around the outline three or four times until the knife point comes through the other side. Use special care when cutting cross-grain—your knife must be sharp or it will tear the soft balsa instead of cutting it.

Check the two wing halves with your cardboard form to make sure they are of correct size, then sand the edges to achieve the cross-section shown in wing assembly Step #1. Next, cut the inner portion out of each wing half; again we say—use a sharp, pointed modeler's knife and *take it easy!* If you rush the cutting too much and split the wing frame, no great damage is done; just glue it together and work awhile on another part of the model. Make sure one of the wing inner portions is removed in good condition, for you will need it to make the stabilizer.

The cut-out wing outline must be bent to the shape shown in Step #2. To do this, moisten the upper surface all the way across at the inner end, and also about 1 1/2" at each tip. Just dip your finger in water and spread it on the upper surface. This will automatically warp the wing in the correct direction, but you will have to shape it as shown in Step 2.

Set the wing outlines aside to dry, and turn your attention to the ribs. The easiest way to make these is shown in Step 3. Cut a piece from the 1/2" balsa stock and trim it to the size and shape indicated. You can then slice off 1/16" wide ribs with a straight edge and razor blade. Make the ribs all the same length and cut them to final length when you install them; cut them short at the rear only, not at the front.

The last items needed for the wings are four ribs of 1/8" balsa shaped as shown in Step 2. Cement two of these side by side to each wing half at the inner ends. You will probably have to fasten them temporarily with a few pins. When they have dried for 15 minutes or so you can insert the 1/16" wide ribs. The latter fit into small notches cut in the balsa outline, and will hold themselves in place if the notches are made properly.

The final step of wing assembly is #4—joining the two completed wing halves at the proper dihedral angle. Sand the inner wing ends so they fit snugly together, then cement them with each tip raised 1 3/8" from the table. When this joint has dried thoroughly, rub the four center ribs over a sheet of sandpaper held flat on the table top; the ribs must be smoothed down even with the outline leading and trailing edges, as indicated by dotted line in Step #2.

The stabilizer is made in exactly the same sequence as the wing, but it is a lot easier, for it is made all in one piece, is not bent to shape, and the ribs are just scraps of soft balsa 1/8" x 1/16".


the NEW 1951

"Spitzy"
SENIOR
.045

- Increased Power
- Hotter Ignition
- High Compression
Brass Head Holds Heat
- 2 1/2 Times More Fuel Capacity
- Heavier Crankshaft
- Improved Carburation

\$5.45

Complete
Combination
Package




Only the BEST
can be FIRST

MEL ANDERSON
Manufacturing Co.
1819 THIRD AVE., LOS ANGELES 19, CALIF.

Two More "Spitfire" FIRSTS
FOR FUN IN '51

A Real Treasure
for YOUR FUTURE PLEASURE



Increased POWER and FLIGHT Duration

NITROMIC Glow Fuel

85¢

- NITRO Power for Glow Plug Engines
- Power Plus
 - Guaranteed "Spitfire" Quality
 - Easier Starting
 - Anti-Friction Additive

A PINT
OF POWER

CLEANS AS IT RUNS

COMBINATION PERFECT POWER

CANADA'S LARGEST HOBBY SUPPLIERS

CANADIAN DEALERS:

Write for our 1951
catalogue. Thirty-six
pages of illustrations
covering the best in
American, British and
Canadian hobby merchandise.



MODEL CRAFT HOBBIES LIMITED
66 WELLINGTON ST. W. TORONTO, ONTARIO, CANADA



ADD WINGS TO YOUR AMBITION

YOU'LL GO
FURTHER, FASTER
WITH A SPARTAN
EDUCATION...

Thousands of young men are needed to build, service and fly the planes in America's great expanding air power. SPARTAN has more requests for graduates from airlines, airframe and accessories manufacturers and operators than can be filled. You can hold an important place in aviation—in the shortest possible time—if you have ability and initiative, backed with SPARTAN training.

SPARTAN, the UNIVERSITY OF AVIATION, teaches all phases of aviation in the least possible time. Start your training at SPARTAN at once and you can be on a major aviation payroll within a year. But don't hesitate! The need for trained men is urgent. Write for complete information today!

SPARTAN has again been chosen to train men for the United States Air Force. This is your assurance of the quality of SPARTAN training.

SPARTAN

A UNIVERSITY OF AVIATION

SCHOOL OF AERONAUTICS COLLEGE OF ENGINEERING
MAXWELL W. BALFOUR, DIRECTOR ADDRESS DEPT. A-T-51
TULSA, OKLAHOMA

MARK AND MAIL
NOW

Maxwell W. Balfour, Director
Spartan School of Aeronautics Dept. AT-51
Tulsa, Oklahoma

Please send your free Catalog immediately.

Name _____ Age _____

Address _____

City _____ State _____

Indicate which of these branches interests you.

- | | | |
|--------------------------------------|--|--|
| <input type="checkbox"/> Flight | <input type="checkbox"/> Instruments | <input type="checkbox"/> Flight Engineer |
| <input type="checkbox"/> Mechanics | <input type="checkbox"/> Aeronautical Engineering | |
| <input type="checkbox"/> Radio | <input type="checkbox"/> Airline Maintenance Engineering | |
| <input type="checkbox"/> Meteorology | <input type="checkbox"/> Management and Operations | |

Spartan is approved for training under the G. I. Bill of Rights.

Now we come to the fuselage. Here again you cut the outline from soft balsa, then cut out the center. One-half-inch-thick stock is a bit heavy to cut with your modeler's knife, though, and you should use a coping or jigsaw with a fine-toothed blade. A power jigsaw will speed the job, and one of the magnetic-driven units is ideal, for they cut balsa almost as smooth as a knife. To cut out the inner portion, start and finish at the extreme tail.

One side of the fuselage can now be added. Note that the 1/16" soft balsa siding is put on with the grain running vertically. Cut enough pieces to cover one side (five 3" wide pieces are required), then fasten them on with slow-drying cement. Be sure to cement the joints between the pieces. With one side completed and trimmed, you can put in the tail hook, tail skid, and make the 1/4" hole in the nose. Music wire of .042" diameter is used for the tail hook, while our skid was just a T-pin pushed through from the inside. The wood pegs to hold the wing rubber may also be cemented in at this time. They were made from wood safety-match sticks.

Add the covering to close in the fuselage, and when the cement is thoroughly dry, round off all edges, and go over the entire surface with very smooth sandpaper (#3-0, or finer). Windows can be cut in the fuselage and serve a more important function than mere improved appearance—they allow the flyer to peek in and see how many turns are being wound in the rubber. Cut the window covering 1/8" larger than the opening all around, and fasten in place using slow-drying cement.

The landing gear wire is bent from a single length of .042" wire. Put a heavy coat of cement on the fuselage where the wire is to go. Allow this coat to dry, then put on another coat and lay the wire in place. Over it wrap a 3/4" wide strip of bandage gauze, followed by more cement. The wheels are 1" diameter, and may be of wood or plastic. If your hobby dealer has none, check the "5 and 10" toy counter. There you can usually find cheap plastic toys with four wheels you can use.

The wheels may be held in place with a drop of solder, if you have soldering facilities available; if not, a drop of cement will do.

A nose strip of tin cut from a can and punched for the .042" wire prop shaft completes the fuselage. The strip is held by a tab at top and bottom, and by tension of the rubber. The same propellers we specified for the stick model last month may be used on this plane. The 6" plastic prop is heavier and balances the model about right. If you use the 6" balsa prop, you will have to add a bit of weight to the nose. We strongly advise use of the plastic prop, if you can get it. It has a lower pitch (the blades have less twist—they are more nearly at right angles to the prop shaft) and pulls the model along in lively fashion.

Cut the 1/16" sheet rudder, and cement it in place after the stabilizer has been installed. Then cover just the top of the stab, and of the wing, using lightweight rubber model tissue.

After covering and trimming edges, hold the papered surfaces over the spout of a steaming teakettle for a few seconds. You will see the paper wrinkle loosely, then tighten as it dries out. When the wings have been papered and steamed, but before doping, any decorations you desire may be added. The model shown here has red tissue on the wings; the Vee at the center of the

The Deco Line



Team Racing
PILOT
50c.



FINGER
GUARD
40c.

1/10 th Scale Light Unbreakable Steel reinforced

Use Deco's 3-Volt Two-Speed



Insulated
BELLCRANK
45c.



RELAY \$2.50

LINE

(52's) \$2.00

(60's) \$2.25

(70's) \$2.50


(100's) \$3.50

DEVELOPMENT
Engineering Co.
Box 691-A 5 Hagerstown, Md.


FLOATER

3.00 BY MAIL 3.25


New!




JASCO HAWK 75c BY MAIL 85c




JASCO FALCON 75c BY MAIL 85c




JASCO JUNIOR 85c BY MAIL \$1.00




JASCO R.O.G. 35c BY MAIL 45c




THERMAL CRUISER
\$1.75 BY MAIL \$2.00




THERMAL TRAVELER
\$1.75 BY MAIL \$2.00




TROOPER 75c BY MAIL 90c



THERMIC 30" 50c BY MAIL 60c



THERMIC 20" 35c BY MAIL 45c



THERMIC B
50c BY MAIL 60c

JUNIOR AERONAUTICAL SUPPLY CO.
203 E. 15th Street New York 3, N. Y.

wing is yellow and all other details are black.

The yellow and black markings are a material called Mystik Cloth Tape, obtainable in most drug stores; it comes in a variety of colors and sticks on like adhesive tape. We used the 3/4" wide size; a 12" length was stuck to a clean board, and narrow strips sliced off with razor blade and straight edge. The final decorative touch is the Air Adventurers insignia on both sides of the fuselage just below the windows.

Finally, give wing and tail surfaces a single coat of half-and-half dope (half dope and half thinner). Fuselage and rudder should have two coats of this same mixture.

The motor consists of four strands of 1/8" flat T-56 rubber. It's probably easiest to make this up in the form of two separate loops, each 10" long; put the knots at the rear hook. Proceed as follows to get the rubber in place: run a one-foot length of stiff wire, with a hook at the end, in through the nose of the fuselage and back to the opening beside the tail hook. Loop the rubber over the wire and draw it out toward the nose. "Worry" the knotted ends of the rubber over the tail hook, then withdraw the wire completely so you can attach the rubber to the prop shaft.

The model should balance at the point shown; add lead weight fore or aft to achieve this balance. Try a glide or two to get the feel of launching the model, then wind the prop about 50 turns for a power flight. The motor will stand about 180 turns, which will give you a moderate climb and a nice flight. You will find that even though this model is "super deluxe" in comparison to the stick job described last month, the sticker will outperform it. This is due, of course, to the fact that the cabin model is more than twice as heavy and has a great deal more air resistance because of the fuselage and landing gear.

When fully wound, our little ship will make nice R.O.G. (rise off ground) flights, but flights started this way won't equal those launched by hand, as considerable power is used up in gaining flying speed.

Building Time: About 4 hours.

Materials Required: 18" of 3" x 1/8" soft balsa, wings. 14" of 3" x 1/2" soft balsa (standard 3' length will make 3 fuselages). One 36" length 3" x 1/16" soft balsa, fuselage sides and rudder. 5' of 1/8" T-56 flat rubber. 12" of .042" dia. music wire. Two 1" dia. wheels. Two brass washers for prop shaft (or glass bead). One 6" plastic rubber-type propeller or 6" balsa semi-finished prop. Tin can metal for nose strip. 2" of 3/4" wide gauze bandage. One small tube each of fast and slow-drying cement. 1 oz. bottle of dope and of thinner. Model tissue 20" x 6"—lightest grade. Mystik Tape as desired, for decoration. Strip of celluloid about .005" thick, 1" x 8" for windows. Two wood match sticks. Wire solder for balancing, if needed.

Tools Needed: Modeler's knife with long pointed blade. Razor blade (single-edge type). Long nose pliers. Soft 1" wide dope brush. 2 doz. T-head pins. Small nail to make prop shaft hole. Medium and fine sandpaper.

PHOTO CREDIT LIST

Pages 19-20-21-22—William Green.
Page 30—Western Air Lines (Wm. Eccles).
Pages 32-33—McLaughlin & Co.
Page 38—Joe Vermoch.
Pages 44-45-46—Hagenau.

The Dmecco Story....

DMECO'S GRAND CHAMPS!



\$5.95

SPEEDWAGON "20"


The "20" is that perennial National Champion and record holder! Winner of the '48 and '49 Nats! Natl. & World record holder '48, '49, '50! 1949 National Record128.54 mph. 1950 National Record120.27 mph. World F.A.I. Class I record99.66 mph.

SPEEDWAGON "30"

The "30" is the consistent winner throughout the years! Winning at meet after meet. 1948 Ohio State Champion124 mph. 1948 N. Y. State Champion127 mph. 1949 Ohio State Champion127 mph. 1949 N. Y. State Champion128 mph. 1950 National Capital meet130 mph.

SPEEDWAGON "50"

This is the new and pace setting class C-D version! 1949 National Champion147.5 mph. 1949 Mirror winner155.6 mph. 1949 National record152.5 mph. 1950 National "D" record 162.53 mph. 1950 National "C" record 128.54 mph.



\$7.95

STUNTWAGON

Proven the "Finest" for precision flying! Winner of contest after contest where the going is toughest! 1949 Grand International Champion, New York State Champion, plus win after win in small meets as well as large!




\$5.95

STUNTWAGON "30"

The model that is becoming more popular every day! This is the tried and proven class "B" version of the marvelous "Stuntwagon," especially developed for those who prefer the smaller engines. A true "Champion" in its class, a consistent winner!

DMECO'S All American Models

IS THE All American TRAINER




Designed for learning with the easiest engines to use, the O.K. Cub. Rugged, and flyable to teach you the easy way.

Kit is ready to assemble with shaped wing, fuselage and tail parts. Follow the full size plans, glue it together and it is ready to fly!

BUILD IN 2 HOURS KIT \$1.75

AND THE 2ND IS THE

All American Jr. "STUNT-TRAINER"



Learning Stunt Flying is simple with the "Jr." It's the right combination, slow enough to learn with, yet responsive to keep you out of trouble!

Kit is complete with finished parts ready to assemble. Cement the high quality parts together and it is ready to go!

READY TO ASSEMBLE \$2.50

OTHER DMECO MODELS

SPEEDSTER	team racer	\$2.50
INFANTWAGON	1/2A stunt	\$1.95
NEW BIPE	sport trainer	\$3.95
SPORTWING	sport stunt	\$3.95

"AMERICA'S FINEST"

PRODUCTS OF
THE DE BOLT MODEL ENGR. CO.
WILLIAMSVILLE, N.Y.

Sweeping the Country!



1st Place N.Y. Mirror Meet
1st Place Denver Plymouth
1st Place National Pay Load
2 out of first 3 places in all 1/2A events at Nationals.

Wasp.049
DISPLACEMENT

By Far the Best in Its Class



ATWOOD MANUFACTURING CO. PICO, CALIF.

5 PROVEN



GET PERFECT PERFORMANCE FROM YOUR 1/2 A ENGINE WITH THESE OUTSTANDING **SIMPLIKIT** DESIGNS



SEE THESE KITS AT YOUR DEALERS TODAY



Baby Mac

(Continued from page 52)

Engine Data

Performance. Weight with tank: 1.42 oz. Propeller—6/4 wood: 8,700 rpm; 6/3 wood: 11,900 rpm; Baby Mac: 12,200 rpm; 5 1/2/4 plastic: 13,000 rpm; 5/3 wood: 14,300 rpm. Fuel: manufacturer recommends Testors 39. Fuel level test: 7" at 13,000 rpm. Engine run on built-in tank: 1 1/4 minutes at 12,200 rpm.

Design Data. Displacement: .049 cu. in. Class: Half-A. Stroke: .390 in. Bore: .4059 in. Stroke bore ratio: .962. Compression ratio head: 6.2. Compression ratio base: 1.36. Port area—intake: .0129 sq. in.; bypass: .0141 sq. in.; exhaust: .0445 sq. in.

Construction Features. Bearings—crankshaft: aluminum; crankpin: aluminum; rod, small end: aluminum. Tank can be attached for upright or inverted mounting.

Parts Illustrated

1. Crankcase, die-cast aluminum, .31 oz.
2. Cylinder, steel, .4059" bore x 31/32" long, .25 oz.
3. Cylinder head, aluminum, 1/4-32 thread, .07 oz.
4. Tank and back cover, die-cast aluminum, 17/32" long, .19 oz.
5. Glow plug, steel, 1/4-32 thread, .08 oz.
6. Glow plug washer, copper, .032" thick, .01 oz.
7. Needle valve, steel, 1-72 NF thread, .02 oz.
8. Needle valve spring, steel, .166" O.D., .01 oz.
9. Piston, steel-hardened and ground, .4056" dia., connecting rod, aluminum, 21/32" long, .10 oz.
10. Base gasket, Vellumoid, 1/64" thick, .00 oz.
11. Crankshaft, steel-hardened and ground, .2185" dia., .19 oz.; drive washer, aluminum, 1/2" dia., .02 oz.; front washer, steel, 1/2" dia., .04 oz.; propeller screw, steel, 6-32 NC thread, .03 oz.
12. Mounting bolt, steel, 3-48 NC thread, 1" long, .08 oz.
13. Tank gasket, Vellumoid, 1/64" thick, .00 oz.
14. Tank rear cover, aluminum, .020" thick x .775" dia., .02 oz.

Total weight: 1.42 oz.

Fleet Trainer

(Continued from page 36)

coats of clear dope to the inside of these panels. This greatly assists the bending of sheet balsa. Trim these to fit fuselage and cement in place.

Now cut out the cockpits. The two pieces of 3/16" sheet fill-in between firewall and the beginning of the side stringers may be glued in place. A small balsa block is used on bottom of fuselage directly aft of firewall. Now you can shape these blocks by sanding to fair into fuselage lines. A special system was used in construction of the turtle-deck in that a block of soft balsa is cut to conform to the fuselage, lightly cemented in place, then by using a sanding block, sandpaper eight flat sections as shown in the sketch.

When this is finished remove and hollow block to within approximately 1/8" thickness. Now re-cement to fuselage and you will have a section that is only slightly heavier than the built-up type, and without the trouble of lining up stringers or having them warp out of shape with the pull of doped covering.

The complete tail surfaces are to be cut out of 1/8" sheet balsa. Sandpaper leading edges to a round cross section, changing to a taper to trailing edges. Cut elevators apart from stabilizer and cement hardwood elevator spar to elevators. Bend elevator horn from .024 shim brass, cement to elevator spar and cement cloth reinforcement over it. Now install elevator hinges and join stabilizer to the elevators.

Wing construction and additional details will be found on AT's full-size plan.


MONARCH MODEL AIRCRAFT CO. INC.

WINGSPAN — 20"

For engines .049 to .099

COMPLETELY PRE-FABRICATED

Brooklyn 33, N. Y.



CURTIS P40F

PRESENTING... the first in MONARCH'S new "SPITTING IMAGE" control line series.

So completely superior in all respects, that words cannot adequately describe it. There is nothing like it at any price! A truly luxurious kit with all de luxe construction — and perfectly PRE-FABRICATED in every detail.



Get Your **Air Trails ANNUAL**

While It's

Still Available

35c at your newsstand

Four to Five

(Continued from page 38)

that will make our flight the full five minutes. Remember, we're speaking only of the ship to get you on the team.

In this article we're presenting and analyzing four ships which have bettered four minutes consistently, and attempt to give reasons why. From this you may draw your own conclusions and design your own models.

Ed Lidgard, Wakefield team member in '49 and '50 and present Chairman of the Wakefield Committee, used a small ship, as Wakefields go. *Effective* wing area is but 176 square inches; however, computed by present rules, it would be 195 square inches. The smaller wing (and lessened drag) allows for a terrific climb, says Ed, and he's right. Despite the higher wing loading, the ship has an excellent glide. Ed estimates that his ship got 75 feet higher than Ellila's at the '49 Finals, but Ellila's ship glided where Ed's dived in. This has been corrected by making the airfoil, (and thereby the whole ship), less critical.

The stab has about ten degrees anhedral, and this, with the single-strut landing-gear, satisfies the three-point take-off requirement.

The deep, whale-like profiled 38" fuselage carries 42-48 strands of $\frac{1}{8}$ " T-56, the 52" motor taking a safe 1,450 turns. Motor weight is five ounces, or 54% of the total weight of the ship. The 18" diameter 25" pitch prop gave a 65-second motor run, and the ship makes 4:15-4:30 in still evening air.

R. G. Schmitt's ship, second in the '50 Chicago area team eliminations (and the one to go to Finland) is a fine example of sheet balsa work. Wing and stab have stiffeners rather than spars, with spar loads taken by the widely sheeted leading and trailing edges. Very efficient, rugged, and warp-resistant if you can get the wood to do the job. Fuselage is basically diamond, with the faired-in wing platform completing cross-section requirements. Note the diagonal bracing throughout the basic frame.

51% of the total weight came from the 28 strands of $\frac{3}{16}$ " T-56, 56" long. This swung an 18" prop for a bit over 50 seconds on 1,200 turns. Flight time in still evening air: 4:10-4:25.

Ehrlich's ship is a streamlined box, similar in profile to Lidgard's, but with shoulder wing mounting. Fuselage is a basic box faired off with stringers along the sides, top and bottom. Wing is parallel chord, and of usual construction but having a sheeted leading edge and an anti-warp diagonal member from tip TE to center-line at the LE.

18" prop is carved as close to true pitch as possible, has a bamboo LE. Power: 18 strands $\frac{1}{4}$ " Dunlop 54" long, 1,100 turns, 90 second motor run. Rubber equals 53% of total weight.

Neurosis II, the author's ship, is different in that the fuselage is of sheet construction. It has proved quite tough, easy to build and easy to repair. Ready to use, the fuselage weighed in at 1.7 ounces, comparing favorably with orthodox construction.

Wing worked out to 209 square inches effective, and 217 square inches area by present rules. Stab has anhedral, similar to Lidgard's and Ehrlich's. Rubber weight is 51% of total, using 16 strands of $\frac{1}{4}$ x $\frac{1}{24}$ T-56 50" long. 1,100 turns swung the $17\frac{1}{2}$ " prop 65-70 seconds. Flights in still evening air ran between 4:15-4:30.

Now for the common features—those that probably contribute to the duration obtained.

Except for Lidgard's, all models come to within a hair of maximum allowed areas. Though the greater area may slightly reduce climb, it is compensated for by better glide and greater visibility. None of the wings weighs over 0.9 ounces, and each wing has some arrangement—sheeted LE, Warren truss ribs, etc.—to prevent warps. Airfoils average about 10% thickness, and are



TRAINED VETERANS... are cleared to come in!

That's right—you service-trained technicians have the opportunity to apply for valued ratings in the U. S. Air Force.


There are literally hundreds of Air Force position vacancies that must be filled by skilled men who need little or no refresher training. They will be initially assigned to a nearby Air Force Base.

If you have had technical schooling in any arm of service—you are the men your Air Force needs—*now!* In

return, if you qualify, the Air Force offers you a rating in keeping with your previous military service plus your civilian experience.


Get full details at your nearest U. S. Army and U. S. Air Force Recruiting Station today!

SKILLS NEEDED NOW—Radio, radar, weather, camera repair, engine maintenance, gun turret maintenance . . . these are not all. Get a complete list at your nearest Air Force Base or Recruiting Station.



U. S. AIR FORCE

**The Newest
Advancement in
Model Aviation!**



NEW 1951 ACCESSORIES

Pylon Brand **CLIPS**, 1 doz. in hinged plastic box **75c**
Pylon Brand **SWIVELS**, 1 doz. in hinged plastic box **50c**

**WATCH FOR THE NEW PYLON BRAND
PLASTIC ADJUSTABLE CONTROL HANDLE!**
For Safety's Sake Insist on PYLON BRAND WIRE

SULLIVAN PRODUCTS



Flexible Plastic

FUEL TANK

A completely new type of model airplane fuel tank, not to be compared with ordinary tanks... the PYLON BRAND tank is designed to give you better performance, longer service. Flexible construction makes it crash-resistant. **FACTORY GUARANTEED** against leakage and breakage. Your fuel supply is visible through the translucent tank... no guessing. Vent tube level can be adjusted for amount of fuel to be consumed. With built-in pumping action, to empty tank, just squeeze the flexible plastic. Non-corrosive material and tubing resist effects of all standard fuels. Specially designed for easy mounting on any type plane.

The tank's exclusive "SKWEDGE" shape and new design elements give you the best fuel feed system in model airplanes today.

Small **75c**
Medium **95c**
Large **\$1.25**

Sullivan Products

PHILA. 33,
PENNA.

GET SET NOW FOR THE 1951 NATIONALS WIN UP TO \$100 IN CASH



The new $\frac{1}{2}$ A PAA Load Event is for free-flight gas models powered by engines of not exceeding .050 cubic inches displacement and carrying a three-ounce dummy occupant. Two age classes. Junior-Senior Combined (under 21), and Open (21 years and over). First prize \$100, second \$75, third \$50.

A models with eight-ounce loads and **B models** with sixteen ounces get an even break. Junior-Senior Combined (under 21), and Open (21 years and over). First prize \$100, second \$75, third \$50.

Clipper Cargo. A Model Clipper Cargo Event is open this year (at the Nationals only) to contestants of all ages. The winner will be the entry carrying the greatest amount of payload in an official flight and landing it safely with load intact. First prize \$100, second \$75, third \$50.

For detailed Academy of Aeronautics rules, write to Educational Director, 28-19 Bridge Plaza North, Long Island City 1, New York.



PAN AMERICAN WORLD AIRWAYS
WORLD'S MOST EXPERIENCED AIRLINE

mostly cut-and-try-types derived from known airfoils. The average aspect ratio falls between 7 and 8. The planforms are simple almost to an extreme.

Three of the ships have anhedral stabs, and for more reason than to afford two extra points on the ground. We have found that this arrangement tends to keep the model from diving as it wheels into the downwind part of the circle. It also tends to keep the model more level when circling and therefore less susceptible to spiral upsets. All ships had undercambered sections in the stab—generally a slimmed Clark Y (about 9%) with an average of $\frac{1}{16}$ " undercamber. It makes for better stall recovery and at the same time lets the stab carry part of the load. Complete tail assemblies weighed from 0.37 to 0.45 ounces.

In every case fuselage is at least 36" long, and with the new rules and the attempt at greater motor run, it will probably be longer. (It follows that, to get greater run you must have more rubber, and therefore more room for the rubber.) Every fuselage used some sort of a Warren truss for beefing-up purposes, for the large Wakefield motors develop an awful lot of twisting power.

Even though the sheeted sides took up much of the load in my ship, I still had interior bracing. Lidgard used internal bracing, and covered with silk. Schmitt used truss throughout, and covered with Jap tissue. Ehrlich used the truss plus stringers and double (cross-grained) Jap tissue covering. In every case the fuselage is the toughest part of the airframe. It takes the load of the motor, the handling, and the shock from the parts attached to it.

In the past take-off gear has been either wire, (too heavy) or bamboo (too weak as single strut). The trend is toward a built-up balsa strut, which can be made light and tough. Small wheels are preferred over simple skids, by the way, even though there is no wheel requirement.

In the four ships mentioned there is not one fixed (or two-wheel) gear. One wheel is satisfactory, lighter, and easier to retract. The retracting does more than reduce a bit of drag—it stays out of the way if your ship happens to snag in a tree, and it makes for easier packing of the model.

Props in each of the ships are different, and are best compared by saying each is 18" diameter, and has a PD falling between 1.35 and 1.8. The higher PD may be necessary now to lengthen the motor run. All props are folders, though there has been some discussion about the practicability of them. Hinges used are of the variety sold by Midwest Models. All props are covered after carving with either silk or tissue, and all are cut back from the hub to allow them to flare to higher pitch in the initial power burst. Each prop is backed up with 16 or more strands of $\frac{1}{4}$ ", the length being more or less determined by rubber weight and distance between hooks.

The method used to get the most out of a rubber motor will determine, generally, the type of ship built. We normally use a single, tensioned motor and one prop. The motor length is determined by two things, as mentioned before, and should fall between 1.5 and 1.75 times the distance between hooks to get the most efficient arrangement for power output and minimizing of bunching. This length will give a motor weighing a bit over four ounces for 16 strands of $\frac{1}{4}$ ", and is easy to handle, easy to wind to maximum after some practice.

This, of course, can be juggled around to get a motor that weighs the same as the airframe. Consider also just how many strands you can efficiently wind; we find the 16 strands mentioned a good high figure.

Gears, as in Ellila's ship, allow for two motors on one prop, giving the equivalent of a twice-motor-base-length motor. About this arrangement we know very little, having never tried gears. Our one objection at the moment is that, after the first motor is wound,

NEW-- TAYLOR CUB!



**NEW HIGH POINT IN
1/2 A SCALE FREE FLITE and PAA LOAD!**

It's so good you'll have to wire your friends about this one!

You'll Say: TERRIFIC CLIMB • SWELL GLIDE • EASY AND FAST TO BUILD • CONTEST CALIBRE • DESIGNED FOR .035 TO .074 ENGINES • KIT INCLUDES DECALS, FULL SIZED PLANS, PRINTED AND DIE CUT PARTS • VECO'S TAYLOR CUB WILL MEET NEW CONTEST REQUIREMENTS FOR 1/2 A FREE FLITE SCALE • A NATURAL FOR PAA LOAD.

Wing area: 158 sq. inches.
Wing span: 35 inches.
Weight: 5-7 oz.



POINTS TO HIGH EFFICIENCY IN PROPS

MAX. BLADE AREA AT WORKING POINT OF PROP.

Correct airfoil in high production props is the Veco story... the result of superb engineering, design and tooling!



TRUE PITCH



STD. VECO PROP



.049 VECO PROP



High efficiency airfoil at low Reynold numbers (note lower chamber). Southeastern beech is used in Veco Props because of its toughness, hardness and weight-for-strength ratio, as well as best "Fly Wheel" action.

THE SUCCESS LINE

Engines • Planes • Propellers • Wheels • Accessories

HENRY ENGINEERING CO.
Burbank, California

it must be held until the second is wound and attached. Since we have found that the best thing to do after winding a motor is to let go and get the most power, that delay bothers us.

Another approach is two motors and two props. This can be either a twin tractor or pusher, or the more practical push-pull. However, the additional weight of the prop and nose unit, plus some added rubber, doesn't make this too good for a conventional layout, though it looks like it may be a fair deal for a flying wing.

In any event deviation from the single prop with one tensioned motor will result in gadgets of some sort, and gadgets are the bane of a contest model until they have had all the bugs ironed out. The fewer things you have to fool with during the critical wind-and-launch period, the better are your chances of winning. We're not against designs that deviate from the normal types; we believe experimental designs should be encouraged. But we do say that to bring to a Wakefield elimination a design that has yet to be proven is folly.

After looking over the general view of Wakefields, and the models of this article in particular, we think the following is a good guide toward design of a highly competitive contest ship:

1. Build as close to the rules as possible, staying within them just enough to make processing a simple task.

2. Work toward a 75-second prop run that will get your ship up to at least 400 feet under power. Since the average sinking speed of a Wakefield is 2.25 ft./sec, 400 feet of altitude results in a glide of 2:58 after the 1:15 motor run. The resulting flight of 4:13 is reasonable.

3. To accomplish (2), the model should weigh no more than 8.2 ounces, of which 4.1 ounces must be rubber. To get real time out of the present day model at least 50% of the weight

Buy Now! COMBO SPECIALS Don't Delay!

YOUR CHOICE OF Model Plane and Motor listed below plus our big Accessories Kit. All kits completely prefabricated and shipped as advertised. Check the Berkeley, Scientific, Sterling, Master Models and Enterprise Co. ads for further info on kits in our combos. Check these terrific values and send your order in today as our supply is limited.

**Your Choice Of...
MOTOR • MODEL KIT
BIG ACCESSORIES KIT**



KNOCKOUT



CUB 074



LITTLE MUSTANG

YOUR CHOICE OF ONE MOTOR

McCOY 049
CUB 074
GLO-MITE
SPITFIRE
TORP Jr.

YOUR CHOICE OF ONE MODEL KIT

BERKELEY'S Sr. Puddle Jump.
STERLING'S Maverick
BERKELEY'S Mini-Hogan 34
ENTERPRISE'S Knockout
ENTERPRISE'S Baby Era
ENTERPRISE'S Era Biplane
SCIENTIFIC'S Aerona Sedan

MASTER MODEL'S S.E. 5
MASTER MODEL'S Wing Ding
MASTER MODEL'S Wing Dingus
SCIENTIFIC'S Cessna 170
SCIENTIFIC'S Cub Special
SCIENTIFIC'S Stinson Vog.
SCIENTIFIC'S Mustang

COMBO including Cub 099.....\$8.75

COMBO CONTAINS OVER 100 ITEMS—Model Kit, motor, metal stunt tank, bellcrank, horn, hinges, cement, fuel, book on engine repairs, nuts, bolts, washers, brush, pliers, battery leads, push rod wire, plastic gas line, propeller, swivels, Glo-Plug, gasket, screw driver, control handle, 100' control wire, motor test block, formed landing gear, all metal knife, correct wheels, leather tool case, sandpaper, plans for automatic takeoff helper, steel scale, speed indicator, Trim Film, masking tape, instructions on control flying, motor test chart, club membership, gas line, catalog, Etc., etc.

\$7.75
POSTPAID
DELUXE OUTFIT
• Royal Spitfire or McCoy 09
• And Model Kit (your choice)
• Access. Kit
\$9.75 PP

COMPLETE COMBO

CLASS
B-&-C

BIGGEST VALUES



PITT'S SPECIAL



O & R 23



NEW ERA

YOUR CHOICE OF ONE MODEL KIT
BERKELEY'S Pitt's Special
STERLING'S Monocoupe
ENTERPRISE'S New Era
STERLING'S Mr. Mulligan

YOUR CHOICE OF ONE MOTOR
OHLSSON 19 or 23
McCOY 19

Add \$1 Extra to Combo Order When Requesting Following Kits:
Berkeley's Thunderbolt • T-28 • Cessna
Sterling's Polish Fight. • S.E. 5 • Waco

Choice of Model Kit
Big Accessories Kit
O & R Deluxe
19 or 23
\$13

Choice of Model Kit
Big Accessories Kit
McCoy "29"
\$14

Just send us your order with remittance in full... or \$1 and we'll ship C.O.D.

**Your Choice Of...
MOTOR • MODEL KIT
BIG ACCESSORIES KIT**

\$12.50
PP
DELUXE OUTFIT
• O & R 23-33
• MODEL KIT (Your choice)
\$15 PP
VISIT OUR RETAIL DEPT.

MERCURY MODEL AIRPLANE CO. 920-A5 UTICA AVE. BROOKLYN 3, N. Y.

SEND 5c FOR CATALOG and FREE "Motor Hints"

CLEVELAND TOPS IN SCALE



24" F-86 SABRE \$1.50

24" F-51 MUSTANG \$1.50



30" P-39 AIRACOBRA \$1.50

16" THUNDERJET 50c

SHOOTING STAR \$1.50

36" F-61 BLACK WIDOW \$2.25

36" F-38 LIGHTNING \$2.25

30" GRUMMAN PANTHER \$1.50

THEY COST NO MORE AND OFTEN LESS THAN MOST KITS!

Flight-Engineered By Experts With Over 30 Years Experience They're CLEVELAND models of course — top choice of model builders the world over. Superb designing plus clear plans plus selected materials make building easy and the finished model, realistic.



30" P-40 WARHAWK \$1.50

"INTERPLANETARY SAUCER" 39c kit contains two

BAYLESS GEE-BEE Span 21 1/4" \$1.75

18" BRITISH SE-5 50c



AAF MEN CAN TELL YOU:

MORE BUILDING KNOW-HOW AND FLYING FUN ARE GAINED IN ONE CLEVELAND KIT THAN BY BUILDING A HALF-DOZEN ORDINARY MODELS. C-D KITS GAVE ME A HEAD START IN THE A.A.F.I

HOW TO ORDER: See your local hobby dealer first. If he does not have these kits, do not accept substitutes but order direct. Include 25c for pack-post. (35c West of Rockies, APO's and U. S. Possess.) Min. order \$1.00 plus postage. No C.O.D.'s accepted. Special Delivery in U.S.A. only, 35c extra. Foreign countries add 20% for special handling, etc., in addition to 25c pack-post charge. (Ohio residents add 3% Sales Tax.) SEND 10c FOR NEW ILLUSTRATED CATALOG.

CLEVELAND MODEL & SUPPLY CO.
4507E2 Lorain Avenue
Cleveland 2, Ohio U. S. A.

must be devoted to power.

4. With all that rubber thrashing around in the fuselage, there are other things to consider. Got to have room for it. Minimums are: 1 1/2" square at the nose, 2 1/2" square at maximum cross-section and 1 3/4" square at the rear peg. The interior of the ship should be clear of protrusions. And it's a good idea, after the fuse is complete, to pour about a pint of thinned dope into it, then drain it out again, thus giving the inside a neat, protective coat of dope.

5. Again, keep clear of complicated and untried gadgets. If it can't be repaired on the field after a simple crack-up, get rid of it. Also, remember that each of us habitually tends to make some part of the ship weak. One breaks wings, the other, stabs. Find your fault and correct it before the ship is built.

6. A well-adjusted model is one that retains wing, tail and other settings. Use pins or pegs to key exactly every movable unit, and especially the wing, since the Wakefield rules still call for the prop/wingtip launch.

7. If possible, try several different prop/motor combinations on your ship. The yo-yo boys with their speed jobs are a fine example of what can be done by simply fitting props to conditions.

With the above there are a number of things that we may also think of. Light, strong structures, for instance, to allow for more rubber. Better design of props. Vibrationless prop units. Learn the capacity of the rubber. Learn how to wind it to the limit. Adjust the model fully. Learn how to R.O.G. the ship.

Make flying the model a habit, not a program that must be memorized. Know what it will do every time. Make a habit of using the dethermalizer, even for test flights. Check the ship in both good and bad weather. When you can get to the point where flying the model is as mechanical as the driving of a car, you've become a threat at any contest.

Turbo-Props

(Continued from page 27)


piston engine installation, to say nothing of adding higher take-off power and better power at altitude. Powerplant control equipment is largely electronic. The cockpit unit is a single lever for each turbine.

W. C. Keller, Convair's project engineer on the Turbo-Liner, takes a close look at maintenance and operating economies. He sees cost of spares to be about the same as now. Line maintenance time and costs will drop, due to the absence of such troublesome items as spark plugs and magnetos. Because of absence of engine vibration, airframe maintenance will become materially less. Keller calculates fuel costs at 12-14 cents a gallon, provided kerosene or ANF158 is used.


"For extremely short ranges," said Keller, "the turbine-powered Convair-Liner is superior to the currently used airplane, with the fuel consumption crossover occurring at a range of about 400 miles for the worst case. A substantial gain occurs when the lower priced fuels are employed. ANF-58 gives roughly the same operating cost as kerosene, but kerosene, burning hotter, substantially extends the range of the aircraft. Current flights of the Turbo-Liner mark a real milestone on the road from research to actuality. The propeller-turbine-powered transport will become a permanent category of aircraft for short-range operations, and will demand a high degree of competition to be displaced in long-range operations by jet propulsion."

Undoubtedly turbo-jets will gain wider use in military aircraft of various types. Experience with the Douglas AD Skyraider attack bomber bears this out. What the Navy demanded was an airplane capable of operating unescorted and defending itself against jet fighters.

FREE!



**With Your
ONE YEAR
Subscription to
AIR TRAILS
THE AIRPLANE:**



It's the Maverick, and you'll steal the show wherever you go. This prefabricated control job sells regularly for \$1 by itself! She's a cinch to build and a dream to fly. You can fly it low and slow as a trainer with motors up to .09; fast and furious as a full stunt airplane with engines from .19 to .29 displacement. Big 24-inch-span wing, die-cut and slotted fuselage, carved wing edges.

THE MAGAZINE:

The best in the field—meaning Air Trails, but natch! You're missing plenty if you're not getting a personal copy each month. Now you can get 12 big issues (\$2.50), plus the Maverick kit (\$1) BOTH FOR ONLY \$2.50. This offer is limited; don't delay.

AIR TRAILS

304 E. 45th St., New York 17, N. Y.

I enclose \$2.50, please enter the following subscription for 12 big issues of Air Trails and send me the free Maverick kit.

Name (print).....

Address.....

City..... Zone.... State.....

(AT-5-51)

It became apparent the designers must double the airplane's power with no appreciable increase in the airplane weight.

"This was a big order," you learn from E. H. Heinemann, a Douglas chief engineer, "and so we studied all known methods of propulsion. Turbo-jets appeared promising, but with available engines it was impossible to meet take-off and endurance requirements. Best solution appeared to be the turbo-prop engine, preferably one with a dual engine arrangement so as to permit single-engine operation at low altitudes of greater endurance and equipped with a counter-rotating propeller to eliminate propeller torque during take-off and landing."

So powered, up came the A2D Sky-shark. Results? Bomb load upped some 50 percent over the AD, while fuel consumption per pound of bomb per mile remained about the same as for the piston-engine plane. But the turbo-prop brought other important advantages. Unusually high operating altitude, high speed approaching that of jet fighters—those are a couple. Read on: The ATD carries four times the amount of bombs per gallon of fuel as jet attack planes. It takes off in less than two-thirds the distance of jet fighters and less than one-third the distance of jet bombers. It can operate from the smallest carriers afloat. This is only a forerunner of other military applications to come.

Seldom does such an unromantic development as a new engine hit the public with the impact of the T-34, Pratt and Whitney's candidate in the race for more power. Only last summer farmers tending their tobacco crops in the Connecticut River Valley found their toil disturbed by a strange sight overhead: a five-engine airplane soaring gracefully through the New England sky. But, to their amazement, only one engine was ticking. The other four propellers were silent.

What they saw was a venerable B-17, its piston engines dead, a T-34 Turbo-Wasp running relatively silently in the nose. Pictures of that installation gained wide publication, but it was no stunt. It was a practical demonstration of the power of a new TP. And to prove just how good it is, a few weeks later Harold Archer, chief engineering test pilot for the company, flew the same airplane on the T-34 alone (all other props feathered) across the Naval Air Station at Patuxent River at an altitude under 100 feet and a speed 100 miles an hour faster than the B-17's normal cruising speed!

As it flew, the T-34 delivered about 90 percent of its power through a shaft to the propeller, with the remainder in jet thrust through the tailpipe. Designed to produce the equivalent shaft horsepower (actual shaft horsepower plus jet thrust) of 6,000, the engine won an early rating of 5,700—more than the 4,800 combined total horses of the B-17's regular piston engines.

But this is only a beginning. P and W engineers confidently expect to produce 8,000 horsepower from this engine before they cease to tinker with its innards. Even now, it is the most powerful American-made TP, surpassing by a comfortable margin the 4,000-hp Wasp Major R-4360, in its latest compound version. Still leading in its field is the J-48 jet, rated a 6,250 pounds static thrust before afterburner or water injection.

While other American companies manufacture their own engines, Curtiss-Wright has found it expedient to develop further four British gas turbines—the Sapphire (a turbo-jet), of 7,200 pounds thrust; the Mamba, developing 1,570 horsepower; the Double Mamba, of 3,140 horsepower, and the Python, with 4,550 horsepower. These engines come to the U. S. under an engineering and manufacturing agreement with Armstrong Siddeley, Ltd. of England. All will be modified for Yankee production methods.

An advanced series of subsonic, transonic, and supersonic propellers is ex-

NOW...

SPEED-O-LAQ

FLIGHT TESTED

UNDERCOAT

FOR THAT... *smooth*

METAL-LIKE FINISH ON BALSA AND OTHER WOODS

A new, light weight, pigmented undercoat—made exclusively by SPEED-O-LAQ for particular model builders!

Sands easily... hides wood grain... permits a beautiful, smooth, metal-like finish not attainable with dope alone!

A perfect base for colored dopes!

For all wood parts in model kits!

By the makers of SPEED-O-LAQ Dopes and Cements!

SPEED-O-LAQ



10¢
and
35¢
At your
hobby
store!

SPEED-O-LAQ PRODUCTS CO., INC.
2386 Wycliff St., St. Paul 4, Minn.

4 Famous War Planes
and Big 100 Page Bill Winter's
**AIRCRAFT
PLAN BOOK**

Model Aviation's Biggest KIT BARGAIN!
Regularly sold at ...

T B F AVENGER.....	\$1.00
GRUMMAN TIGER CAT.....	1.50
BLACK WIDOW.....	1.50
DOUGLAS DC-3.....	1.00
PLAN BOOK.....	1.00
MODEL & HOBBY GUIDE.....	.50


Famous HAWK quarter inch scale, solid models. Brand NEW kits in original boxes. Regularly sold at \$1.00 and \$1.50 each. Now PILOT brings you all four kits as listed plus Bill Winter's famous Model Aircraft Plan Book. . . . AND big 72 page Pilot Model and Hobby Guide . . . all for only \$2.49 postpaid to your home.

FREE 87 page model book. Send dime for postage.
Send 3c stamp for 1951 AMERICAN FLYER or LIONEL CATALOG.

**Sensational
\$6.50 Value
Only \$2.49
Postpaid**

PILOT MODEL SHOP 5450 WEST BELMONT AVENUE · CHICAGO

HELP for HOBBYCRAFT DEALERS



National's Big New Check List Saves Time Effort and Trouble

Now 75 pages of America's best in hobbycraft goods that you can sell. Model railroads, airplanes, ships, engines, engine parts, race cars, tools, accessories, supplies and handicraft items. Keeps you informed. Makes ordering and stock-keeping easy. Nothing else like it anywhere. Write today.



National
MODEL DISTRIBUTORS
2516 N. GREENVIEW AVENUE, CHICAGO 14

pected to pave the way to the eventual attainment of speeds up to 1,000 miles an hour with long-range, propeller-driven bombardment, troop-carrying, and transport aircraft. At first, these recently announced props will be used in planes capable of cruising up to 600 miles an hour. C-W research indicates, however, that double these speeds can be achieved in propeller-driven aircraft of the future. C-W's turbo-electric props are designed for use with turbo-prop engines as powerful as 20,000 horsepower! They promise both higher speeds and greater fuel economy. Among the first military installations will be the application by the Air Force of turbo-electrics to the turbo-prop version of the long-range Douglas C-124 troop and cargo carrying transport.

Allison Jets

(Continued from page 27)

schedule. These developed far more power than the biggest reciprocating engines, but they had short life and were plagued with all the troubles of a new product. Today, many problems still remain but as a result of hard work and experience, tremendous progress has been accomplished. For example, the J33, first turbo-jet engine made by Allison, originally was rated at 3,750 pounds thrust. Present production models develop 5,400 pounds of thrust with water/alcohol injection. In 1945 this engine weighed 1,960 pounds in comparison with its present weight of 1,775 pounds. Formerly the J33 had a life of less than 10 hours on the test stands. Now it is allowed more than 300 hours between overhaul periods. At the same time there has been a 10 percent improvement in fuel consumption.

No one single discovery made this improvement possible because, in all, there were 1,500 changes involving virtually every part of the engine. Some of these changes which have been important to the advancement of the engine are: a weight reduction in the turbine wheel of 55 pounds... the compressor rotor is now assembled in three parts instead of being machined from one casting... changes in the design of the blades have increased the compressor's efficiency... in fact, air flow capacity has been increased by 20 percent at the same compressor speed.

In 1947 Allison added another type turbo-jet engine to its development and production program—the axial flow J35. Like the J33, the J35 has undergone extensive development. Thrust has been increased 45 percent per pound of engine weight, to its present rating of 5,000 pounds of thrust, and it also is allowed 300 hours between overhauls.

Two still newer engines recently have been added to the Allison gas turbine family. Developed for the U. S. Navy, they are the T38 and T40 turbo-prop engines, which develop more horsepower for each pound of weight than any other propeller type engine ever flight-proved.

A single unit axial flow type gas turbine, the T38, has a 17-stage compressor, 8 combustion chambers and a 4 stage turbine. It develops 2,500 horsepower for only 1,225 pounds of weight and is connected to a reduction gear through an extension shaft.

Two of these engines are scheduled for installation in a Convair 240 Turbo-Liner purchased by Allison as a flying test bed to provide experience in turbine-powered transports.

Second new engine is the T40 turbo-prop which actually is two T38 engines coupled together into one twin power-plant. The T40 develops 5,000 horsepower and weighs 2,500 pounds. Contrary to the propellers are driven through two extension shafts and a common reduction gear. Four T40 twin turbo-prop engines power the U. S. Navy XP5Y Convair flying boat at speeds well in excess of 350 miles an hour. One T40

also powers the Douglas A2D.

Activity with these four engines makes the Allison Division the first manufacturer to simultaneously develop and build axial and centrifugal type turbo-jets plus turbo-props. With continuing effort going forward on these four projects simultaneously, Allison is making its bid to keep its place among the leaders in turbine engines both in this country and abroad.

Mr. McCrae's comments are presented through the courtesy of Ryan Aeronautical Company and its "Ryan Reporter."

Half-Pint

(Continued from page 33)

what it was all about, but they filled the bill. The prop—ground-adjustable for pitch—is only 60 inches in diameter.

It took 14 months to design and build the Stits Jr. and it cost Ray \$5,500, counting his labor. When it was finished, his trouble still had only begun. Now came the job of getting it into the air, which involved—first of all—the job of finding someone to fly it. Ray was a licensed pilot but too heavy (180) for the Stits Jr. He tried to take off and couldn't even get the tail wheel up.

He finally found a pilot. The pilot took the Stits Jr. off the ground five times—and cracked up three. He walked away from each crack-up, but Ray had to rebuild the ship. "I'll give him credit for having the guts to try it, though," says Ray.

Then he heard about Bob Starr. Bob was a young crop duster at Lansing—a P-51 veteran of the China-Burma-India theater. He'd joined the Caterpillar Club over the China coast when he ran into Japanese ground fire and bailed out 400 miles south of Shanghai. Since the war he had been doing a lot of air show work besides his crop dusting. He had 5,000 hours of flying time and—of no less importance—he weighed only 160 pounds.

When their baby was well shaken down, Ray and Bob took her on the air show circuit, carting her around on a trailer. Recently they transferred their base of operations from Battle Creek to Phoenix, Ariz., which is Ray's home town. Phoenix, with its year-around flying weather, gives them a chance to put the Stits Jr. in the air any time they feel like it.

Ray's aerial smidgin, licensed now as an experimental ship and restricted only against operations over congested areas, is the star of every show it enters. It's usually the last item on the bill, by which time the crowd, having examined the sprite, is rather evenly divided on the burning question of the day: Will it fly or won't it?

Most people, says Ray, "want to see it fly before they'll believe it." Many demand to know where the "rest of the wing" is. An occasional disbeliever, spying the Stits Jr.'s radio antenna, thinks that's the missing piece in the puzzle. "Shucks," he says, "I'll bet it's radio-controlled." Ray's reply is straight-faced: "Yes, but we have to send a man along to control the radio."

At one show last summer, a physician in the crowd bet his companion \$500 that the Stits Jr. wouldn't fly. He paid up like a sport.

"Even when we dicker with the sponsors of air shows," says Ray, "we have to convince 'em. They think there's a catch to it. They're used to gyms."

The Stits Jr.'s air show routine is sweet, quick and simple—a few turns around the field, some straight and level flying and buzz the crowd. Bob stays up no more than a half-hour at a time, keeping a half-hour of fuel in reserve. And no aerobatics, because, of course, no chute.

The ship is so sensitive that Bob flies her literally with two fingers—his thumb and index—bracing his wrist on one knee. "In any other plane you can sit up there, trim 'er up and fly

"Rite-Pitch" Offers a New High in Quality at Lower Prices!

Propellers

NEW 1951 REGULAR
"RITE-PITCH" and
"RITE-PITCH" SUPER STUNT



Made from selected Birch and Walnut with
fine high gloss lacquer finish.

8x4	8x6	12x6	8x8	12x8
9x4	9x6	13x6	9x8	13x8
10x4	10x6	14x6	10x8	14x8
	11x6		11x8	

All at one low price

25¢

LITTLE-PROPELLERS
For the New Little Motors

- ☐ Infant
- ☐ Spit-fire
- ☐ Cub For .049
- ☐ Cub .074
- ☐ Cub .099

NOW ONLY

15¢



ENGINEERED TOYS

6655 East Dunes Highway -- Gary, Ind.

NEW "SUPER SPECIAL 15" PROPELLERS

World's lowest-priced quality
propellers - Terrific mass pro-
duction methods make this price
and quality possible. Everyone
completely finished, hand-sand-
ed, lacquered and balanced.

8x4	8x6	8x8
9x4	9x6	9x8
10x4	10x6	10x8

ONLY **15¢** EACH

Midget Wedge Tanks for the
New Smaller Motors

- ☐ No. 20 Midget ☐ No. 22 Junior
- ☐ No. 21 Baby ☐ No. 23 Senior

Wedge Tanks

- ☐ No. 16 Baby ☐ No. 18 Senior
- ☐ No. 17 Junior


- ☐ "Thimble-Spur" Race Car Tank
- ☐ No. 19

ONLY **60¢** EACH

DEALERS - All leading jobbers can fill your
orders promptly, or write us.

JOBBERS - All nationally advertised "RITE
PITCH" are available before
advertising.

Model Gas Tank



Largest most complete line of
ready-to-use tanks in the world!!
All at World's lowest prices.

Horizontal Tanks

- No. 1 Small No. 3 Large
- No. 2 Med.

Verticle Tanks

- No. 4 Small No. 6 Large
- No. 5 Med.

Square Tanks

- No. 7 Small No. 9 Large
- No. 8 Med.

Clockwise Stunt Tanks

- No. 10 Small No. 12 Large
- No. 11 Med.

Counter-Clockwise Stunt Tanks

- No. 13 Small No. 15 Large
- No. 14 Med.

Model Hobby Cement

NEW FORMULA 11
MIRACLE CEMENT



Today's Sensation Among
Model-builders! FORMULA 11
has everything... everything
a cement should have for care-
ful craftsmanship, for champ-
ionships in any class. Strength,
ease of handling, extra-fast-dry-
ing-15 quality ingredients. La-
boratory-guaranteed. Test
FORMULA 11 yourself. If you
like to work clean & fast,
FORMULA 11, at only 15¢ a
tube, belongs on your work-
bench.

NOW ONLY

15¢

FOR LARGE TUBE

ALL-PURPOSE UTILITY
CEMENT
FORMULA 22

This new sensation, a compo-
sition of Formula 11, does every-
thing you can ask for when you
want a cement that is the
strongest in the world, and yet
is fast drying. The amazing
"Double Action" of Formula 22
makes any job you do easier
and stronger. Yours for only
15¢ a tube.



LARGE TUBE

15¢

"RITE-PITCH"

WORLD'S FINEST GAS MODEL PROPELLERS

along thinking about your girl or some-
thing," he says. "With this job you
think about flying it all the time."

But the Stits Jr. is still sturdy enough
not to require perfect flying conditions.
At the Miami (Fla.) All-American
Maneuvers the wind was hot and gusty,
and several acts had to be canceled.
But the little job came through with-
out faltering. On another occasion it
flew with wings iced over. Only once
has Bob Starr had to make a forced
landing. At a Michigan show his engine
conked. He dead-sticked in without
mishap.

Not unnaturally, the Stits Jr. holds
boundless fascination for curiosity-
seekers. "Everybody has to touch it,"
says Bob. "If the local sheriff stepped
up just before I take off at an air show,
he could get the fingerprints of every-
body in the county."

To casual onlookers such as these, the
Stits Jr. is doubtless a freak. But to
its designer and builder it is far more
than that. He believes the trend in
private aviation is toward smaller ships.
And he is convinced that his mighty
midget incorporates innovations of de-
sign and structure which point the way
to a new type of small, fast sports
plane—in a word, the aerial hot rod
of tomorrow.

That Ray Stits isn't alone in this idea
may be deduced from the fact that a
company in France has expressed an
interest in mass-producing the Stits Jr.
But Ray intends to go it solo. He has
already started construction of another
ship—not quite as small as the Stits
Jr. but still smaller than a Cub—which
he intends as the prototype of a speedy
little sports plane to be manufactured
by his own firm. The test pilot for the
firm? Bob Starr, of course.

The vision of airports all over the
country a-swarm with these aerial gnats
may seem far-fetched. But don't bet
your money that it won't happen. Ray
Stits, if you'll remember, is a guy who
loves to put the skeptics in their place.

TWO NEW AND TERRIFIC!!! COMPLETELY PREFAB SCALE MODEL POWER BOATS

Kit Contents: • Carved Lower
Hull, Notched and Drilled for
Stuffing Box • Die Cut Ma-
hogany—Cabin Sides, Front,
Rear, Transom, Deck, Hatches,
Cat Walks, Toe Rail • Ply-
wood Firewall • Die Cut Bulk-
heads, Frame Members, etc. •
Complete Hardware Kit •
Shaft, Stuffing Box, Universal,
Prop • Cast Parts: R & L
Running Lights, Bow Light,
Mast Head Light, Cleats,
Chocks, Vents, Horn, Eye Bolts
• Wire for Cabin and Cock-
pit Hand Rails • Celluloid •
Decals • Full Size Step by Step Drawings and Instructions.

The Richardson '27' is one of the most beautiful cabin cruisers afloat. This authentic reproduction
is ideal for running with any 1/2A to A engine or electric motor, or the center of attraction on
your mantle. Kit B-1 \$5.95.

\$4.95 mail add 30¢



Richardson '27'
Length 17" Beam 5 1/2"

Parts: Bow Light, Mast Head Light, Cleats, Chocks, Steering Wheel • Full Size Step by Step Drawings and Instructions.

This Higgins '17' Sport Speedster is a real eye-catcher, both afloat or on your mantle. The simplicity
of construction makes it a must for every model builder. Perfect for running with any 1/2A to A
engine or electric motor. Kit B-2 \$4.95.

ASK YOUR DEALER FOR THESE MODELS AND EQUIPMENT.

Kit C-1 Monocoupe	\$4.95	Kit C-5 Polish Fighter	\$5.95
Kit C-2 Howard Pete	5.95	Kit C-6 S. E. 5	5.95
Kit C-3 Mr. Mulligan	4.95	Kit D-1 Maverick	1.00
Kit C-4 Waco	5.95	Hawk	1.50

STERL-X Tubing 12c and 15c Ft.

Sterline Tubing 20c and 25c Ft.

Add 30c postage on each above unit.

Sterling Models 1530 N. HANCOCK ST., PHILA. 22, PA.

The Finest Engines Ever Built!

GET THE TRIPLE THRILL

FORSTER ENGINES

Easy Starting
And Sweet Running,
Super High Speed
Performance!

Lowest Price
At Which Truly
Fine Engines Have
Ever Sold!

FASTER

Now
ON DISPLAY
AT YOUR
DEALER

ONLY \$14.25

"better than ever"

What Are You Waiting For?

Do not be left out in the cold!

See the
FORSTER "Twins" before you decide.

**COMPARE THEM, . . . for
Modern Design, Fine
Workmanship, Easier
Starting, Smoother Run-
ning, Higher Speeds,
Greater Power, Bigger
Value!**

write us for free literature

14,300 R.P.M. with 7 x 9 Prop.

Forster Brothers
82 E. Lanark Ave.,
LANARK, ILLINOIS

Prof. Phugoid

(Continued from page 51)

line considerably more than two or three degrees downwards. This is an easy adjustment to make, particularly in the case of the gas model, and it is certainly O.K. to use it as the vast majority do. However, the popularity of its use in most cases results from the fact it is the only method of correction known rather than being preferred, and when the amount of downthrust required is greater than two or three degrees the trouble lies in having too stable an airplane. Then the procedure outlined above should be used for best results.

The author has taken several rubber and gas models with extremely large amounts of downthrust which the owners claimed to be necessary to prevent looping under power, and improved the duration considerably by removing most of the downthrust, shifting the center of gravity to the rear, and retrimming with the stabilizer for a good glide. The reader is encouraged to try this method as the results are readily noticeable and quite pleasing.

Careful observation of the flight path will point out whatever bad features in design or adjustment are present. If a model, particularly a rubber one with its large propeller, tends to yaw or fishtail from right to left to right, it is a sure sign that more area should be added to the vertical fin, preferably to the top or bottom. Similarly, if a rubber model fully wound and launched makes one or two rather vicious turns, then straightens out and climbs up, it is definite that more vertical fin area should be added. Rubber models require considerably more fin area than do gas models (in proportion to wing area), because they have, in proportion, much larger props and more fuselage area forward of the center of gravity. The amount of fin area necessary is usually from ten to fifteen percent of the wing area for rubber jobs, and around five percent for gas jobs.

Too much dihedral will cause spiral dives, while an insufficient amount will allow the model to sideslip excessively. The amount is best determined from experience, but a good rule of thumb is to have about eight degrees under each wing when straight dihedral is used. The type of dihedral is largely a matter of personal preference, as all can give good results if the proper amount is built in. Naturally, polyhedral or tip dihedral requires more angle under the outer tips than does straight dihedral.

The stabilizer area on free-flight models usually runs from 30 to 50 percent of the wing area and seems quite large to the non-modeler. While it is true that this large size stabilizer increases the stability, the main reason for using the large size is that it quickly stops or "damps out" any longitudinal oscillations which may occur. Stability can always be obtained with much smaller stabilizers simply by having the center of gravity far enough forward, but a small stabilizer will definitely not provide sufficient damping of longitudinal oscillations.

As a practical illustration, suppose a hot-climbing gas job has the engine cut while the nose is up steeply. With a small stabilizer this model would make a very large number of dips or oscillations before the glide finally straightened out, and much valuable

**MAXWELL---Build This Great Favorite In
A Fascinating Scale Model!**



Everybody loves this little red Maxwell! Once you complete it, you'll treasure it and use it, as a mantelpiece or office decoration! So easy to assemble--so small in price! Maxwell is 7½" in length when completed. 14 famous models to choose from!



Check "OLD TIMERS" You Want:

- | | |
|--|--|
| <input type="checkbox"/> 1911 Maxwell \$2.50 | <input type="checkbox"/> 1911 Buick \$2.50 |
| <input type="checkbox"/> 1904 Olds. \$1.95 | <input type="checkbox"/> 1903 A Ford \$2.50 |
| <input type="checkbox"/> 1910 T Ford \$2.50 | <input type="checkbox"/> 1910 Internat. \$2.50 |
| <input type="checkbox"/> 1909 Stanley Steamer \$2.95 | <input type="checkbox"/> 1903 Cadillac \$2.50 |
| <input type="checkbox"/> 1909 T Ford \$2.50 | <input type="checkbox"/> 1900 Packard \$2.50 |
| <input type="checkbox"/> 1903 Rambler \$2.50 | <input type="checkbox"/> 1914 Stutz \$2.95 |
| <input type="checkbox"/> 1911 Mercer \$2.95 | <input type="checkbox"/> 1910 Harvester \$2.95 |
| <input type="checkbox"/> 1906 "Old 16" Locomobile \$3.95 | |

Mail order to us for your favorites. Add 25c for postage and handling. No C. O. D.'s please.

HOBBYISTS and Collectors want these miniature Antique Automobiles--each one easy to assemble with pre-fabricated parts! Actual 1/4" scale models, they're decorative and authentic. 6 1/2" to 10 1/2" in length. See them at hobby, toy or department stores. They're the cutest things on wheels! Or write to us. Prompt delivery. Guaranteed satisfaction.

"OLD TIMERS" MINATURE AUTO SETS
Mail to: SCRANTON HOBBY CENTER
Dept. 8, Scranton 10, Pa.

"AT" PLANS

- #551--Fleet U-Control scale; Balsa glider trio; Clipper Chisai PAA-Load model.
- #451--AT Interceptor; PAA Cargo Carrier; Whee-38.
- #351--Matthews' Crowbar PAA-Loader f.f.; Beck's Petit Pete A/2'er; Ehling's Wakefield.
- #251--Ole Slippery team racer; Li'l Lightning; Uniliner; Javelin glider.
- #ATA-51--F82 twin-engine U-Control scale; Bellanca Pacemaker; Easy-Bo free flight.
- #151--Reinhardt's stunt winner; Little Twister free flight, Semi-scale Bellanca; Sopwith Dolphin.
- #1250--Heath Parasol and Mid-wing; Hi-Pressure Pete stunt job; Miss Quito free flight; El Dobo rubber.
- #1150--Wee Bee scale free flight and U-Control. DeHavilland Moth; Screamerliner "60"; Kinglet.
- #1050--Delanne semi-scale Duo-Mono; Strato Flash free flight; Buhl Pup; Peppy U-Control trainer.
- #950--Pitts-Skelton aerobatic biplane; DeHavilland twin-engine Comet; Little Senator A/2 free flight.

NOTE: Allow 3 weeks for delivery by Third Class Mail. For First Class add 9c postage per plan ordered; for Airmail add 18c postage per plan ordered.

Air Trails Plan Service

304 East 45th St., New York 17, N. Y.
I enclose 25c for each plan listed:

List by number _____

Name (print) _____

Address _____

City-Zone-State _____ (AT-551)

altitude would be lost. With the large stabilizer, however, the glide should be steady after only one or two dips, and relatively little altitude would be lost.

There is one trait of certain models of very "clean" design that should be mentioned. It so happens that an airplane which is quite smooth aerodynamically may be trimmed perfectly for a good flat glide, but after gliding well for a while will develop, very gradually, a pitching oscillation which eventually works into severe and violent stalls. That is, the model will be gliding perfectly and then a slight dropping of the nose will be noticed. This is followed by recovery and nosing up slightly, after which comes a greater nosing down motion, and so on, until the severe stall is reached.

This motion cannot be corrected in the manner used for preventing the ordinary stall, for if positive stabilizer incidence is put in, the ship will dive or glide much too steeply. The only correction that can be made easily for this condition is to make the model circle more tightly. This will work in most cases. The other, and certainly less desirable method is to add a spoiler or something similar which will increase the drag of the airplane.

The technical name for this motion is "phugoid," meaning a divergent oscillation. The effect is present in most every very clean and streamlined full-scale aircraft such as the F-51 fighter and many jet fighters. The motion is very complicated to analyze as it comes about from many factors which affect the dynamic stability of the airplane. It is sufficient for the model enthusiast simply to be able to recognize the motion without confusing it with the ordinary stall, which comes from improper glide trim, and to know how it can be corrected when it does occur.

The effect is most often seen in models of very clean design with folding propellers which are not gliding in very tight circles. A sketch showing how this motion develops was shown in Part I (last issue), along with a picture for comparison with the ordinary stall.

Big Dirigibles

(Continued from page 31)

of our national fuel supply.

Used as a flying tanker, or carrying supplies and personnel, the dirigible would be an important supplement to the nation's transport planes and its merchant marine. Also it might bring wounded men back to the mainland on its return trip.

The craft could be operated from the blimp bases built along both coasts in World War II, could be serviced for the return trip at masts quickly set up wherever needed overseas.

There are other places where the big ships might be used. Some preliminary studies have been made of the possibility of using them as radar interceptors in the Polar regions, cruising at low speed for long periods. There is also the possibility of their acting as flying laboratories in the development of atomic engines for aircraft.

It might be pointed out also that an airship need not be put away in moth balls in time of peace. It would be a simple matter to convert it to commercial use, which is, perhaps, its real field. For the dirigible can carry passengers with a comfort comparable to the luxury liner, except that there is no seasickness aboard. Its great size enables it to smooth out the rough air which often makes airplane travel uncomfortable. The large rigid airship is

Wow! **2 New F-B Fly Boys!**



VAMPIRE

40" span, 9" chord, wing area, 360 sq. in. Ready-built fuselage, die cut ribs, shaped and formed parts. Formed landing gear.
Class B-C.....**\$4.50**



"FOLLY" 1/2 A FREE FLIGHT for all Engines .035 to .074.....**\$1.75**

F-B BLAZES THE TRAIL WITH THE HOTTEST STUNT SHIPS FOR '51

VIKING

51" span, 11" chord, wing area 550 sq. in. Prefabricated fuselage, die cut parts, easily assembled, short building time.
Class C-D.....**\$5.75**



4 More F-B Aces

that make friends

- Baby Sky Box Stunt & Trainer, Class A-B... **\$2.95**
- Piper Vagabond Scale Stunt, Class A-B... **\$3.95**
- Sharpy-Stunt Plane, 517 Sq. Ins. — 47" span, 11" chord. For class C-D engines. .49 cu. ins. up..... **\$4.95**
- P-T Trainer — prefabricated profile. 155 sq. in. — 26" span. For class A-B engines. .099 29 cu. in..... **\$1.99**

F-B MODEL AIRCRAFT — 3240 LARIMER — DENVER 5, COLO.

MAECO TANKS 4 CC PROFILE 50¢ ELMIC

MINI TANKS 50¢

control line 2" 1 1/2" 3/4" 2oz 1.25oz 1.5oz 5oz

free flight 25oz 5oz 1oz

CLEAR TANKS 5 9 18

30 sec. engine run but your eyes decide

SEE YOUR DEALER

MODEL AIRCRAFT CONTROL CO. Box 333 Sta. D New York City 3

MODEL AERO ENGINEERING CO. Box 536 Reseda, Calif.

The Finishing Touch!

SCAMPER SPINNER

- Absolutely wobbleproof
- Flywheel action maintained
- Fits all standard props
- 4 sizes: 1 5/8", 1 3/4", 2 1/4" diam.
- Colors: Red, Black, Yellow, Silver



EACH ONLY **45c**

The Sensational 5 1/2-3

SCAMPER PROP

for Small Bore Engines

- Aerodynamically engineered
- Static balance tested
- High tensile strength
- Low impact resistance
- Crankshaft insurance
- Guaranteed all-around finer performance

Once you try it you'll see why its popularity has been unprecedented.



EACH ONLY **25c**

Size 6-4.....25c
Size 9-6.....40c
1/4" Brass Sleeve, 5c extra

5 1/2-3 Size 10-10.....65c
Size 11-8.....65c

If your dealer can't supply you, order direct, enclosing 15c for packing and postage.

DEALERS! JOBBERS! Write!

H. & P. PLASTIC PRODUCTS CO.
GRAFTON, OHIO, U. S. A.

an opportunity America has, up to now, not utilized. We should be readying them for service now before it is again too late.

The establishment of a commercial airship line would, in another emergency, provide the nation with a merchant marine of the air, with a full complement of bases, service facilities, and trained crews available for duty on short notice.

No form of transportation can rest on its laurels for long; there is an unceasing trend for improvement. Our own generation has witnessed progress in overland transportation from the oxcart and horse-and-buggy days to the automobile era, and now the adoption of petroleum-powered vehicles for air transportation. Priority traffic bids fair to shake off the shackles of land transportation to take to the air. Progress will demand this.

There have been similar and paralleling developments in transoceanic transportation. The age of sail gave way to the age of steam and wooden ships were replaced with vessels built of steel. Here, too, the trend is inevitable for priority traffic; the ships must be made of lighter materials like aluminum, and lifted from the surface of the seas, to sail through aerial oceans instead. Water displacement must give way to air displacement.

With high-speed planes, low-speed surface ships and medium-speed airships, America could have the greatest global transportation system of any country—and due to our monopoly of non-inflammable helium gas, is the only country which can use all three. And this country flanked by broad oceans could use the long-range airships to better advantage than any other on the globe.

Most of the criticism of the airship is due to lack of understanding or misunderstanding. It is not a combat craft, and is not invulnerable any more than transport planes or lightly armed and lightly armored surface ships. Like other transports it would need air cover. Used in its proper place, however, it could materially step up the movement of war materiel over water.

Airships have been lost, but setbacks are to be expected in any new vessel, or even those long established, like the railroad train and the steamship.

That lighter-than-air craft can be flown safely is attested by the long record of ocean crossings made by the Graf Zeppelin and the Hindenburg, up to the time that the latter was lost—a disaster which would not have happened if the safe American helium had been available to it, instead of the inflammable hydrogen. Helium will definitely not burn.

Further indication of airship safety is given by the half a million passengers carried by the Goodyear blimps all over America in the last 20 years without a single passenger casualty, or for that matter by the excellent safety record made by the Navy blimps in World War II in their anti-submarine patrols of both coasts, and the Gulf of Mexico, and even as far south as Rio de Janeiro and east to the waters of the Mediterranean.

America has no rigid airships today. However, this country has the construction sheds and specialized equipment needed to erect them; the largest accumulation of engineering and research experience available anywhere in the world; an all but inexhaustible supply of helium; and finally a pool of 3,000 flight personnel and 7,000 ground service men who trained on blimps during the last war and could adapt their experience to the larger ships, using a small training airship, if necessary, as a first step.

The fighting may end in Korea, but we have had a warning. The threat to national security and world peace will remain. Rigid airships, like battleships and carriers, take a long time to build. We should get a transport airship construction program started without further delay.

francisco fuels

FIRST...

FINEST

in the field of Racing Fuels

Acclimatized Volatane Control.

Purity Protected.

Proven Performance.

YOU ARE ASSURED OF THESE IMPORTANT FACTORS IN EVERY DROP OF

POWERMIST • SPITFIRE BLUE BLAZER

FUEL OF THE CHAMPIONS

FROM THE WORLD'S FIRST, LARGEST, BEST EQUIPPED RACING FUEL LABORATORIES FRANCISCO LABORATORIES 3147 ORCHARD VIEW DRIVE LOS ANGELES 36, CALIFORNIA

Announcing NEW MODELS

24" REPUBLIC F84F

Swept wing Jet Scale
Power 1 or 2 Jetex motors

30" FOKKER D-7

Prefabricated Scale
Power 1/2A .045 to .099 gas

Large two engine modern bomber—gas model.

These models will be ready about April 15 and will be worth waiting for. Prices will be announced later.

Miniature Aircraft Corp.

83 Low Terrace Staten Island 1, New York

ACME ALL BRASS TANKS



TYPE "C"
1/2 oz. and 1 oz.
75c

TEAM RACING • SPORT • SCALE • SPEED

Here is the tank everyone is raving about. No bottom vents for fuel to leak out. New unique top vents give perfect feed at the right pressure.

See your dealer for other Acme tanks. We have a style to fit every plane.

Free Catalogue Sheet on Request

ACME MODEL ENGINEERING CO.
8120 7TH AVE. BROOKLYN 9, N. Y.

XF-92A

(Continued from page 40)

The body could be turned on a lathe. However, as it is rather small, too much difficulty should not be encountered if done entirely by hand. If lathed, be sure to use high speeds and sharp gouges and skewers, otherwise tearing of the wood will result. Sand and clear-dope while still on the lathe and don't forget to use fine grades of sandpaper at all times. Number 350 or 400 Durex wet or dry is all that is necessary on soft balsa. Before splitting the blocks for hollowing out, be sure that the two coats of clear dope are thoroughly dry. This will keep the thin walls strong and they will have less tendency to warp. Carefully gouge the inside to a thickness of about one-eighth of an inch. Hold the shells up to a light now and then to be sure you are not getting it too thin in places. Now sand the inside and give one coat clear dope. Note the shape of the Jetex mounting screw holder. Carve from a medium or hard block of scrap balsa. Split the block on a straight line along the side and imbed the mounting screw, making sure it is perfectly straight in all directions.

Glue the top half over it and when dry, glue the completed block in place on lower shell. Now glue the two shells together and set aside to dry. The plans show this installation for the Jetex 100. If you are going to use the 200 Jet, lower the mounting screw line one eighth inch as shown on the plans. Also glue mounting block further forward one-half inch. You will have to fly without the hatch in place when using the larger jet.

You can now very carefully cut the three slots to take tail and two wings. Cut wing slots so that top of wing slot is just at glue joint of the two shells. Give tail slot a two or three-degree offset; or if you wish, you can glue the tail dead on and put a quarter inch offset on rudder.

You can now assemble entire model, checking frequently that the three units are in line. Add bubble canopy. I have used solid balsa ones on mine as this particular size is not available ready-made in Canada. Give all joints a second coat of glue, then let dry before sanding all over lightly. Fill any nicks with filler material and sand again.

Now, for a super-gloss finish. Any high finish, as you probably know, is impossible without a smooth base, so let's start with six good coats of Duco Primer. When dry, sand this with #350 or #400 wet or dry paper, using water. You should continue sanding until it looks like dull glass. Now apply at least fifteen coats of silver dope. This is much easier and quicker than you may at first think. Because the dope should be the consistency of water, it will dry almost immediately. In fact, you will find it will take at least four coats before you can cover the primer coats to a point where you can see the change in color! Therefore, your dope should be mixed to a minimum of of 40% color dope and 60% thinners.

It will dry very quickly but be sure it is dry between coats or it will never dry properly. It is, therefore, wise to wait about five minutes between coats. Apply with a good quality half-inch brush. Mask off the portions that are painted dull black in front of bubble canopy and give one or two coats. Apply decals. The secret of a high-gloss finish when using silver dope, is to apply three or four coats of clear dope at this point and to rub down these top coats instead of rubbing the actual silver dope. Do this rubbing down after letting the clear top coats dry for at least 48 hours. Using a fine rubbing compound, bring to a super-gloss finish. Automobile wax (silicone type) may now be applied, highly polished, and the painting job is finished.

With a sharp knife, carefully remove engine hatch underneath and try your Jetex engine. The model can be flown with or without hatch in place, if using

STRUCT-O-SPEED, STRUCT-O-SPEED, All they want is STRUCT-O-SPEED

Yes, model builders everywhere are "singing out" for Comet's Pre-Fab Easy-To-Build Struct-O-Speed Flying Models! And no wonder—they're tops in value—ease of construction—and flyability!

25¢

(Ask to see other models in this group at your dealer's.)



F-6—FOKKER D-8



F-9—GLOBE SWIFT



F-11—MUSTANG



F-12—MONOCOUPÉ

50¢

(Watch for announcement of delivery date on "K" series.)



K-1—AERONCA



K-2—PIPER CUB



K-3—TAYLORCRAFT



\$1.00

(Ask to see other models in this group at your dealer's.)



M-3—AERONCA SEDAN



M-4—BEECHCRAFT BONANZA



M-5—BELLANCA CRUISAIR



M-6—ERCOUPE

Send 10¢ for illustrated catalog sheet.

Always use COMET CEMENT and COMET DOPE.

COMET MODEL HOBBYCRAFT, INC.
129 W. 29th Street • CHICAGO 16, ILLINOIS

BACK AGAIN—the "R. B. SPECIAL 29"



\$16.95

SEE YOUR DEALER

Model Builders First Choice with Speed • Precision • Power

SPECIFICATIONS
Fuel Admission — Through Rotary Crankshaft Valve
Bore: .750
Stroke: .678
Ignition: Glow Plug
Crankshaft mounted on two Ball Bearings.

The "R. B. Special 29" claims the distinct advantage of being 100% custom, precision built. By machining high grade materials to perfect exactness we give you the best in an engine that money can buy. Rugged construction. Each engine is thoroughly tested at factory before shipment.

Regulation Discounts to Dealers

CENTAVE MANUFACTURING CO.
15209 ASPINWALL AVE. • CLEVELAND 10, OHIO


CURTISS P40F GAS MODEL



48" Span. Free flight or U Control

Improved with new 2 1/2" alum. spinner and 3" Veco alum. disk semi-pneumatic rubber wheels. Planked type body, parts printed on balsa, and all \$9.00 parts. Set.....

REPUBLIC P47D GAS MODEL



35 1/2" span, 7/8" scale. Length 30 1/2". One-piece moulded, clear plexiglas cockpit enclosure, 2 1/2" scale alum. disk rubber wheels. Body planking full size plans. Uses B or C motor. \$5.95 Set.....

9' TAYLOR CRAFT GAS MODEL



9 foot span. Can use Radio control. Wing ribs die cut. 18" carved prop, radio box, silkspan, cut plywood formers, full size plans, printed balsa, etc. Uses "C" type motor, single or twin cyl. \$17.50 Set without motor or wheels, postpaid

VOUGHT F2G GAS MODEL



41" span, U Control B or C Motor. Scale model of 1949 Thompson Trophy winner. Set has 2 1/2" scale rubber tired alum. disk wheels 4 1/4" aluminum cowl, body planking, moulded, clear plexiglas cockpit enclosure, plastic spinner, etc. This is one of the finest equipped models in the world. Const. \$6.75 set.....

Curtiss F11C4

Grumman F3F1



32" span 1" scale. Const. set. Rubber driven...\$4.50

N. American B-25




33 1/2" span 1/2" scale. Const. set. Rubber driven...\$4.00



Elf 1-3 h.p. 4 1/4" wide. Price.....\$49.50



32" span. 1" scale. Const. set. Rubber driven...\$3.75



M 5-cyl. Gas Motor. 1/2 h.p. 5 1/2" diam. Price.....\$75.00

BOEING PT17 GAS



45" Span. Can use 5 cyl. M5 motor to scale or B or C type motor. U control. Set has scale \$9.95 rubber wheels and all spec. parts.....

Add 20c for postage. Catalog—10c coin

MINIATURE AIRCRAFT CORP.

83 Low Terrace, Staten Island 1, N. Y.

the Jetex 100. In that case, hold it to the fuselage with two strips of Scotch Tape. Use one strip in front for a hinge and after lighting the fuse, quickly close the hatch, and seal the second strip over the rear portion. Be very careful when lighting the fuse not to burn the fuselage; a cigarette is an easy way.

To fly pylon style, punch or drill a hole near the wingtip (not too close to the point or loss of strength here will result) and another about one-quarter inch back from the nose. Tie securely one piece of strong linen thread about a foot long from one hole to the other. Take the nine foot cord from the pylon stick and tie it to the other cord at a point where the model will hang in a perfect triangle when the cord is held at this point.

Place a drop of cement at these points so the cord will not slip. Now one person can hold the stick high above his head while the other can light the fuse. As soon as smoke streams from the rear of the model, the first operator can whip the ship a bit to get it started. From then on, stand back! It will pick up speed quickly and the operator just has to hold the pylon stick with both hands straight up and down. The run will be short and sweet. It is best to whip the jet around a few times after the run to help cool it and also to give your helper a chance to catch it as you slow it down. Be careful at this point not to touch the jet engine as it stays hot for about five minutes.

I have used wheels on a couple of models and also tried a dolly take-off, but as the run is so short I found these additions hardly worthwhile. Scale fans can add these details to this model using paper-wrapping wire and small rubber wheels.

Weight complete, less details, should be about two ounces. By making the body slightly larger through the middle, you can use the Jetex 350, if you so desire.

Balsa Gliders

(Continued from page 45)

The original body was used, shaped to fit individual need. This means that only the original wings have to be removed from the fittings. Thus the mechanism will work at all times. Since sweep-back wing brings the C.G. further back, a larger rudder is used. The wings themselves are cemented in the metal fittings. Launching the folding wing model may be a bit difficult because the rudder must be held between the wings to prevent opening.

To get real high altitudes without any sort of folding wing device, the catapult glider is "the thing." O-O setting of the wing and stabilizer, long moment arm, and small stabilizer contribute to give it arrow-like trajectory. No matter where you point it, that is where it will go. The height achieved will naturally depend on the amount of rubber used. Start with low power and gradually increase. But be sure you have plenty of launching area as well as a lot of running space.

Of course, this arrow launch also means that you cannot have any kind of turn setting. And the glide is more or less at the mercy of the winds. If you try catapult gliders, make sure that the wing and tail are well constructed, that the incidence is O-O, and moment arm long. Any deviation will mean big loops that are liable to catch up with you.

The trouble with towline gliders is that the builder usually has to run with the towline, and thus cannot see what goes on. A cure for this situation is to use a combination of regular towline and catapult. By using about 75 ft. of kite string and 25 feet of 2-strand 18" wide rubber, enough power is supplied by the rubber to give the model almost normal towline pull. This system makes it possible for you to fly

ENGINEERING DEGREE

Graduates in Demand

• Speed-up training in Engineering — Aeronautical, Chemical, Civil, Electrical, Mechanical and Radio (including Television). B.S. degree in 27 mos. Frequent trips to outstanding industrial plants. Modern lab facilities. Earn part or all of your expenses in this large industrial center. Low tuition. If you are called into service while still a student, you will be prepared for a specialized military job, AND can return to school without losing credits. Approved for veterans. Enter June, Sept., Dec., or March. Send for free catalog today.

INDIANA TECHNICAL COLLEGE

351 E. Washington Blvd., Fort Wayne 2, Indiana

27 MONTHS

Ask Your Dealer For-

Airlane CEMENT

EXTRA STRONG! Best for All Model Planes!

- Quick Set
- Crystal Clear
- Holds Tight
- Flexible

5c and 10c Sizes

The ONE Cement that does All your jobs!

Airlane MODEL COMPANY

318 W. 29th St. • Chicago 16

DEALERS DEALERS DEALERS

LET OUR 20 YEARS OF EXPERIENCE HELP YOU

TO MAKE MORE SALES AND PROFITS

We have FAST, FRIENDLY and DEPENDABLE service to Maine, Vermont, Connecticut, Rhode Island, Massachusetts and New Hampshire.

One complete source for all your hobby and model needs. Not only the big items, but all the small ones, too. You can count on Northeast the year 'round.

NORTHEAST


1267 Mass. Avenue
Hobby Distributors, Arlington 74, Mass.

DOOLING "29" ENGINES

IMMEDIATE DELIVERY

DEALERS!
Write for Details

\$14.95



TROST

MODEL CRAFT HOBBIES

3111 W. 63rd St. • Chicago, Ill.

gliders alone without anyone to hold the model.

We have a theory for the O-O, long moment arm, 60% balance glider based on *circular airflow*. When a model describes any sort of a curving path, the airflow changes on the model. And this change is such that the stabilizer gets a more positive flow than the wing. The result is that the stabilizer brings the wing into lower angles of attack. This reduces the lift, which may be excessively high if wing is held to the original glide setting, and thus prevents looping. The drag is also reduced. Hence, whenever a glider, or any other model is in a curving path, the circular airflow changes happen. And the O-O setting takes advantage of this fact very quickly.

In the case of the hand-launched glider, you will notice that no matter how it is launched, the climbing path is curving. In some cases, it may be an open helix, while at other times, just a half spiral will bring the model to the top. In case of sweepback, the setting was not O-O. To obtain low lift at high speed, it had to make small or tight circles or loops.

The trouble is that the very setting which gets the O-O glider up, prevents it from having glide turns tighter than we now have. In fact, the glider should be adjusted with the wing flying as level as possible. It is the banking that brings about the downfall. You can experiment with very small dihedral and rudder so that skidding turns could be obtained, or use a flexible stabilizer. The problem is now clear; reduce lift during the high power launch, and bring it back to regular glide angle after the model reaches the top.

You can see why the glider can make only one certain size circle. If you try to tighten it, it will spin in. Fiddling with adjustments will only give you hairline stability which may pop the wrong way in a thermal. The best cure is to find and be satisfied with a bit larger circle.

Construction Hints. A great deal of flight performance will depend on the balsa used. Lightness, of course, is important, but strength should not be sacrificed. Stress loads during the hand-launching period are very high. Of course, it differs from one man to another.

All stock should be quarter-grained. Other grains tend to produce warps after the model is made, and especially under damp conditions.

Airfoil shape is important. Not so much as to lifting qualities as to the importance of having a uniform surface, and so reduce drag to a minimum. Lift and drag determine how long the model is going to stay up. If you increase lift and reduce drag, you are doing the right thing.

While assembling the glider, be liberal with the cement. Not only at the junction point but for a distance away from it to form a cement skin. The major launching load is at the root. By having a cement skin extend about an 1" from the center, you form a socket-like construction for the wing, and transfer pin-point loads over much greater area. This same reasoning applies to tip dihedral joints. In fact, if you want to be sure, use bandage over the joints. This may be especially desirable if you are just starting gliders.

Finishing. The balsa surface definitely needs some sort of a finish. Without a finish, the balsa will be subjected to all atmosphere changes. On a damp day, balsa will actually rise in spots. Another fact is that "fuzz" must be removed or "plastered" to the wing. The finishing will depend on how much extra weight can be used for finishing.

On indoor gliders, the finish should be light. One way of doing it is to run a stream of castor-oil-treated dope along the span, and then spread it with fingers as much as possible. Keep on rubbing with fingers until the dope dries up. In this manner, the solution is forced into the pores. Also, the surface remains smooth after application,

TOP FLITE
MODELS INC.

Fellas
Can a Novice Build FLYING Models?

Yes
Everytime...if

THEY'RE FAMOUS
TOP FLITE
JIGTIME Construction
(Pat. Pending)



Flash photo of 10 yr. old Dave Axelrod flying his TOP FLITE JIGTIME "Rascal-18."

They're GUARANTEED to Fly!
OR YOUR MONEY BACK!

It's amazing what JIGTIME Construction does for fellas who have never built a model and flown it! Dozens of boys, many 6th graders, made repeated tests of Top Flite's JIGTIME Construction. Most of these boys had never before assembled a flying model. What happened? Test after test proved that each boy completed his model—and each model flew!

If you are in 6th grade or higher—if you want the double thrill of completing a model and flying it—get busy today. Go to your model dealer, pick out one of these TOP FLITE JIGTIME models and be sure to follow the simple step-by-step plans. We guarantee you'll have fun building your model and that the completed model will fly or your money back!



TOPFLITE MODELS INC., 2635-45 S. Wabash Ave., Chicago 16, Ill.

BEAUTIFULLY DETAILED SOLID MODELS




8F8 BEARCAT ... \$2.75

British Spitfire	\$2.75	P-51 Mustang	\$2.75
FW-190 Focke Wulf	2.75	F6F Hellcat	2.75
P-40 Warhawk	2.75	P-47 Thunderbolt	2.95
F4U Corsair	2.75	P-38 Lightning	3.50
ME-109 Messerschmitt	\$2.75		

Ask your dealer for "Dyna-Mo". If he cannot supply you write us direct, enclosing check or money order plus 25c for packing and postage—no C. O. D.'s.

DYNA-MODEL PRODUCTS COMPANY
76 SOUTH STREET, OYSTER BAY, NEW YORK



NOW AVAILABLE

Metal Speed Pan for McCoy 29, Dooling 29 and McCoy 19. Lightweight and durable. Completely drilled and tapped, bolts furnished. No machine tools needed, easy to polish. Detailed instructions with each pan.

Class B designed for 1 1/2" spinner.
Class A designed for 1 3/8" spinner.

LIST PRICE
2.75

Now Manufactured By
GENERAL MODEL MFG. CO.
Box 3001 Eastwood Station
Atlanta, Georgia

HAW-KI

HOBBY SUPPLY CO.

WHOLESALE ONLY

ALL NATIONALLY ADVERTISED
BRANDS OF

- ★ MODEL AIRPLANES
- ★ RACE CARS
- ★ RAILROAD EQPT.
- ★ CRAFTS AND TOYS

WRITE
for current
catalog today!

PROMPT
and speedy
delivery

HAW-KI HOBBY SUPPLY CO.
DEPT. AT-2 523 WEST 4TH
Davenport, Iowa

NEWS! E-Z-JUST Minimount



• Test and break-in stand that clamps engines up to .19 displacement in a few seconds! Made of selected hardwood with adjustable clamps and locking pins. Only

85c

STANDARD E-Z-JUST

test and break-in stand. Locks up any engine in a few seconds. Holds it from pulling out while "revving up."

\$1.50

Handiest Case Ever Designed!

E-Z-OPEN SMALL PARTS CASE

• Easy-view clear plastic case with 4 compartments with individually opening and latching covers. Prevents mixing parts or spilling entire contents. Size approx. 7" x 2".

50c

FAMOUS E-Z-JUST PLASTIC CONTROL HANDLES

• Choice of "Standard" 330 lb. test cable leader or "Hot Rock", minimum test 150 lbs.

85c

AT LEADING DEALERS EVERYWHERE
MFG. BY PHIL-LEYS
CHEEKTOWAGA 25, N. Y.

requiring very little fine sanding.

Outdoor gliders need much more protection. They must be made practically waterproof. This means several coats of treated dope with intermediate sandings.

Clipper Chisai

(Continued from page 49)

"(4) Power with payload. First test flights should be made by hand-launching over soft ground, preferably grassy. This is to reduce damage in event of power-on stalls near the ground. If the model shows this undesirable tendency, correct with downthrust (we put about 5 degrees into the test model by adding spacers back of the two top mounting bolts) or by increasing left turn (the rudder trim tab is sufficiently effective for this), or a combination of the two. The model should climb in left circles about 100 feet in diameter and glide in left circles of considerably larger diameter.

"When satisfactory flights are secured by hand launching, bring the model back to hard surface for R.O.G. Raise the tail and push; if it will roll fairly straight (or preferably with a tendency to turn right) for as much as 6 feet, take-offs will be no problem and no fudging is necessary.

"The original model was tested in solid overcast weather (no thermals) with light variable breeze and temperature about 45 degrees F. Fuel was Power Mist in the tank, but a special Japanese brand of kickaboo juice was squirted here and there into the openings just to get things started. The model is extremely stable and makes snap recovery from unusual positions; it actually did a couple of tail slides in power stalls (before we got around to the downthrust and left turn settings) with no tendency to fall off on a wing or enter a power spiral.

"The one surprise of the tests was the appetite for downthrust which the design on paper did not seem to call for. The one dangerous attitude was determined to be a steep right turn, which does bring the nose down into a power spiral headed for trouble.

"Unfortunately, we were a little stingy with tank capacity, so no data on 20-second engine run flights is available. With 15 seconds engine run, R.O.G., payload aboard, the total endurance clocked in at about 75 seconds each for a half dozen consecutive flights. Clipper Chisai has been lots of fun to develop, and she's even more fun to fly."

Instrument Tech

(Continued from page 30)

him to step up to gyroscopics. Within another 12 months, Jerry was laboring on electrical gadgets. By that time he considered himself ready to tackle any job they might hand him.

Jerry declares none of these jobs is really tough—"just read the manual." But the books don't cover everything. For example, that pesky oxygen gauge, perhaps as simple a device as any man could be asked to repair or calibrate. This device includes a Borden tube, a beryllium copper U-shaped affair closed at one end. Increasing pressure tends to straighten the tube, and the pressure is read on a dial. This particular tube was okay at 500 pounds. At 1,000 pounds true, it registered 1,300. At 2,000, it showed 2,800. It was important to know exactly how much oxygen remained in the master cylinder. Jerry checked and re-checked. At last he discovered a screw slipping ever so slightly as higher pressures were reached. A new screw and nut cured that ailment.

For most tests, of ailments involving

THE MODEL WITH

9 Lives!

Features c-o-o-l, longer lasting

MAGNESIUM ALLOY BOTTOM



159.6 M.P.H.

Class 'A'.....\$5.95
Class 'B'.....\$6.50
Class 'C-D'.....\$6.95
Ready now! 1/2 'A' Kit

FREE 'T' SHIRTS
AWARDED MONTHLY

for best, confirmed speed flights with
HELL-RAZOR in Class A-B-C-D

HELL-RAZOR TROPHY ANNUALLY
for best, annual flight with HELL-RAZOR.
Separate Trophy for each class



Redi-Carved

fuselages save 4 to 6 hours carving time! Magnificent, super-detailed! Finest values in the field!

MINIATURE SOLIDS \$1.25 EA.

Focke-Wulf 190 Jan Zero Kingfisher \$2.00
Hawker-Typhoon Republic P-47 Lockheed P-38 \$2.00
Grumman Hellcat N. Amer. P-51

DELUXE GIANT SOLIDS

Most above aircraft available also in larger scaled kits from \$2.50. Complete list with order.

NAVY FLOATS Edo Design, balsa covered, 22" long, sustains 3 lb. weight. Detailed plans. Comp. Kit. **\$1.50**

MAIL ORDERS Filled (No C.O.D.)

Consolidated

3087 Third Avenue, New York 56, N. Y.

DARWIN SHAKE-PROOF TANKS

A tank for every plane and engine size



Pee Wee Series

B Series

S Series

M Series

L Series

SPECIAL #0
1 OZ. SPEED

All tanks constructed of hot fuel proof brass.
All tanks soldered so they will not shake loose at the tube or seams.

Sold only at Your Dealers. Distributors' Samples and Discounts on Request

DARWIN MODEL AIRCRAFT CO.
Ann Arbor, Michigan

GLO-FUEL

Midwest's prize winning Glo-Fuel, is definitely the best you can get.



"NITRO XX"

NITROXX is a nitrated, highly rated, superbly blended Glo-Fuel.

FOR 1/2 A ENGINES

1/2 PINTS .40¢



MODEL AIRCRAFT CO.

1546 W. 64th ST.

CHICAGO, ILL.

worse troubles than obscure slippages, Jerry turns to precision instruments that either help locate faults or check out his work. He uses a stroboscope on gyroscopes and tach mag generators. He calibrates airspeed meters in reference to manometer readings. All gyroscopes he subjects to the rolling, pitching and vibrating of a Scorsby, a machine that duplicates the ride in an airplane in rough weather. And he knows that, directly or indirectly, the CAA is looking over his shoulder. Sooner or later, if he makes a serious mistake, his error will catch him up.

Jerry doesn't hesitate to tackle new instruments. Nor does he recoil from big words. Take the VHF Navigational Receiver, made by both Bendix and Collins. This amazing instrument is now being installed by CAA. You've heard of it as the omni directional radio range, called ODR. It is designed to fulfill navigational and communication requirements of all types of aircraft.

"The receiver," Jerry read in a manual, "is a double conversion super-heterodyne having a tunable first I-F of 19.5 to 21.4 mc and a second fixed I-F of 3.2 mc. Injection frequencies for the first converter are obtained from a group of 14 crystals selected by a tap switch driven by the megacycle auto-positioner..."

He hits this mouthful of words and apparatus during his second year, provided he thinks he is ready, and provided further his section chief also thinks he has become sufficiently proficient. Here he is doubling in two fields—instruments and radio. If he is a hammer and tong mechanic, he will have dropped by the wayside before now. He will get some toughies during coming months—toughies like this:

Flight 112 landed at Los Angeles International Airport not long ago to the accompaniment of a notation in the pilot's log book: "Right gyro drifts." That was all, three little words. An instrument line maintenance mechanic removed the ailing gyro. Shortly the instrument reached the instrument shop, and by routine landed gently on Jerry's bench. Now it was his double-barreled chore to find the trouble and fix same.

Did the fault come from a kinked line and resulting vacuum shortage? Jerry checked. He set the magnetic compass at 360 degrees, but the gyro swung away four degrees. No trouble with the vacuum line. What then? Rotor off balance? Experience pointed to unbalance as a probability. But some deeper cause must produce this evil.

Jerry consulted the gyro's record. Nearly 3,700 hours since overhaul. That left only 300 to go before routine overhaul. Might as well give it the works. He disassembled the unit, down to the last ball bearing. He polished all pivots, taking care not to scratch their shining surfaces. He cleaned other parts carefully. He inspected various surfaces under a magnifying glass to make certain no lint or dust remained.


During this procedure he found one end of the rotor bearing impinging ever so slightly against an outer surface. Everything cleaned, he re-assembled the instrument, working carefully but rapidly. At last he ran it up to operating speed—1,400 rpm—then shut off the power. Consulting his watch, he observed the spinning shaft. Unless it coasted 12 minutes, it wasn't ready for service. That's how freely running must be these neatly fitting assemblies. After 13 minutes, he knew the gyro was trustworthy, hung a "go" ticket on the assembly and returned it to the stock room.

Jerry's willing for the flight crews to take the credit for good performance. They bring their loads through safely, and usually on schedule. But why? Because Jerry, and others of his kind, stack those aircraft with instruments the flight crews can believe because their dials mean exactly what the inner workings tell them to say.



- .065 Engine
- Fuel Tank
- "Spitfire" Glow Plug
- Comb. Clip
- 6" Propeller
- Accessory Wrench
- Motor Mounts
- Mounting Bolts

\$7.95
COMPLETE



Two More "Spitfire" FIRSTS
FOR FUN IN '51
KING of the MINIATURES

More POWER Than Any 1/2 A Engine.

NITROMIC Glow Fuel

NITRO Power for Glow Plug Engines

- Power Plus
- Guaranteed "Spitfire" Quality
- Easier Starting
- Anti-Friction Additive

85¢

A PINT
OF POWER

Cleans as it runs

Only the BEST
can be FIRST

The UN-BEATABLE COMBINATION

MEL ANDERSON
Manufacturing Co.
1819 THIRD AVE., LOS ANGELES 19, CALIF.

SHIPS AND HISTORIC MODELS



New exciting catalog of historic Autos, Planes, Trains, Fire Engines, Cannon, Boats, etc., etc. Over 300 illustrations with many historic notes.

Send for your copy now. Only —25c. Military Miniature Catalog—15c.

CORR'S

812-818 Ninth St., N.W.
Washington 1, D.C.

AEROMODELLER



ANNUAL 1950

SPECIAL 10 DAY TRIAL

We want you to see one of the AEROMODELLER ANNUALS on 10 day trial. The 48, 49 and 50 Annual contain 512 pages, 152 plans. You will want a complete set after seeing one. They contain Radio Control Wakefield results, Team racing, Free Flight scale control line, International A-2 gliders, Jet, Rocket, etc. World's records listed.

Low speed dynamics, design charts, Engine Analysis, etc. Material is gathered from every active Country in the World, published in England, \$2.98 each, cloth bound. **DROP US A POSTAL TODAY** — 10 DAYS RETURN GUARANTEE... UNLESS 100% SATISFIED YOU RISK NOTHING.

Year subscription to Aeromodeller magazine \$3.50. 32 page plan cat. book lists sample magazine 10c.

GULL MODEL AIRPLANE CO.

10 East Overlea Ave., Dept. A.T., Baltimore 6, Md.

WHODUNIT?

MUTUAL did it...

built the biggest and best series
of MYSTERIES on the air!

Hear them all...

SUNDAYS

UNDER ARREST

MARTIN KANE, PRIVATE EYE

THE SHADOW

TRUE DETECTIVE MYSTERIES

NICK CARTER

ADVENTURES OF

PETER SALEM

WEEKDAYS

CRIME FIGHTERS

MURDER BY EXPERTS

OFFICIAL DETECTIVE

JOHN STEELE, ADVENTURER

MYSTERIOUS TRAVELER

THE HIDDEN TRUTH

INTERNATIONAL AIRPORT

I LOVE A MYSTERY

... on your **MUTUAL Station**

All APRIL long Street & Smith
Publications and your newsdealer
are cooperating with the
Mutual Broadcasting System and
its 548 stations to celebrate

"MAGAZINE MONTH"

Take this prescription for tired,
tense times

ENJOY GOOD READING

in a Street & Smith Magazine—
Mysteries on your Mutual station

Air Mobilization

(Continued from page 16)

Scale models may be an important means of teaching aircraft recognition. During the last war, the Navy conducted a nation-wide contest in the schools to produce thousands of models for training its own personnel.

Actually, models for such purposes can be stamped out of plastic in mass quantity. As a cold matter of dollars, the laborious hand carving doesn't pay. But there is something in the hand-carved job that doesn't come out of a mold; it's from the heart of a youngster trying to do something for his country and, in the process, learning something the nation needs its rising generation to know.

Both the making and viewing of models fixes the look of each plane on the memory. Model clubs should not wait but should get in touch with local civil defense authorities to see how they may help.

Civil defense flying, though federal clearances were long delayed, has been organized in many States.

The civil defense machinery has needed operators—not only volunteers but full-time supervisors hired by states, counties, and cities. As the Governors were urged early in the year to get organized by April, there should be sources of information in your vicinity.

Mobile air-ground units are now stressed by Civil Air Patrol. As many as possible will be formed in every state by this auxiliary of the Air Force.

Either the local CAP Squadron or Flight may become a mobile unit or it may form one or more within its present structure. Each mobile unit will be divided between air and ground personnel.

Readiness for an atomic strike is a main goal. A unit prepared for that, of course, can well cope with other emergencies. It is realized that the number of lightplanes available can not carry nearly enough supplies for the complete aid of a stricken city.

But there are enough to do a big job of scouting over the ruins, taking tests for radioactivity, finding a place to land, and bringing the first doctors and medical supplies. As planes go out for more supplies, they can evacuate badly injured patients.

That is CAP's new rallying point. In addition to its own members, CAP is willing to train some non-members and thus enlarge the force it can call out in emergency.

The rule still is that men and women 18 and over can join CAP as senior members; young people 15 through 17 as cadets. While there are limits as to the use of cadets in the sort of missions that be flown after enemy action, the cadets get substantially the same training as the seniors, including the opportunity to take the CAP officer candidate course.

In the last war, CAP training was good for those who entered the service, whatever branch they might choose. It helped many pass tests that untrained recruits failed.

Civil Flight Training is a hope this year. Before the last war, the Civilian Pilot Training Program prepared many young people for the air forces.

Today, the only such program has been G.I. training, for veterans only. So only 3% of the currently valid pilot licenses in the United States are held by "teen-agers."

Recognizing that it is the young who will be most needed for military pilot training, Congress is considering bills for an airman training deal, not only for pilots but for mechanics and technicians.

Another pending bill would give flight training to the Air ROTC students at 125 colleges. The Air Force intends to add 62 more colleges to the list.

Month by month, the opportunities for air-minded young people are broadening in this country.

MONO-LINE TUFFY

Class Half "A"
Span 24"



No Loss of Control Should Line Become Slack

Will Loop, Fly Inverted, Do Figure Eights

Practically Unbreakable

Flies on 50 to 100 ft. Long Line

Complete Prefab. Kit Only \$1.98

Mono-Line Control Unit Only98¢
Mono-Line Control Handle Only . . . \$1.50

NOW AT YOUR DEALER
If He Can Not Supply, Order Direct


Victor Stanzel & Co.
Schulenburg, Dept. A, Texas

★ ★ ★ ★ ★
Our 378th Advertisement!

REAL DIESEL ENGINE!

\$2.95

You can't beat this price!



- Ideal for planes, boats, midget cars
- Actually runs at 7500 RPM, produces 1/7 HP
- Weight a full 3 1/2 inches; weight 5 ounces
- Comes completely assembled, ready for operation

★ MAYBE WE'RE CRAZY, giving away a precision diesel engine, complete with cylinder and piston, carburetor, crankshaft, connecting rod, etc. for ONLY \$2.95. But we're selling thousands of DEEZILS all over the world, and that keeps our production costs down. DEEZIL is streamlined, compact, rugged. Starts quickly, easy to install, runs for years! Fast delivery if you ORDER DEEZIL today!

★ **SEND \$2.95 plus 25¢ postage** ★

★ **GOTHAM HOBBY CORP., Dept. A** ★
★ 107 E. 126th St., New York 35, N. Y. ★

SMALLSTER AUTO KITS

AUTHENTIC MINIATURES OF CARS OF BYGONE DAYS

GRANDFATHER'S PRIDE OF YESTERYEAR...
FOR YOUR PLEASURE TODAY!

KIT OF THE MONTH

1908
**BAKER
ELECTRIC**
Wheel Base 5"
only \$2.50



Smallster antique auto kits are designed for easy step-by-step construction. contain precision built die-cut parts. Completely prefabricated. kits have realistic details on all plastic parts. Free catalog available.

OTHER SMALLSTER AUTO KITS AVAILABLE AT YOUR FAVORITE HOBBY SHOP

FADOR MANUFACTURING CORP.
301 E. CLINTON ST. • ELMIRA, N. Y.



SPINIT

FOR GAS OR DIESEL MODELS.

START

YOUR MODEL AIR-PLANE EASILY, QUICKLY

IF IT WILL RUN A SPINIT WILL START IT!

The SPINIT is in regular use by thousands of enthusiastic owners. Sturdily built with finger tip automatic release, rubber cushioned drive, powered by steel spring.

ORDER FROM YOUR DEALER!

Or direct if dealer cannot supply you. Standard for A & B gas motors. Heavy for C motors and diesels. Two blade models, short or long drive, \$5.00; three blade models, \$6.00. Specify Model.

STREED ELECTRIC CO. 1315-A Harmon Place.
Minneapolis 3, Minn.

AIR TRAILS



Hobby Shop Directory

Model Builders! Here's a listing of the nation's leading hobby shops. You'll want to file it away—and when you're in the neighborhood, drop in and browse around. They're expecting you.

CALIFORNIA—LOS ANGELES

Nationally advertised model planes, boats, trains, kits and supplies. Weekdays and Mon.-Wed.-Fri. Eves.

PICO MODEL CO.

2540 W. Pico Blvd. DUnkirk 7-5894

INDIANA—INDIANAPOLIS (19)

Model Planes, Trains, Race Cars Motor Parts
Lionel—American Flyer Repairing
10:30 to 7 P.M. Daily

BOB STEELE HOBBY CENTER

1008 No. Emerson Ave.
Irvington 1617

KENTUCKY—LOUISVILLE

Model Airplanes—Motors—Race Cars & Supplies. Complete Parts & Service. Repair shop with South Bend Lathe.

FISCHER'S HOBBY SERVICE

618 S. Fourth Clay 3123

LOUISIANA—SHREVEPORT

Louisiana, Arkansas, and East Texas' most complete supply of Model Planes, Trains, Cars, and Boats.

WEISMAN'S TOY STORE

717-719 Milan St. Phone 3-4345

MASSACHUSETTS—CAMBRIDGE

Model planes, motors, railroads, ships and accessories.

9 to 6 daily and Thurs., Sat. evenings.

CROSBY'S HOBBY CENTRE

1704A Mass. Ave. KI 7-4389

MISSOURI—KANSAS CITY

Model Airplane, Boat, Race Car. Railroad and Hobby Supplies.
Open 8:30 A.M. to 9:00 P.M. and Sundays

NORTHEAST HOBBY CENTER

4825 Independence Ave. BE 7849

NEBRASKA—LINCOLN

Model Airplanes — Race Cars — Railroads — Boats — Handicrafts — Tools
Repair Parts
9:00 to 5:30 & Thursday Evenings.

LINCOLN HOBBY SUPPLY

1123 P STREET 2-4692

NEW JERSEY—HADDONFIELD

South Jersey's Complete Model Shop.

Planes Engines Supplies
Largest Stock
Open noon till nine daily

HIGHWAY HOBBY HOUSE

20 Tanner St. Haddonfield 9-6860

NEW YORK—BROOKLYN HEADQUARTERS!

Everything for model airplane builders. Accessories our specialty. Engines, parts and service. Everything in Air Trails.

PARK HOBBY CENTER

8120 Seventh Ave. Shore Rd. 5-2972

NEW YORK—NEW YORK DEALERS

Tell the local hobbyists about your shop in this inexpensive way. For details write to:

AIR TRAILS

122 E. 42nd St. MU 3-8910

NEW YORK—JAMAICA (3)

HOBBIES — THAT'S ALL!
Regular Hours 9 a.m. to 7 p.m.
9 a.m. to 9 p.m. Mon. & Fri.
9 a.m. to 7 p.m. Saturdays
Holiday Hours (Nov. to Feb.)
11 a.m. to 9 p.m. daily

JAMCO (Jamaica Co. Hobbies, Inc.)
90-04 168th St., Phone JA 3-9140

NORTH CAROLINA—CHARLOTTE

Ask Anyone!
In the Carolinas
It's

CHARLOTTE HOBBY CENTER

131 W. Fourth Phone 4-4188

OHIO—DAYTON

Convince yourself; Since 1928, folks traveled many miles to shop our mammoth stock; Open Sunday

GOOD'S HOBBY SHOP

1729 N. Main St. Taylor 5578

OREGON—PORTLAND

Complete lines of Planes-Engines-Boats Race Cars - Railroads - Vehicles and Handicraft Supplies.

10 A.M. to 6 P.M. Weekdays
Closed Sundays

VIC'S HOBBY SUPPLY

1824 N.E. 40th Ave. Garfield 3108

Senior "19"

(Continued from page 58)

28" and include over a dozen detail assembly sketches, flying details, a chart of flight maneuvers, etc. Another sheet of the same size constitutes a full size "two-view" drawing (a three-view isn't necessary) of the finished plane.

The instructions take up wing construction first, so we did likewise. First job is to cement the two key-lock wing main spars together. The wing tapers in both chord and thickness, so the spars were set end to end and upside down on a smooth surface while the cement dried. Incidentally, all three grades of Testors cement can be used to advantage on this plane. For most of the balsa work, the "Formula B" (fast drying) is best, except when fastening the two molded fuselage shells in place, when the slower-drying "Planking and Sheet Covering Cement" is useful. If fabric covering is used, Testor's "Formula A" (extra fast drying) comes in handy.

The ribs fit in their spar slots just like "turning a key in a lock," as the ads claim. Furthermore, they hold themselves tightly in place, as does the slotted and shaped trailing edge. When you have this much assembled, your wing is very near completion.

Tail surfaces are quickly built from sheet balsa. The usual fabric tape hinges hold elevators and stab together, and the control horn is completely formed ready to cement in place.

The molded fuselage pieces are necessarily made a little oversize, and must be trimmed at the edges for a perfect fit. This trimming should be done with care as the sides must fit over the keel and former assembly very closely in order to attain the maximum fuselage strength. The only point to watch, when fastening the first side to the keel, is to be certain the latter is not forced out of line during the process.

It helps to lay the keel-former assembly on its side over a series of equal-height blocks laid on your table. Then you can press the molded side piece down against the keel with no danger of deforming it. Addition of the second fuselage side later on in the assembly is a cinch, as the combination of keel and first side is very rigid.

The motor and nose section parts are fitted before the final fuselage half is clapped on. You will note that the plans and pictures show a metal prop spinner and it's just as well to fit one, especially to keep your ship balanced as was the original. The final balance point, incidentally, should be between the front lead-out wire and the wing spar. You can, of course, fly the ship successfully with a balance quite different from this, but if you hope to do the full stunt pattern, you'd better balance the ship properly to begin with.

A large sheet of heavy model tissue is supplied with the kit. Doping, fuel proofing, plus decal or other decorations just about finish the job. Before attempting a flight, take a final check on the balance point specified above, and correct if necessary.

We learn from Chief Engineer Bast that the 19 was the basis for original development work on the Senior. After the design was worked out, the 29 and 9 versions were scaled up and down as required. Some of the many test models were low wing and others had flaps. While good results were had with the latter, it was felt that unless they are perfectly installed and adjusted, the pilot—especially if inexperienced—would tend toward erratic and jerky maneuvers. The experienced builder and flyer, however, should have little trouble in adapting flaps to the Senior design and getting worthwhile results from them.

In addition to the undoubted novelty and usefulness of the special construction features of the Senior kits, the makers have produced an attractive and flyable ship as well. If carefully built,

so that maximum advantage may be obtained from the strong fuselage keel and molded-side construction, the ship is surprisingly light. It must be, of course, to do those consecutive outside loops and vertical eights that have proved to be the downfall (literally) of so many ships and flyers in past contests.

It's interesting to note that of the three sizes in each class, the 19's have maintained a small but consistent lead in popularity, followed by the 29's, with the 9's last. Even so, there is only a difference of 15-20% between the extremes. Other facts and figures furnished by Nils Testor, President of Testor Chemical Company, are also of interest. It is surprising to learn, for example, that advance orders for the Senior kit have been greater than for any of its three predecessors, with the Junior following. However, the Freshman has shown the most steady sales month in and month out. Since it was the first of the series and was marketed over a year and a half ago, this surely indicates a continuous influx of new modelers who wish to start properly with a simple basic trainer.

A useful fact pointed out by C. D. Miller, who builds the McCoy engines recommended in this program, is that the engine, prop, and fuel employed on any one of the three sizes of Freshman kits is applicable equally well to the same size kit in the other three categories. Thus, a builder who starts the series with a Freshman 19 can simply transfer his engine to the 19 size model in Sophomore, Junior and Senior grades.

Dope Can

(Continued from page 41)

ing it alive and active is tough. Ask any Elk, Exchange or sports club director—to name just a few. If the majority of your members are in school you've got to allow for school activities and studies taking a big chunk out of their modeling time. How about rounding up some older members to help keep things

ADVERTISERS' INDEX

May, 1951

Airplane Model Co.....	74	K & R Mfg. Co.....	10
A-J Aircraft Co.....	11	Lincoln Hobby Supply.....	79
All American Model Motor Exchange..	10	Maircraft.....	10
America's Hobby Center.....	6, 7, 9	Margo Kraft Dist., Inc.....	8
Mel Anderson Mfg. Co.....	8, 59, 77	Master Modelcraft.....	81
Atwood Mfg.....	61	Mercury Model Airplane Co.....	65
Berkeley Models, Inc.....	82	Midwest Model Airplane Co.....	76
Cal-Aero Technical Institute.....	5	Miniature Aircraft Corp.....	72, 74
California Flyers.....	Second Cover	Mod-Ad Agency, Inc.....	6
Centave Mfg. Co.....	73	Model Aircraft Control Co.....	71
Charlotte Hobby Center.....	79	Model Craft Hobbies, Ltd.....	59
John E. Clemens.....	81	Monarch Model Co., Inc.....	62
Cleveland Model & Supply Co.....	66	Monogram Models.....	57
Comet Model Hobby Craft, Inc.....	73	Mutual Broadcasting System.....	78
Consolidated Model Engineering Co....	76	National Model Distributors.....	68
Carr's.....	77	Northeast Hobby Center.....	79
Crosby's Hobby Centre.....	79	Northeast Hobby Dist.....	74
Dallas School of Aviation.....	13	Northrop Aeronautical Institute.....	56
Darwin Model Aircraft Co.....	76	Ohlsson & Rice.....	8
Dealers Hobby Supply.....	80	Pan American World Airways.....	64
deBolt Model Engineering Co.....	61	Park Hobby Center.....	79
Development Engineering Co.....	60	Parks College of St. Louis University..	3
Dumas Products.....	8	Phil-leys.....	76
Dyna-Model Products Co.....	75	Pico Model Co.....	79
Edwards' Hobbies.....	81	Pilot Model Shop.....	67
Embry-Riddle School of Aviation.....	18	Polk's Model Craft Hobbies.....	81
Engineered Toys (Rite Pitch).....	69	Radio Control Headquarters.....	10
Enterprise Model Aircraft & Supply Co. Inc.....	55	Ranger Products Co.....	81
F & B Model Aircraft.....	71	Russell Bros. Products.....	16
Fedor Mfg. Corp.....	78	Scientific Model Airplane Co.....	17
Fischer's Hobby Service.....	79	Scranton Hobby Center.....	70
Forster Brothers.....	70	Sky Hobby, Inc.....	80
Francisco Laboratories.....	72	Spartan School of Aeronautics.....	60
General Model Mfg. Co.....	75	Speed-O-Lag Products Co.....	67
Good's Hobby Shop.....	79	Sportco Products.....	10
Gotham Hobby Corp.....	78	Victor Stanzel Co.....	78
Paul K. Guillow.....	53	Bob Steele Hobby Center.....	79
Gull Model Airplane Co.....	77	Sterling Models.....	69
H & P Plastic Products Co.....	72	Streed Electric Co.....	78
Harley-Davidson Motor Co.....	12	Sullivan Products.....	64
Haw-Ki Hobby Supply Co.....	76	Tester Chemical Co....3rd cover, 42, 43	
Henry Engineering Co.....	65	Teterboro School of Aeronautics.....	80
Herkimer Tool & Model Works, Inc.....	Back Cover	Top Flite Models, Inc.....	75
Highway Hobby House.....	79	Trost Modelcraft Hobbies.....	74
Hobby Decal Specialists.....	8	United States Army and United States Air Force Recruiting Service.....	63
Indiana Technical College.....	74	Verdell Instrument Sales Co.....	81
International Correspondence Schools..	15	Vic's Hobby Supply.....	79
Jamco (Jamaica Co. Hobbies, Inc.)...	79	Weisman's Toy Store.....	79
Junior Aeronautical Supply Co.....	60		
Joy Products.....	62		

While every precaution is taken to insure accuracy, we cannot guarantee against the possibility of an occasional change or omission in the preparation of this May, 1951 index.

MEN WANTED IN AVIATION



Take advantage of training at Teterboro School Of Aeronautics where you are surrounded by AIRCRAFT activities—Maintenance—Aircraft—Passengers—Private Flying—Executive Transport—Manufacturing. Here you will train on live aircraft in completely approved aircraft and engine mechanics including jet engines and flying courses. FREE—Write today for big aviation training catalog #AT-5. Please give age.

TETERBORO SCHOOL OF AERONAUTICS
Teterboro Airport, New Jersey

"YOUR SUPPLIERS— NEVER YOUR COMPETITORS!"

NEW CATALOGS AVAILABLE TO
DEALERS - SEND FOR YOUR
FREE COPY TODAY!

SKY HOBBY, INC.

523 SOUTHWEST BLVD.
KANSAS CITY, MISSOURI
and

DEALERS HOBBY SUPPLY

POST OFFICE BOX 594-E
OTTUMWA, IOWA

moving during the winter months? Have you tried any social functions to vary the modeling diet? Any chance for a hobby section in the local papers? This will serve to publicize the club to nearby modelers.

How about some simple contests with a new twist; something like the "Two-Bit" event at M.I.T.? Do you have movies at some of your meetings? That's a good angle not to overlook. Any full-scale aircraft engineers in your vicinity who might discuss design with the boys? How about exhibitions at the Boys Club, YMCA or department stores to bring in more members? Do you have announcements posted in the hobby shops?

The A.M.A. in Washington has a club manual. Do you have a copy? How about contests with some British club? You fly the same type of model on the same day and compare results by mail. Did you ever consider visiting some other club not too far distant? How about the members—both active and inactive—have you polled them on what type of meetings and activities they enjoy most?

Club Chatter. Anybody know the proper address for the Georgia Congress Model Airplane Clubs? Mail is being returned addressed to R. H. Elliott, Box 5068, Atlanta 2, Ga. Mr. Elliott took us to task for not running more news of Congress affairs. If no one gets out the news, we can't print it. Making a real switch, the *Flying Bisons* of Buffalo, N. Y., noted control line club, ran off an indoor rubber meet with the result that that the U-C'ers in the organization "seem to respect the free flight element in the club a little more than they did previously." Or so says Vincent Chimera, corresponding secretary. Who won? Bud Coomer with a time of 1:38.

If your club operates in the Ninth Naval District, there are some corking good films available from the District Public Information Office, Great Lakes, Illinois (don't forget to add the U.S. Navy to the address) which range all the way from naval aviation to Army-Navy football games! Paul J. Ring, remembered for his outstanding efforts at the 1947 National Meet, advises us of the Twin Cities (St. Paul & Minneapolis) meets for '51: *Wakefield Eliminations* late in April or the first part of May; the Twin City area is one of the six chosen for the Eliminations, modelers to go to Chicago. No prizes. Second annual *Talent Scout* contest for June 3rd. For boys and girls under 17. The Scout may be anyone 17 or older. Merchandise and trophies for prizes. This meet is sponsored and conducted by the Association of Twin Cities Hobby Retailers.

The 4th annual *Minnesota Plymouth Dealers'* contest will be held late in July. Trips to Detroit, trophies and cash for prizes. For more info on the preceding competitions contact Mr. Ring at 2816 E. 42nd St., Minneapolis 6, Minn. He will be the contest director. The 3rd Annual PAA-LOAD event in the T-C area will be run off on Aug. 5th. Merchandise and trophies as awards. For entry blanks on this meet contact Walt H. Billett, contest manager, 2548 Nicollet Ave., Minneapolis 4.


Wakefield Notes. The American Wakefield Committee of the AMA under the chairmanship of Ed Lidgard, South Bend, Ind., has done a fine job in shaping up the American Wakefield program this year. An appeal for funds to send a U.S. team to Finland has gone out (\$5,000 is needed) and the committee which includes William Fletcher, Elmhurst, L.I. and Russ Johnson, San Gabriel, Calif., has mapped out a series of preliminary elimination and final qualification rounds that makes real sense.

The committee advises, first, that such commercially marketed devices as bobbins, propeller folding hinges, pre-formed propeller shafts, finished wheels, etc., are not allowed on '51 Wakefield entries. Specifically permitted are manufactured ball bearing thrust washers, gear wheels if a gearbox is used and commercial timer units.


Dates for the elimination meets are April 29 for the East Coast and April 22 for all other areas; semi-finals are scheduled for May 20th; and the finals, the International blue-ribbon event, goes on at Jami-Jarvi, Finland, on July 7 and 8. Russ Johnson (344 Duane Ave., San Gabriel) will supervise elimination meets in Portland, Ore., Salt Lake City, Los Angeles and Sacramento. Ed Lidgard (814 Bryan St., South Bend) will handle eliminations in Chicago, Kansas City, Mo., Dallas and Minneapolis. Bill Fletcher (8708 Grand Ave., Elmhurst) will check on eliminations in Atlanta, Norfolk-Hampton, Va., Cleveland-Akron, and New York City.

Semi-finals will result in two U.S. team members being selected at Sacramento and one each at Chicago, Dallas, Atlanta and Philadelphia. The elimination rounds will determine contestants who will compete at the semi-finals. Those selected for a semi-final competition must have averaged at least 2 minutes and placed within the top 15% at their own particular eliminations.

THE OLDEST



THE NEWEST



ALL THE BEST AT

EDWARDS' HOBBIES

106 EAST CASS STREET TAMPA FLA

EXQUISITELY DETAILED COLLECTOR'S MINIATURES OF ALL NATIONS

TANKS

Moving Wheels on Half Tracks All Metal Scaled 1" to 108

Exciting Mementos for Home Office Club, Den

AMERICAN	RUSSIAN	BRITISH
Gen. Patton..\$2.00	Stalin II.....\$2.00	Lloyd (Mark VI)..\$1.10
Gen. Pershing 1.75	Stalin III.....2.00	Churchill (Mark II) 1.35
King Kong.. 2.00	KV-2 (Heavy).....1.75	(Mark VII) 1.50
Gen. Sherman.. 1.50	STZ.....1.25	Covenanter.. 1.35
Helicat (76mm).... 1.35	KV-1 (Hvy).... 1.75	Sherman VC..... 1.50
Gen. Chaffee 1.50	T-34 (Hvy).... 1.75	Cromwell.... 1.35
Willis Jeep 1.75	T-70 (Light) 1.35	Daimler (Car)..... 1.25
LVT..... 2.00	T34 85 (Med).... 1.75	Inf. Tank..... 1.25
Weasel..... 1.50		

CATALOGS: Ship-Models 35c; Americana (Vehicles, Old-Time Autos, Fire Engines, etc.) 15c. Model Books 15c. Trains (HO-Trix) 15c. Regular dealers discount.

Polk's Model Craft Hobbies, Inc.
314-5TH AVE. (51-AT) NEW YORK 1, N. Y.

MORE POWER THAN EVER!

DYNA GLOW
One Pint....85c

SKY RANGER
One Pint....90c

INFANT
One-Half Pint 45c

DRONE DIESEL
One Quart..\$1.10



RANGER PRODUCTS

P. O. Box 101
Brooklyn 20, N. Y.

Prices subject to change without notice. See your local dealer!

Dealers!

Johnny Clemens suggests



McCoy Baby "MAC"

\$5.95

Dealers... Regular Discounts. If no dealer, include 15c for postage.

JOHN E. CLEMENS 2114 GREENVILLE AVENUE DALLAS, TEXAS

The committee states that eliminations and semi-finals are to be held rain or shine unless the weather report indicates really terrible conditions (winds of more than 25 mph, fog or rain). Postponement or flying under the adverse conditions is left up to the contestants; majority rules.

The Lidgard group has decreed that additional eliminations can be arranged if 15 competitors can be available for flying. These contestants' names should appear on a petition to the nearest committee member. In this manner, prospective contestants who are some distance from an already established eliminations will not be deprived of a chance to compete. The semi-finals will not be changed.

To simulate conditions found in Finland, team members must be determined in non-thermal conditions. In Finland, flying will be at night under the "midnight sun." To do this, flying will be accomplished in three 2½ to 3 hour rounds starting the first round ½ to 1 hour after official dawn. The 2nd round shall be flown immediately after the 1st. The 3rd round is to be completed ½ to 1 hour before official darkness. All flying will be on Sunday.

Processing will be accomplished the Saturday night before the contest. No processing the day of the contest. In this manner, processing will not delay flying the next morning. The place of the processing will be stated on the entry blank. If possible and if facilities are available, the models will be impounded for the night after being processed. In any event, each part of the model will be identified with a stamp, decal or stencil. Second models must be processed simultaneously with the first and will be impounded until proof of need is shown.

Order of flying will be determined by drawing a number. This drawing will take place Saturday night. The numbers will exceed the total expected contestants. Sunday morning, the list of numbers not taken will be prominently displayed and those numbers remaining will be used in numerical order in calling contestants to fly. No excuse will be valid for absence when called to fly.

An affidavit verifying (1) knowledge of the rules, (2) that the contestant is the builder of the model, (3) knowledge of the flying order, and (4) that if a place on the team is won, the contestant will take the trip to Finland (if a sponsor is available) or else announce within one week the inability to go.


Proxy flying is permitted if the builder can show good reason for not attending in person. Both the builder and the flyer must sign the affidavit which can be obtained from the Contest Director in advance.

Contest Directors will be responsible for adherence to the rules. They should provide an adequate quantity of timers who are capable of judging a proper take-off according to the rules. Adequate take-off boards will be provided. Contest Directors may compete if there is competent personnel available to oversee the contest in their absence.

Contestants may enter only one Elimination contest and, if they qualify for a Semi-Final, may enter any one of the Semi-Finals. Entry in more than one Elimination or Semi-Final will disqualify the contestant. Markings on each part of the model will be checked when the model is weighed before each round.


You may assume from all this that for the first time in years some one has put real thought and effort into lining up proper representation for America in the finals. Even if a U.S. team cannot make the finals in person, at least the proxy-flown models should be the best of the crop. To Ed Lidgard, his committee members and all who worked on the '51 arrangements—a low bow.

AMERICA'S HIT KITS



\$2.50


First completely prefabricated scale control-liner for half-A's. One piece fuselage, big 17" span, 95 sq. in.



PRIMER

\$1.40


Realistic profile type for stunt, training or sport. 18" span, 4" chord. .020-.099 displ.



WING

DING \$2.25

Tops for contest flying in ½ A. Span 18", chord 4", .020-.099 engines.



WING


DINGUS

Expert's choice for stunt and sport flying. Span 16" area 90 sq. in. .020-.099 displ.



SKYLARK \$2.00

Sensational contest freeflight. .020-.049 displ. 31" span, 105 sq. in. wing area.



FLIP-FLAP

\$3.50

Revolutionary full stunt job. Big 24" wing, 2" operating flaps. Takes any engine from .074, .099-.23, .29

At your dealers — add 25c kit by mail

MASTER MODEL CRAFT
727 Westchester Ave., N. Y. 55, N. Y.

INSTANT RPM READING

WITH

FOWLER VIBRA-TAK

Now you can stop guessing about your true engine performance. The Fowler precision-built pocket tachometer—VIBRA-TAK—instantly shows the r.p.m. your engine is putting out, and enables you to test comparative performance using different kinds of fuel, glow plugs, props, rotary valves, or other accessories. A valuable troubleshooter for leaky coil, wiring, or spark plug! Does the work of expensive \$50 and \$60 instruments. Quality-built of high stress aluminum with knurled indicator and deep-etched markings. Practically indestructible. Sold by model dealers everywhere. If not available, sent prepaid on receipt of purchase price. Money back if not delighted.

Just \$2.00.

VERDELL INSTRUMENT SALES CO.
P. O. Box 212, BURBANK, CALIF.




LOOK TO Berkeley FOR LEADERSHIP- IN FREE-FLIGHT CONTEST FLYING

Here are the models that swept the National and International Championship Meets, as well as establish the first "perfect" 30-minute National Record.

Denny Davis

"SANDY HOGAN"

For Class "B" and "C" Flying:



Leslie Bartlett,
National Champ,
his "Hogan" and his trophies

FEATURING "HOGANAMIC" CONSTRUCTION:

Strong Sturdy Fuselage! Warp Resistant Wing!

70" Wingspan
.29 to .35 Engines

**COMPLETE KIT
\$4.95**

"SANDY HOGAN" embodies the latest developments in model construction. Its warp free "HOGANIC" wing construction is a real advance in model construction. The kit is completely prefabricated with precision die-cut and shaped parts, hardware, covering material and full-size plans.


The ultimate in contest free-flight models! You will find your greatest thrill in model flying when you "HOGAN" rockets aloft. A speck in the sky in 15 seconds, it soars on the nearest thermal until its dethermalizer "pops" and the model sinks back to earth.

For Class "1/2 A" Flying:

"MINI HOGAN 34"

34" Wing — .035 to .074 Engines

\$1.95



For Class "A" Flying:

"MINI HOGAN 45"

For .074 to .099 Engines 45" Wing **\$2.95**

NEW SPRING CATALOG

ORDER YOUR COPY TODAY! **25¢**

SOLD THRU
BERKELEY
DEALERS & DISTRIBUTORS

IF NO LOCAL DEALER IS CONVENIENT, MAIL ORDERS WILL BE FILLED BY BERKELEY MODEL SUPPLIES, DEPT. AT., WEST HEMPSTEAD, L. I. N. Y. PLEASE INCLUDE 25¢ PACKING AND POST.

The Challengers. Since another Long Island model club has termed itself the "most active club East of California," the L.I. Gas Monkeys organized and active since 1939 stake out claim to the title: "The oldest model club East of California consistently active without reorganizations!" (Ouch!). Under the able leadership of Ernest Ruff, veteran mentor of model aviation, the club has enjoyed an enviable reputation for furthering free-flight gas throughout the New York, Connecticut and New Jersey area. The Gas Monkeys' annual invitational meet is a red-letter day on many a modeler's contest calendar. Plans for the bigger and better '51 meet are already underway. Twenty active club members compete in monthly club contests from April through October for a perpetual trophy awarded to the high point man each year. Interested flyers are invited to attend any of the Tuesday night meetings which get underway at 8:30 p.m. at 140-18 169th Street, Jamaica 5, N.Y.

Far-Flung Club. Boasting members from South Dakota to Connecticut, from Ohio to Minnesota, the Parks College (of Aeronautical Technology of St. Louis University) Cloud Hounds is one of the oldest air-school model groups. Organized in March 19, 1946, during the past four years the club has been able to pass on a lot of enthusiasm to other students and the faculty. Using a room provided by the College, the Cloud Hounds have their own workshop and meeting place right on the campus, and since members are able to use much of the school's equipment, they seldom lack for materials or assistance.

The club is self-supporting and at the present has 13 very active members. When it first got underway most club activity was in the field of free flight models, but recently many of the student modelers have turned to U-Control with jet jobs getting lots of attention. College officials feel that this modeling experience is valuable training toward future air careers; it is pointed out that the past president of the club, Dave Williams, is now doing design work for McDonnell Aircraft Company in St. Louis.

Windsor Correction. Don Graham, corresponding secretary for the Windsor, Ontario, MAC corrects our former listing for that group. The club is no longer connected with the YMCA; instead it now meets at the Dept. of Recreation offices at Jackson Park. Nearby modelers can contact Graham at 386 Devonshire Rd.

Mail Bag. J. R. Shekleton is 17, lives in England, is mainly interested in U-Control and would like an American correspondent. Write him at 29 Colne Road, Burnley, Lancaster... The Society of Model Aeronautical Engineers says it is the oldest society in the world devoted to the sport and science of model aeronautics. This English organization, delegated by the Royal Aero Club, under the Federation Aeronautique Internationale, controls all national and international contests in Great Britain. Its beginnings are to be found in the Kite and Model Aeroplane Association founded in 1909, which it absorbed and superseded in 1922. The S.M.A.A. consists mainly of some 400 clubs with nearly 10,000 members, grouped into 17 semi-autonomous areas covering all parts of Great Britain. In addition, nearly 100 RAF clubs are affiliated through the Royal Air Force Model Aircraft Association. Administration of the Society is in the hands of a governing council, elected by and from the individual members, and including representatives of all areas.

Any challengers for that "oldest" title? ... Leslie E. Steen, Jr., says the East Lansing, Mich., Balsa Buzzards are out of business and the new local organization is the Lansing Model Association, Box 32, N. Lansing Sta. ... Richard L. Smith, 512 Broad St., Warrensburg, Mo., is looking for a Bullet crankshaft. Can anybody help him? ... R. L. DeRoo, 73 Rochelle Ave., Philadelphia 28, Pa., wants a used Forster 99. Says the local dealers can't help him.



"You and your thrust!"

NEW

EXTRA-LARGE ECONOMY SIZE

25¢
JAR



TESTORS

DOPE

- Real economy size saves you money . . . is quantity needed for any model with 8" wing span or larger.
- So easy to use . . . jar has same-size top opening as quarter-pints.
- The same superior quality that has made Testor's America's largest-selling Dope line: unequalled for one-coat coverage . . . smooth, lustrous high-gloss surface . . . pure color brilliance.
- Complete range of colors . . . including official Army-Navy aircraft colors.
- Developed in our own laboratory especially for model airplanes.
- Ask for Testor's Dope by name!

TESTOR CHEMICAL COMPANY • ROCKFORD, ILLINOIS

High Spots in the "OK" Miniature Engine Line



AT BARGAIN PRICES

Now—a tiny new engine at a price so low it's a steal—with a money-back guarantee! Now—save \$1.20 while you have the fun of assembling your own engine! Now—at your request—a potent new fuel that produces maximum power—cheaper because it lengthens engine life!

Who else brings you all these bargains but "OK"?—the lowest-priced, most complete line on the market! Remember the name: "OK". Say "OK" to your dealer.

New "OK" CUB .039

A brand new "Half A" Cub priced for beginners on small weekly allowances. Includes glow plug, starting pulley, prop and tank—a sensational engine at a sensational price!

Bore .390 — Stroke .334

ONLY **\$4.95**

"OK" CUB .049

POWER KIT

Assemble this \$6.15 value Cub—save \$1.20. That's a big saving of 20%.

ONLY **\$4.95**



"OK" GLOW FUEL

Assures easy starting, smooth operation, prolongs engine life. Great for break-in purposes.

85¢ PINT



COMBINATION PACKAGE

Cub .049	\$5.75
.074	\$6.75
.099	\$7.75

Includes assembled engine, prop and tank—more for the money!



Other famous "OK" products: "OK" CO2, "OK" Bantam, "OK" Hothead, "OK" Super 60, "OK" Twin.

SEE YOUR DEALER — SAY "OK" . . . OR WRITE!

HERKIMER TOOL & MODEL WORKS

15 Harter St.

Herkimer, N. Y.